





REGULATORS	2
INSTRUMENTS	18
BCD'S	26
SUITS	36
FINS	58
MASKS & SNORKELS	68
ACCESSORIES	84
TECH FEATURES	110



BREATHING SYSTEMS	106
BUOYANCY SYSTEMS	114
INSULATION SYSTEMS	126
ACCESSORIES	132



FREEDIVING	142
COMPUTERS	156
FINS	160
MASKS & SNORKELS	166
NEOPRENE	172
PNEUMATIC GUNS	186
SLING GUNS	192
ACCESSORIES	196



FINS - ADULT /JUNIOR	218
MASKS & SNORKELS - ADULT /JUNIOR	224
COMBOS - ADULT /JUNIOR	240
SETS - ADULT /JUNIOR	254
NEOPRENE - ADULT /JUNIOR	258



PROMO MATERIAL	276
mares	282







EPIC ADJ 82X*

Code: 416247 INT / DIN 300

1ST STAGE

- PVD COATING
- SWIVEL TURRET
- NATURAL DFC ON ALL LP PORTS
- OPD TILTED HP PORTS
- AST 1ST STAGE DRY SYSTEM
- COMPACT DIMENSIONS





TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1st Stage	964g	790g
2nd Stage	329g	
Total Weight [including hose]	1429g	1255g

ACCESSORIES

Octopus Epic Adj	416550	Page 12
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

Mares regulators have been tested and certified in compliance with EC directive 89/686/EEC and/or European Regulation 2016/425 according to the EN 250: 2014 standard and EN13949 (Nitrox regulators). All Mares Nitrox regulators are compatible with oxygen mixes up to 100% 02 and are equipped with a dedicated connection in conformity with European standard EN144-3.

* Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

2ND STAGE

- METAL 2ND STAGE WITH PVD COATING
- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON
- COLD WATER USE
- SUPERFLEX HOSE





DETAILS





Swivel Turret - Natural DFC on all LP ports



Twin Power System



AST - 1st Stage Dry System (DIN version)

ULTRA ADJ 82X*

Code: 416250 INT / DIN 300

1ST STAGE

- NATURAL DFC ON ALL LP PORTS
- SWIVEL TURRET
- OPD TILTED HP PORTS
- AST 1ST STAGE DRY SYSTEM PEARL CHROME FINISH
- COMPACT DIMENSIONS

- 2ND STAGE
 - TWIN POWER SYSTEM
 - ADJUSTABLE BREATHING COMFORT
 - PAD PNEUMATICALLY ASSISTED DESIGN
 - HIGH AIR FLOW
 - ULTRALIGHT TECHNOPOLYMER
 - WIDE PIVOTING PURGE BUTTON SUPERFLEX HOSE



ULTRA 72X*

Code: 416251 INT / DIN 300

1ST STAGE

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
 - IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
 - NATURAL DFC ON ALL LP PORTS
 - PRE-ORIENTED HP PORTS
 - AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS



TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1st Stage	964g	790g
2nd Stage	192g	
Total Weight [including hose]	1292g	1118g

ACCESSORIES

Octopus Ultra Adj	416553	Page 12
82X	416248	Page 11
DIN Connector	416809	Page 14

DETAILS





Twin Power System





Swivel Turret - Natural DFC on all LP Ports Adjustable Breathing Comfort



TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1st Stage	882g	708g
2nd Stage	190g	
Total Weight [including hose]	1208g	1034g

ACCESSORIES

Octopus Ultra	416554	Page 12
72X	416256	Page 11
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

* Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

4

Mar

2ND STAGE

- TWIN POWER SYSTEM
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE



DETAILS



Pivoting Purge Button



AST - 1st Stage Dry System (INT Version)



Twin Power System



Vertical and Radial LP Ports (Pat. Pending)

FUSION 72X*

Code: 416252 INT / DIN 300

1ST STAGE

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- PRE-ORIENTED HP PORTS
- AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS

- 2ND STAGE
 - TWIN POWER SYSTEM
 - METAL 2ND STAGE WITH PEARL CHROME FINISH
 - HIGH AIR FLOW WIDE PIVOTING PURGE BUTTON
 - SUPERFLEX LP HOSE





red<mark>dot</mark> award winner

TECHNICAL FEATURES

Weight	INT	DIN 300 bar	
1st Stage	882g 708g		
2nd Stage	327g		
Total Weight [including hose]	1345g	1171g	

ACCESSORIES

72X	416256	Page 11
Octopus Fusion	416544	Page 12
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

DETAILS

6



Pivoting Purge Button



Twin Power System



Vertical and Radial LP Ports (Pat. Pending) AST - 1st Stage Dry System (INT Version)



Code: 416253 > INT / DIN 300

1ST STAGE

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- PRE-ORIENTED HP PORTS
- COMPACT DIMENSIONS

2ND STAGE*

- "UNDER-THE-SHOULDER" HOSE POSITION
- CAN BE MOUNTED ON THE RIGHT OR LEFT SIDE
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- INTEGRATED SAGITTAL VAD (S-VAD)
- TWIN EXHAUST VALVE
- OVERSIZED SILICONE PURGE BUTTON



Ľ reddot award

TECHNICAL FEATURES

Weight	INT DIN 300 bar		
1st Stage	882g 708g		
2nd Stage	199g		
Total Weight [including hose]	1256g	1082g	

ACCESSORIES

72X	416256	Page 11
Octopus Loop	416548	Page 12
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416860	Page 14

* Pat. Pending ◊ While stocks last

ABYSS 22 NAVY II

Code: 416171 INT / DIN 300

1ST STAGE

- HI FLOW DFC PORT
- PRE-ORIENTED PORTS
- CWD OIL KIT
- US NAVY APPROVED

2ND STAGE

- VAD SYSTEM
- MESH GRID
- FLUOROPOLYMER RESIN FINISH
- RUBBER HOSE
- IDEAL FOR EXTREME COLD WATER





TECHNICAL FEATURES

Weight	INT DIN 300 bar	
1st Stage	850g 685g	
2nd Stage	269g	
Total Weight [including hose]	1337g 1172g	

ACCESSORIES

	Octopus Abyss Navy	416546	Page 12
--	--------------------	--------	---------

DUAL ADJ 62X*

Code: 416263 INT / DIN 300

1ST STAGE

- NATURAL DFC PRE-ORIENTED LP AND HP PORTS
- AST 1ST STAGE DRY SYSTEM
- LIGHT, COMPACT DIAPHRAGM 1ST STAGE
- ALL METAL
- PEARL CHROME FINISH

- 2ND STAGE
- ADJUSTABLE BREATHING COMFORT
- ULTRALIGHT TECHNOPOLYMER PAD - PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- LIGHTWEIGHT
- OVERSIZED PURGE BUTTON
- SUPERFLEX HOSE



NEW



Code: 416258 INT / DIN 300

- 1ST STAGE
- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH

2ND STAGE

- TECHNOPOLYMER LIGHTWEIGHT
- OVERSIZED SILICONE PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE

4

mares

INT

772g

1085g

416237

416556

416809

416860



TECHNICAL FEATURES

Weight	INT	DIN 300 bar	
1st Stage	638g 464g		
2nd Stage	185g		
Total Weight [including hose]	953g	779g	

ACCESSORIES

62X	416267	Page 11
Octopus Dual Adj	416555	Page 13
DIN Connector	416809	Page 14
Twin Balanced Piston Dry Kit	416813	Page 14

DETAILS



AST – 1st stage Dry System



Technonolymer case with Integr



Bi-Material Purge Button

Twin Balanced Piston Dry Kit

TECHNICAL FEATURES

Total Weight [including hose]

Weight

1st Stage

2nd Stage

ACCESSORIES

Octopus Dual

DIN Connector

15X

Adjustable breathing comfort



* Pat. pending ◊ While stocks last

9

DIN 300 bar

598g

911g

Page 11

Page 13

Page 14

Page 14

183g

* Meets and exceeds the requirements of NORSOK U-101 at a depth of 200m

8

L00P 15X

Code: 416241 INT / DIN 300

1ST STAGE

- DFC PORT
- PRE-ORIENTED PORTS COMPACT SIZE
- SANDBLASTED FINISH

2ND STAGE*

- "UNDER-THE-SHOULDER" HOSE POSITION
- CAN BE MOUNTED ON THE RIGHT OR LEFT SIDE
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- INTEGRATED SAGITTAL VAD (S-VAD)
- TWIN EXHAUST VALVE
- OVERSIZED SILICONE PURGE BUTTON



Mar



TECHNICAL FEATURES

Weight	INT DIN 300 bar		
1st Stage	772g 598g		
2nd Stage	199g		
Total Weight [including hose]	1146g 972g		

ACCESSORIES

15X	416237	Page 11	
Octopus Loop	416548	Page 12	
DIN Connector	416809	Page 14	
Twin Balanced Piston Dry Kit	416860	Page 14	

REGULATORS

NEW

ROVER 15X

Code: 416254 INT / DIN 300

1ST STAGE

- DFC PORT
- PRE-ORIENTED PORTS COMPACT SIZE
- SANDBLASTED FINISH

2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

ROVER 2S

Code: 416255 INT / DIN 300

1ST STAGE*

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP

2ND STAGE

■ EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN

NEW

- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE







TECHNICAL FEATURES

Weight	INT DIN 300 bar		
1st Stage	772g 598g		
2nd Stage	190g		
Total Weight [including hose]	1107g 933g		

AC	CES	SO	RI	FS

15X	416237	Page 11
Octopus Rover	416557	Page 13
DIN Connector	416809	Page 14

TECHNICAL FEATURES

Weight	INT	DIN 300 bar			
1st Stage	608g	432g			
2nd Stage	19	190g			
Total Weight [including hose]	977g	978g			

ACCESSORIES

25	416232	Page 11		
Octopus Rover	416557	Page 13		
DIN Connector	416809	Page 14		

82X

Code: 416248\$

- SWIVEL TURRET
- NATURAL DFC ON ALL LP PORTS
- OPD TILTED HP PORTS AST - 1ST STAGE DRY SYSTEM
- COMPACT DIMENSIONS



TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1 st stage	964g	790g

62X NEW

Code: 416267 INT / DIN 300

- NATURAL DFC
- PRE-ORIENTED LP AND HP PORTS
- AST 1ST STAGE DRY SYSTEM

■ LIGHT, COMPACT DIAPHRAGM 1ST STAGE



TECHNICAL FEATURES

Weight	INT	DIN 300 bar
1 st stage	638g	464g

25

Code: 416232\$

LIGHTWEIGHT, STURDY AND COMPACT

PISTON CONTROL

DEDICATED PLACE FOR RFID CHIP



TECHNICAL FEATURES

Weight	INT	DIN 300 bar		
1st stage	608g	432g		

* For use with octopuses and 2nd stages with which it has been certified. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center. \$ While stocks last

72X

Code: 416256\$

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- PRE-ORIENTED HP PORTS
- COMPACT DIMENSIONS



TECHNICAL FEATURES

Weight	INT	DIN 300 bar		
1st stage	882g	708g		

15X

Code: 416237\$

- SIMPLE, RUGGED, AND COMPACT.
- CHROME-PLATED BRASS BODY WITH SANDBLASTED FINISH.
- 4 PRE-ORIENTED LOW-PRESSURE PORTS, ONE OF WHICH OFFERS DFC.



Weight	INT	DIN 300 bar		
1 st stage	772g	598g		

NEW

OCTOPUS EPIC ADJ

Code: 416550

- METAL 2ND STAGE WITH PVD COATING
- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON COLD WATER USE
- SUPERFLEX HOSE



OCTOPUS ULTRA

Code: 416554

- TWIN POWER SYSTEM
- TECHNOPOLYMER
- ULTRALIGHT
- WIDE PIVOTING PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE

OCTOPUS ULTRA ADJ

Code: 416553

- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER 2ND STAGE
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE



OCTOPUS FUSION

Code: 416544

- TWIN POWER SYSTEM
- VAD SYSTEM
- HIGHEST AIR FLOW
- SUPERFLEX HOSE
- WIDE PIVOTING PURGE BUTTON



OCTOPUS LOOP

Code: 416548

- CAN BE MOUNTED ON THE RIGHT OR THE LEFT SIDE
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- "UNDER THE SHOULDER" HOSE POSITION
- TWIN EXHAUST VALVES INTEGRATED SAGITTAL VAD (S-VAD)
- OVERSIZED SILICONE PURGE BUTTON



OCTOPUS ABYSS NAVY

Code: 416546

- VAD SYSTEM
- MESH GRID
- FLUOROPOLYMER RESIN FINISH
- RUBBER HOSE EXTREMELY COLD WATER USE



OCTOPUS DUAL ADJ

Code: 416555

- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- TECHNOPOLYMER
- ULTRALIGHT
- OVERSIZED PURGE BUTTON SUPERFLEX HOSE



OCTOPUS ROVER

■ VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR

MID-SIZE

Code: 416557

- OVERSIZED PURGE BUTTON
- BELLOWS SOLUTION EASY TO USE
- RUBBER HOSE



AIR CONTROL*

Code: 416893\$

- COMBINED HOSE FOR OCTOPUS AND INFLATOR
- SPECIAL ADAPTORS TO FIT ALL BCDS
- ERGONOMIC SHAPE
- ONE-HANDED USE
- PRE-ORIENTED MOUTHPIECE
- MESH GRID COVER
- EASY TO PURGE, EVEN WITH THICK GLOVES
- SUPERFLEX HOSE

OCTOPUS **DUAL**

Code: 416556

- TECHNOPOLYMER
- LIGHTWEIGHT
- OVERSIZED PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE





REGULAR MOUTHPIECE KIT

Code: 415335

THE STANDARD MARES MOUTHPIECE



LP HOSES

			LP HOSE W	ITHOUT HOSE PR	OTECTORS		1st STAGE HOSE PROTECTORS	2№ STAGE Hose protectors
	Abyss 22 Navy	46201396	1/2"	RUBBER	BLACK	80 cm		46200846
	Epic Adj 82X							46201313
.0	Fusion 72X							46201313
OR	Ultra Adj 82X	(/001070	2/0"		DUT HOSE PROTECTORS HOSE PROTECTORS RUBBER BLACK 80 cm UPERFLEX BLACK 75 cm RUBBER BLACK 110 cm RUBBER BLACK 80 cm UPERFLEX YELLOW 100 cm RUBBER YELLOW 100 cm RUBBER YELLOW 110 cm	46201313		
REGULATORS	Ultra 72X	46201379	3/8	SUPERFLEX		46201249	46201313	
REGL	Dual Adj 62X		201396 1/2" RUBBER 201379 3/8" SUPERFL 201665 3/8" RUBBER 201382 3/8" RUBBER 201381 3/8" SUPERFL 201383 3/8" RUBBER 201383 3/8" RUBBER					46201473
œ	Dual 15X	46201665 3/8" RUBBER BLACK 110 cm 46201249 46201382 3/8" RUBBER BLACK 80 cm	46201473					
	Loop 72 X - Loop 15 X	46201665	3/8"		46201473			
	Rover 15X - Rover 2S	46201382	3/8"	RUBBER	BLACK	80 cm		46201473
	E-2-AP							46201339
	Epic Adj							
	Fusion	Addition Addition		46201339				
	Ultra Adj		3/8"	SUPERELEX	YELLOW	100 cm		46201339
	Ultra		-, -					46201339
D	Dual Adj	46201379 46201665 46201382 46201381 46201383 46201666					(/2012/0	46201473
OCTOPUS	Dual						46201249	46201473
0	Abyss Navy		0 /0 !!					46200846
	Rover	46201383 3/8"	3/8	KUBBER	YELLOW	100 cm		46201473
	Loop	46201666	3/8"	RUBBER	YELLOW	110 cm		46201473
	Air Control	46201383 3/8" RUBBER YELLOW 100 cm 46201666 3/8" RUBBER YELLOW 110 cm				46201473		

SPECIAL LENGTH										
	46200984	3/8"	SUPERFLEX	BLACK	210 cm					
	46200985	1/2"	SUPERFLEX	BLACK	210 cm					
Regulator hose	46200986	3/8"	SUPERFLEX	YELLOW	210 cm	-	-			
	46201393	3/8"	RUBBER	BLACK	210 cm					
	46201394	3/8"	RUBBER	BLACK	56 cm					

DIN CONNECTOR

Code: 416809

- FOR 82X 72X 62X 15X 2S
- FOR 200 AND 300 BAR USE
- CONICAL SINTERED FILTER



AUTO-SEALING TECHNOLOGY

Code: 416811 INT

Code: 416812 DIN

KEEPS THE 1ST STAGE DRY

AST DRY SYSTEM

- ACTIVATED BY GAS CAN BE USED WITH A HIGHER
- PERCENTAGE OF OXYGEN
- CAN BE USED IN COLD WATER EASY TO INSTALL ON 82X-72X-52X-15X
- AND R2 1ST STAGES



TWIN BALANCED PISTON DRY KIT

Code: 416860 for 82X

Code: 416815 for 72x

Code: 416813 for 62X - 15X

- FOR COLD WATER USE
- PROTECTS ALL MOVING PARTS
- EASY TO INSTALL
- HIGH FLOW PERFORMANCE





72X



SWIVEL

Code: 415862

- TO IMPROVE COMFORT
- 120 DEGREE ADAPTER
- EASY TO INSTALL BETWEEN HOSE AND 2ND STAGE
- 9/16" UNF



DIN/YOKE ADAPTOR

Code: 415861

FOR ALL DIN 1ST STAGES



15X

JAX

Code: 415336 12 pcs mix (2 pcs BL/YL/BK/CL - 1 pcs GN/PK/IYL/WH) Code: 415347 12 pcs unicolors (CL/BK/PK/BL/YL)

- CUSTOM FIT MOUTHPIECE
- VARIOUS COLOR OPTIONS
- HIGH COMFORT
- FITS ON ALL REGULATORS STRAP INCLUDED



JAX-S

Code: 415354 (12 pcs) 👌

- SMALL SIZE CUSTOM FIT MOUTHPIECE
- HIGH COMFORT
- FITS ON ALL MARES REGULATORS WHITE COLOR
- STRAP INCLUDED





SMALL MOUTHPIECE KIT

Code: 415111

- SMALL SIZE MARES MOUTHPIECE
- STRAP INCLUDED
- FITS ON ALL MARES REGULATORS







82X PVD

 Balanced diaphragm design Swivel turret • 2 HP 7/16" UNF ports • 5 LP 3/8" UNF ports



Epic Adj

2ND STAGES



82X Balanced diaphragm design Swivel turret • 2 HP 7/16" UNF ports

5 LP 3/8" UNF ports



Ultra Adj





62X Balanced diaphragm design 2 HP 7/16" UNF ports
4 LP 3/8" UNF ports





22X CWD KIT Balanced diaphragm design • 2 HP 7/16" UNF ports

 1 LP 1/2" UNF port (primary) • 3 LP 3/8" UNF ports



Abyss Navy II





2S Piston design
1 HP 7/16" UNF port • 4 LP 3/8" UNF ports





		-	-6	-6	E	ð	20		Ð	ð		
Regulators		Epic Adj 82X	Ultra Adj 82X	Ultra 72X	Fusion 72X	Loop 72X	Abyss 22 Navy II	Dual Adj 62X	Dual 15X	Loop 15X	Rover 15X	Rover 2S
Code		416247	416250	416251	416252	416253	416171	416263	416258	416241	416254	416255
	Diaphragm						•		•		•	
1st Stage	Piston											
All Metal Technology							•					
Ultralight Techno Poly	ymer								•		•	
DFC - Dynamic Flow	Control	-					•		•			•
A.S.T Auto Sealing	Technology	-										
Swivel Turret		-										
Tilted HP			•									
Vertical LP												
Twin Power		-										
VAD - Vortex Assisted	Design (*SVAD)	-				■ [*]	•		•	■ [*]		
Adjustable Breathing	Comfort		•									
P.A.D. Pneumatically	Assisted Design	-										
Mesh Grid							•				•	
Fluid Dynamic Deflec	tor										•	
Superflex Hose		-							•			
P.V.D. finishing												
Pearl finishing												
Sandblasted							•		•			-
1st Stage Weight	INT	964g	964g	882g	882g	882g	850g	638g	772g	772g	772g	608g
	DIN 300 bar	790g	790g	708g	708g	708g	685g	464g	598g	598g	598g	432g
2nd Stage Weight		329g	192g	190g	327g	199g	269g	185g	183g	199g	190g	190g
Total Weight [includ-	INT	1429g	1292g	1208g	1345g	1256g	1337g	953g	1085g	1146g	1107g	977g
ing hose]	DIN 300 bar	1255g	1118g	1034g	1171g	1082g	1172g	779g	911g	972g	933g	978g



			-							
Octopus	Fusion	Abyss Navy	Loop	Epic ADJ	Ultra ADJ	Ultra	Dual ADJ	Dual	Rover	Air Control
Code	416544	416546	416548	416550	416553	416554	416555	416556	416557	416893
All Metal Technology	-	•		•						
Ultralight Techno Polymer					-	•	-		-	
Twin Power					-	•				
VAD - Vortex Assisted Design (SVAD*)		-	■ [*]	•	-	•	-			•
Adjustable Breathing Comfort										
Pneumatical Balanced System					-		-			
Mesh Grid		-		•						•
Fluid Dynamic Deflector										
Superflex Hose										
Total Weight [including hose]	481g	427g	374g	483g	346g	344g	359g	357g	365g	

GENIUS

Code: 414139

- NEW ZH-L16C ALGORITHM WITH GRADIENT FACTORS AND PREDICTIVE MULTIGAS
- NITROX AND TRIMIX CAPABLE, UP TO 5 GASES
- FULL COLOR HIGH-RESOLUTION DISPLAY
- FULL TILT DIGITAL COMPASS WITH BEARING MEMORY AND STOPWATCH
- HOSELESS TANK DATA INTEGRATION FOR UP TO FIVE TRANSMITTERS
- COLOR CODED TANK PRESSURE FOR AT-A-GLANCE READABILITY
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- BRILLIANT LOGBOOK WITH MULTIPLE GRAPHS





TECHNICAL FEATURES

Battery	Туре	18650 Lithium Ion polymers	
Dattery	Duration	40 hours dive time / 500 recharge cycles	
Nitrox		EAN from 21% to 99%	
Trimix		Hypoxic, Normoxic	

ACCESSORIES

LED Tank Module	414319	Page 24
HP Hose 15 cm / 6"	44201030	Page 22

- LOGBOOK CAPACITY MORE THAN 1000 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- SMART BATTERY MANAGEMENT SYSTEM WITH 40 HOURS DIVETIME PER FULL CHARGE
- BLUETOOTH CONNECTION FOR DIRECT CONNECTION TO SMARTPHONE
- NIGHT MODE FUNCTION
- MAP VIEWING FUNCTION DURING THE DIVE
- TISSUE SATURATION GRAPH WITH DETAILED INFORMATION
- UNDERWATER MENU ALLOWS CERTAIN SETTINGS TO BE CHANGED DURING THE DIVE
- FUTURE DECO AND RUNAWAY DECO ALARM (PROPRIETARY)

DETAILS



44201030 - HP Hose 15 cm / 5.9 in (optional)

414319 - LED Tank Module (Optional)

QUAD AIR

Code: 414169

- MAGNIFICENTLY CLEAR DISPLAY WITH JUMBO SIZE INFORMATION
- HOSELESS TANK DATA INTEGRATION FOR UP TO THREE TRANSMITTERS
- THREE-ROW LAYOUT COMPRISES ALL RELEVANT DATA INCLUDING TANK PRESSURE ■ TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- FOUR BUTTONS FOR INTUITIVE USER INTERFACE
- MIRRORED BUTTON FUNCTION DURING DIVE
- RUNAWAY DECO ALARM
- MULTIGAS CAPABLE
- DECOMPRESSION DIVE PLANNER WITH USER ADJUSTABLE SURFACE INTERVAL
- LONG BATTERY LIFE, USER REPLACEABLE
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC

QUAD

Code: 414134

- MAGNIFICENTLY CLEAR DISPLAY WITH JUMBO SIZE INFORMATION
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- FOUR BUTTONS FOR INTUITIVE USER INTERFACE
- MIRRORED BUTTON FUNCTION DURING DIVE
- OPTION TO VIEW DIVE TIME INCLUDING SECONDS RUNAWAY DECO ALARM
- MULTIGAS CAPABLE
- DECOMPRESSION DIVE PLANNER WITH USER ADJUSTABLE SURFACE INTERVAL
- LONG BATTERY LIFE, USER REPLACEABLE

SMART

Code: 414129

- FULL FEATURED NITROX DIVE COMPUTER WITH TWO GAS CAPABILITY
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH ■ LOGBOOK CAPACITY IN EXCESS OF 40 HOURS OF DIVE PROFILE AT 5-SECOND
- SAMPLING RATE (SCUBA) AND MEMORY FUNCTION FOR FREEDIVING ■ DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- UPGRADEABLE FIRMWARE
- COMPLETE WATCH FUNCTIONS: STOPWATCH, WAKE-UP ALARM, SECOND TIME ZONE, DATE
- USER-REPLACEABLE BATTERY
- FREEDIVING MODE (APNEA) WITH DEDICATED ALARMS
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC









TECHNICAL FEATURES

	D-44	Туре	CR2450
	Battery	Duration	200-300 dives
N	Nitrox		EAN from 21% to 99%

ACCESSORIES

Bluelink Pro	414317	Page 24
Dive Link 2 USB	414316	Page 24
Quad Display Protector	415182	Page 22

COLOR VARIATIONS



TECHNICAL FEATURES

Battery	Туре	CR2430
	Duration	200-300 dives over a three year time span
Nitrox		EAN from 21% to 99%

ACCESSORIES

Bluelink Pro	414317	Page 24
Dive Link 2 USB	414316	Page 24
Display Protector	415173	Page 22
Smart Strap Extension	44201190	Page 22

TECHNICAL FEATURES

Dattant	Туре	CR2450
Battery	Duration	150 dives
Nitrox		EAN from 21% to 99%

AC	CE	SS	0	RIE	5

LED Tank Module	414319	Page 24
Bluelink Pro	414317	Page 24
Dive Link 2 USB	414316	Page 24
Quad Display Protector	415182	Page 22
HP Hose 15 cm / 6"	44201030	Page 22

SMART AIR

Code: 414138

- HOSELESS TANK DATA INTEGRATION FOR UP TO THREE TRANSMITTERS
- GRAPHIC AND NUMERIC DISPLAY OF TANK PRESSURE
- THREE-ROW LAYOUT COMPRISES ALL RELEVANT DATA INCLUDING TANK PRESSURE
- MULTIGAS CAPABLE
- OPTION TO VIEW DIVE TIME INCLUDING SECONDS
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- LOGBOOK CAPACITY OF 95 HOURS OF DIVE PROFILE
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- COMPLETE WATCH FUNCTIONS
- FREEDIVING MODE (APNEA) WITH DEDICATED ALARMS
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- USER-REPLACEABLE BATTERY
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC



TECHNICAL FEATURES

Dattant	Туре	CR2430
Battery	Duration	200-300 dives over a three year time span
Nitrox		EAN from 21% to 99%

ACCESSORIES

/1/210	Page 24
414317	Fage 24
414317	Page 24
414316	Page 24
415173	Page 22
44201190	Page 22
44201030	Page 22
	414316 415173 44201190

Code: 414135

- SLIM DESIGN FOR A PERFECT FIT
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- UPGRADEABLE FIRMWARF
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- USER-REPLACEABLE BATTERY
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC OR MAC

QUAD DISPLAY PROTECTOR

Code: 415182

- EASY TO INSTALL
- PREVENTS FROM SCRATCHES
- SOFT AND DURABLE ULTRA CLEAR



PUCK AIR

Code: 414161

Code: 414162 with Compass - Nothern Hemisphere

Code: 414163 with Compass - Southern Hemisphere

- COMPACT YET FULL FEATURED AIR INTEGRATED DIVE COMPUTER
- GAS TIME CALCULATION
- SEGMENT DISPLAY WITH DOT MATRIX INSERT
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- AVAILABLE WITH ANALOG COMPASS
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 20-SECOND SAMPLING RATE
- USER-REPLACEABLE BATTERY
- MULTIPLE LANYARD ATTACHMENT POINTS



DISPLAY PROTECTOR

Code: 415173

- PERFECT FIT AND EASY TO INSTALL
- PREVENTS FROM SCRATCHES, DIRT AND SAND
- SOFT AND DURABLE
- ULTRA CLEAR A PACK CONTAINS 2 PIECES



SMART STRAP EXTENSION

Code: 44201190

- FOR USE WITH THICK WET OR DRY SUITS
- FOR SMART ONLY









TECHNICAL FEATURES

Battery	Туре	CR2450
Dattery	Duration	200-300 dives
Nitrox		EAN from 21% to 99%

ACCESSORIES

Dive Link 2 USB	414316	Page 24
Bluelink Pro	414317	Page 24

HP HOSE 15 CM / 6"

Code: 44201030

- ALLOWS TO MOVE THE LED TANK MODULE AWAY FROM THE FIRST STAGE
- IDEAL FOR IMPROVING SIGNAL RECEPTION IN COMPLEX CONFIGURATIONS
- HELPS AVOID BREAKAGE DUE TO KNOCKING INTO THE MODULE OR TANK TIPPING OVER
- 15 CM / 6 " LENGTH





STANDARD VERSION

PLICK AIR WITH COMPASS

	Туре	CR2450
Battery	Duration	200-300 dives
Nitrox		EAN from 21% to 50%

ACCESSORIES		
Drak USB	414308	Page 24

MISSION 1C WRIST COMPASS

Code: 414404

- OIL BATH
- SIDE VIEW WINDOW
- WRIST MOUNT CONSOLE





PUCK CONSOLES

Code: 414420 Mission Puck 2

Code: 414421 Mission Puck 3

- COMPACT CONSOLE WITH FULL FEATURED COMPUTER AND ANALOG PRESSURE GAUGE
- AVAILABLE WITH ANALOG COMPASS
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- USER-REPLACEABLE BATTERY
- MULTIPLE LANYARD ATTACHMENT POINTS





MISSION PUCK 2

MISSION PUCK 3

TECHNICAL FEATURES

Dettern	Туре	CR2450
Battery	Duration	200-300 dives
Nitrox		EAN from 21% to 50%
		I

ACCESSORIES

Drak USB 414308 Page 24

HANDY COMPASS

Code: 414504 Northern Hemisphere

Code: 414506 Southern Hemisphere

- OIL BATH
- SIDE VIEW WINDOW
- SPECIAL HOUSING FOR CLIPPING TO BCD



MISSION 1

Code: 414417

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE PROTECTIVE RUBBER CONSOLE
- MULTIPLE ATTACHMENT POINTS



MISSION 2C

Code: 414423

PRESSURE GAUGE:

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE

COMPASS:

OIL BATH

- SIDE VIEW WINDOW
- CONSOLE: PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS

MISSION 2

- Code: 414418
- PRESSURE GAUGE: BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE
- DEPTH GAUGE: OIL BATH
- PHOSPHORESCENT DIAL FACE
- MAX DEPTH INDICATOR LINEAR SCALF
- CONSOLE:
- PROTECTIVE RUBBER COVER WITH MULTIPLE
- ATTACHMENT POINTS

MISSION 3 Code: 414419

- PRESSURE GAUGE:
- BRASS CASE
- TECHNOPOLYMER WINDOW PHOSPHORESCENT DIAL FACE
- DEPTH GAUGE:
- OIL BATH
- PHOSPHORESCENT DIAL FACE MAX DEPTH INDICATOR
- LINEAR SCALE
- COMPASS:
- OIL BATH
- SIDE VIEW WINDOW
- CONSOLE: PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS

LED TANK MODULE

Code: 414319

- TRANSMITS TANK INFORMATION
- COLOR LED FOR QUICK TANK CHECK ON THE SURFACE
- COLOR LED ALERTS BUDDY OF LOW AIR SITUATION DURING DIVE
- PERMANENT PAIRING
- EN250:2014 CERTIFIED TO 300BAR
- BATTERY TYPE: CR123A, USER REPLACEABLE

DIVE LINK 2 USB

Code: 414316

- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC (QUAD, QUAD AIR, PUCK PR0 +, SMART, SMART AIR)
- REQUIRED SOFTWARE: DIVE ORGANIZER (PC) OR DIVERS DIARY (MAC)



BLUELINK PRO

Code: 414317

- TO DOWNLOAD THE LOGBOOK OF A DIVE COMPUTER USING THE BLUETOOTH LOW ENERGY TECHNOLOGY (QUAD, QUAD AIR, PUCK PRO +, SMART, SMART AIR)
- REQUIRES THE DIVESSI APP (ANDROID, IOS)




DRAK USB

Code: 414308

- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC (ALL PUCK
- CONSOLES) REQUIRED SOFTWARE:
- DIVE ORGANIZER (PC) OR DIVERS DIARY (MAC)

DIVE ORGANIZER

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
 - ALLOWS UPLOADING OF MAPS AND IMAGES TO ICON HD
 - FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
 - FOR PC ONLY





Computer	Genius	Quad Air	Quad	Smart	Smart Air	Puck Pro +	Puck Air	Puck Air with compass	Mission Puck 2	Mission Puck 3
Code	414139	414169	414134	414129	414138	414135	414161	414162 NO	414420	414421
Colors	BKSI	ВКВК	BKBK, BKBL, BKWH, BKYL	BKBK, BKGR, BKRD, BKWH, WHLL, WHLM	ВКВК	BKBK, BKWH, BLBK, GRBK, LLBK, LMBK, WHBK, YLBK	-	-	-	-
ZH-L16C GF										
RGBM		-	-	-		•	-	-	1	•
Trimix										
LCD Color Display										
Full Dot Matrix										
Segment Display		-				•			1	
Air Integrated		-			-			-		
Graphic and numeric tank pressure	•				-					
Gas Switching		-	-	-	-	•				
Software Upgradeability		-	-	-	-	•				
USB Charger										
One Button Control						-	-	-		
Mineral Glass		-	-	-	-	•				
Max Display Depth	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m / 492ft	150m	/ 492ft
Rechargeable Batteries										
Dive hours per charge	40hr									
User Replaceable Batteries		-		-	-	-		-	1	
Residual Nitrogen Reset		-	-	-	-	-	-	-		
Option to Exclude Audible Alarms	•	-	-	•	-	•	-	•		•
Ascent Rate Indicator								-		
Memory Capacity	1000hr	> 100hr	38hr	40hr	95hr	36h	36hr	36hr	36	hr
Profile Sampling Rates	5s	5s	5s	5s	5s	5s	20s	20s	Ę	s
Dual Time										
Stopwatch		•								
Daily Alarm										

* Bottom timer mode





DIVER'S DIARY

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR MAC ONLY















MAGELLAN

Code: 417226

- THE TRUE TRAVEL BCD: EXTREMELY LIGHTWEIGHT
- INTEGRATED QUICK RELEASE WEIGHT SYSTEM
- OPTIONAL TRIM WEIGHT (TO BE PLACED ON THE TANK BAND)
- FOLDABLE WITH NO RIGID BACKPACK
- STRAP LOOP BACKPACK FEATURE FOR EASY ADJUSTMENT
- 1 ROLL-UP POCKET
- CONCAVE ERGONOMIC SHOULDERS (PATENT PENDING): INCREASED COMFORT IN CHEST/SHOULDER AREA
- TROUBLE FREE FOR FEMALE DIVERS





Magellan	XXS/XS	S/M	L/XL
Weight	2.0kg / 5.0lb	2.1kg / 5.0lb	2.3kg / 5.3lb
Buoyancy	180N (18.5kg / 41lb)	180N (18.5kg / 41lb)	180N (18.5kg / 41lb)

ACCESSORIES		
Trim Weight	417964	Page 33

DETAILS



Quick release buckle system



Ergonomic concave shoulders



Roll up pocket



DRAGON SLS / KAILA SLS

Code: 417223 Dragon SLS

Code: 417363 Kaila SLS

- SUPERBLY COMFORTABLE AND STABLE YET TOUGH AND DURABLE
- AIRCELL SLIDES ON SHOULDERS FOR INCREASED COMFORT WHEN INFLATED
- POSITION OF THE CORRUGATED HOSE RETAINING EPAULETTE CAN BE ADJUSTED
- HIGH LIFT AIRCELL WITH "DRAGON" WINGLETS SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- SWIVEL BUCKLES: 50MM ON THE DRAGON, 40MM ON THE KAILA ■ HIGH CAPACITY CARGO POCKETS WITH STRETCH PANELS
- ADJUSTABLE CUMMERBUND
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS



TECHNICAL FEATURES

Dragon SLS	XS	S	м	L	XL
Weight	4.2kg / 9.25lb	4.2kg / 9.25lb	4.4kg / 9.7lb	4.5kg / 9.9lb	4.75kg / 10.5lb
Buoyancy	130N (14.1kg / 31lb)	150N (15.5kg / 34lb)	180N (18.8kg / 41lb)	200N (20.4kg / 45lb)	230N (23.9kg / 53lb)
Kaila SLS	10/0				
Nalla 313	XXS	XS	S	м	L
Weight	4.1kg / 9lb	XS 4.2kg / 9.25lb	S 4.2kg / 9.25lb	М 4.4kg / 9.7lb	L 4.5kg / 9.9lb

ACCESSORIES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

DETAILS





High capacity cargo pockets with stretch panels





Code: 417362

- SUPERBLY COMFORTABLE AND STABLE BACK BUOYANCY BC WITH 21KG LIFT (46 LBS)
- STREAMLINED
- SWIVEL SHOULDER BUCKLES SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- ROLL-DOWN CARGO POCKET
- ADJUSTABLE CUMMERBUND
- TRAVEL FRIENDLY
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS



TECHNICAL FEATURES							
Bolt SLS	XS	s	м				
Woight	2 6kg / 7 9lb	2.7kg / 9.1lb	2.7kg / 9.1lb				

Weight	3.6kg / 7.9lb	3.7kg / 8.1lb	3.7kg / 8.1lb	3.9kg / 8.6lb	3.9kg / 8.6lb
Buoyancy	200N (21kg / 46lb)	200N (21kg / 46lb)	200N [21kg / 46lb]	200N [21kg / 46lb]	200N (21kg / 46lb)

ACC	ESS	OR	IES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

XL

L

QUANTUM SLS

Code: 417357

- MONOPLATE BACKPACK FITS SINGLE TANK OR DOUBLES
- SWIVEL BUCKLES AND D-RING ATTACHMENT ON SIDE LOBE
- SLS WEIGHT SYSTEM
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZATION LABEL ON WEIGHT POUCHES
- STRETCH CARGO POCKETS
- OPENINGS ON SIDE LOBES FOR HOSE STORAGE
- TRIM WEIGHT POCKETS
- OPTIONAL BC ATTACHMENT KIT
- OPTIONAL TANK STRAP SET FOR DOUBLES UP TO 2 X 12L / 2 X 80CUFT



TECHNICAL FEATURES

Quantum SLS	XS	S	м	L	XL
Weight	4.2kg / 9.2lb	4.2kg / 9.2lb	4.4kg / 9.7lb	4.5kg / 9.9lb	4.6kg / 10.1lb
Buoyancy	120N (12.2kg / 27lb)	130N (13.8kg / 30lb)	150N (16kg / 35lb)	180N (18.3kg / 38lb)	200N (21kg / 46lb)

ACCESSORIES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

Code: 417224 BL

Code: 417225 WH

- EXCELLENT LIFT CAPACITY LIGHT, STRONG AND DURABLE DENIER 420
- IMPROVED FIT: SWIVELING BUCKLES, SHOULDERS, LOW-CUT AIRCELL
- SLS INTEGRATED WEIGHT SYSTEM
- 3-DIMENSIONAL ZIPPERED SELF-DRAINING POCKETS
- 2 REAR TRIM WEIGHT POCKETS
- REDUCED WEIGHT: TRAVEL FRIENDLY





TECHNICAL FEATURES

Prestige SLS BL	XS	S	м	L	XL
Weight	3.4kg / 7.5lb	3.5kg / 7.7lb	3.85kg / 8.5lb	3.9kg / 8.6lb	4kg / 8.8lb
Buoyancy	120N (12.2kg / 27lb)	130N (13.8kg / 30lb)	150N (16kg / 35lb)	180N (18.3kg / 38lb)	200N (21kg / 46lb)
		-			
Prestige SLS WH	XXS	XS	s	м	L
Weight	3.3kg / 7.3lb	3.4kg / 7.5lb	3.5kg / 7.7lb	3.85kg / 8.5lb	3.9kg / 8.6lb
Buoyancy	100N (10.8kg / 24lb)	120N (12.2kg / 27lb)	130N (13.8kg / 30lb)	150N (16kg / 35lb)	180N (18.3kg / 38lb)

ACCESSORIES

BCD Attachment Kit	415178	Page 34
Tank Strap Set For Doubles	415090	Page 33

HYBRID AT

Code: 417334

- FOLDABLE BACKPACK
- AIRTRIM FOR FAST AND INTUITIVE BUOYANCY CONTROL
- MRS PLUS MODULAR INTEGRATED WEIGHT SYSTEM

K		NEW

ROCI Code: 417263

- RESISTANT TO THE MOST EXTREME CONDITIONS
- GREAT WEARABILITY THANKS TO ENVELOPING SHOULDER STRAPS
- ANATOMICAL POCKETS, CUT TO MINIMISE WATER RESISTANCE DURING MOVEMENT
- POCKETS INCLUDE AN INTERNAL ELASTIC STRAP FOR ACCESSORY CLIPS
- PADDED BACKPLATE
- STRATEGICALLY POSITIONED STEEL D-RINGS



TECHNICAL FEATURES

Hybrid AT	XS/S	M/L	XL	
Weight	3.9kg / 8.6lb	4kg / 8.8lb	4.2kg / 9.2lb	
145N (14.8kg / 32.6lb)		200N (21kg / 46lb)	235N (24kg / 52.9lb)	

ACCESSORIES

BCD Attachment Kit	415178	Page 34

TECHNICAL FEATURES

Rock	XS	s	м	L	XL
Weight	2.6kg / 5.7lb	2.7kg / 5.9lb	2.8kg / 6.2lb	2.85kg / 6.2lb	2.85kg / 6.2lb
Buoyancy	140N (14.2kg / 31.3lb)	150N (16kg / 35lb)	160N (16.3kg / 35.9lb)	200N (21kg / 46lb)	235N [24kg / 52.9lb]

CCESSORIES	
------------	--

ACCESSORIES		
Trim Weight	417964	Page 33
Tank Strap Set For Doubles	415090	Page 33

PRIME

Code: 417364

- IDEAL FOR THOSE WHO WANT TO GET STARTED WITH THEIR DIVING ADVENTURE
- STANDARD BCD
- EXCELLENT BUOYANCY AND FIT
- LIGHT, STRONG AND DURABLE DENIER 420
- STOWAGE FOR OCTOPUS AND PRESSURE GAUGE
- MONOPLATE BACKPACK
- 2 LARGE CARGO POCKETS
- UPGRADEABLE INTEGRATED WEIGHT SYSTEM



TECHNICAL FEATURES

Prime	XS	S	м	L	XL
Weight	2.5kg / 5.5lb	2.6kg / 5.7lb	2.8kg / 6.2lb	2.8kg / 6.2lb	2.9kg / 6.4lb
Buoyancy	140N (14.2kg / 31.3lb)	150N (16kg / 35lb)	160N (16.3kg / 35.9lb)	200N (21kg / 46lb)	235N (24kg / 52.9lb)

ACCESSORIES

Tank Strap Set For Doubles	415090	Page 33
Standard Weight System - Small	417963	Page 33
Standard Weight System - Large	417962	Page 33

SCUBA RANGER

Code: 417227

- KID/JUNIOR BCD WITH A DEDICATED BACKPACK
- 2 COMFORTABLE VELCRO POCKETS
- SPECIALLY DESIGNED OCTOPUS AND PRESSURE GAUGE POCKETS
- OPTIONAL TRIM WEIGHTS TO BE PLACED ON TANK STRAP
- TANK BAND: DEDICATED ADAPTABLE SHORTER TANK BAND TO FIT SMALLER TANKS ■ 1 SIZE FITS ALL, FROM 8 - 12 YEARS, THANKS TO A DEDICATED ADJUSTMENT SYSTEM



- SIMPLE AND SECURE
- FAST AND EASY MAGNETIC CONNECTION
- SINGLE-HANDED USE
- 360° FREE-SWIVELLING SAFE UNLOCKING, EVEN WITH A FULL LOAD
- DESIGNED TO ATTACH TO ALL BCV D-RINGS
- HIGH-QUALITY, STURDY MATERIALS





3XS

1.8kg / 3.9lb

70N

417964

417965

Page 33

Page 32

(7.8kg / 17lb

CLICK Independent magnetic connection



Simple, quick and safe to unlock



360° rotating, free-tilting ball head

WEIGHT POCKET SCUBA RANGER

- EXPANDS THE CAPABILITY OF THE SCUBA RANGER BC
- RELEASEABLE WEIGHT POCKETS FIT INTO CARGO POCKETS FOR EASY ACCESS
- CAPACITY 1 KG / 2LBS

TECHNICAL FEATURES Scuba Ranger

Weight Pocket Scuba Ranger

Weight

Buovancy

ACCESSORIES Trim Weight

SLS SLIDE & LOCK SYSTEM

Code: 417959 - SMALL: 4kg / 9lb (PAIR)*

- Code: 417960 LARGE: 6kg / 13lb (PAIR)*
- STURDY ZIPPERED POCKET FOR QUANTUM BCD'S
- EASY TO SLIDE INTO POCKET VISUAL AID TO SEE IF SYSTEM IS PROPERLY ENGAGED
- SAFEST SYSTEM AVAILABLE
- EASY TO USE WITH THICK GLOVES





STANDARD WEIGHT SYSTEM

Code: 417963 - SMALL: 4kg / 9lbs (PAIR)

- Code: 417962 LARGE: 6kg / 13lbs (PAIR)
- ADD-ON TO UPGRADE BCD WITH STANDARD BUCKLE WEIGHT SYSTEM
- 7IPPERED POCKET
- EASY USE WITH THICK GLOVES



KIT MRS PLUS

Code: 417958 (PAIR)

- OPTIONAL FOR UPGRADING BCDS WITH MRS PLUS
- EASY TO INSTALL
- ZIPPERED POCKET
- INTERNAL VELCRO FOR MULTIPLE SECTIONS
- LARGE WEIGHT CAPACITY: 6KG / 13LBS



TANK STRAP SET FOR DOUBLES

Code: 415090

ALLOWS TWIN TANKS UP TO 2 X 12L / 2 X 80CUFT ON SELECTED BCDS



While stocks last

32

MRS PLUS

Code: 417955 - SMALL: 4kg / 9lb (PAIR) Code: 417954 - LARGE: 6kg / 13lb (PAIR)

- ZIPPERED POCKET
- INTERNAL VELCRO FOR MULTIPLE SECTIONS



TRIM WEIGHT

Code: 417964 (PAIR)

- EASY TO INSTALL ON TANK BAND
- DOUBLE LOOP TO FIT PERFECTLY ON THE BAND
- PERFECT BUOYANCY
- LESS WEIGHT ON THE BELT
- WEIGHT CAPACITY: 2KG EACH



CROTCH STRAP

Code: 415744\$

- CAN BE USED WITH BACKMOUNTED BCD'S
- ULTIMATE STABILITY



ACCESSORIES

Code: 415717

Code: 415716 MULTI FUNCTIONAL

ATTACHMENT

PLUG IN AND USE WITH MOST

STANDARD BUCKLE SYSTEMS

■ FAST LEASH OPENING FOR SIMPLE

LANYARD STAINLESS SPIRAL WITH RING

Code: 415732

- STAINLESS STEEL SPIRAL CABLE
- PROVIDES EXTENSION MORE THAN 50
- CM/20 IN QUICK RELEASE BUCKLE
- TO AVOID LOOSE ACCESSORIES



STAINLESS STEEL RING QUICK RELEASE BUCKLE

LANYARD MALE/FEMALE

LANYARD SPIRAL WITH RING

SPIRAL CABLE PROVIDES MORE THAN

50 CM/20 IN EXTENSION



LANYARD OPEN LOOP

Code: 415722

- MULTI FUNCTIONAL LANYARD WITH OPEN LOOP
- THE LOOP ALLOWS WIDE ATTACHMENT FUNCTIONALITY MALE/FEMALE QUICK RELEASE
- BUCKLE

STANDARD RETRACTOR

Code: 415715

- STAINLESS STEEL CABLE
- HEAVY DUTY HOOKS ON BOTH SIDES
- MORE THAN 60 CM/23,5 IN WHEN EXTENDED



CONSOLE HOLDER WITH VELCRO

Code: 415718

- STRONG VELCRO TO HOLD AND
- RELEASE WHEN NEEDED QUICK RELEASE SYSTEM USED FOR
- CONSOLE AND OCTOPUS
- QUICK ADJUSTING ROPE LEASH FOR FLEXIBLE FASTENING

HOSE RETAINER

Code: 415157


- HEAVY DUTY HOOKS
- SWIVEL SOLUTION
- TWO POSITIONS TO HANG HOSES

BCD ATTACHMENT KIT

Code: 415178* �

- IDEAL SOLUTION FOR YOUR EXTENSION POLE
- EASY TO INSTALL
- FITS ONTO MARES BCD'S





BCD		Magellan	Dragon SLS	Kaila SLS	Bolt SLS	Quantum SLS	Presti	ge SLS	Hybrid AT	Rock	Prime	Scuba Ranger
Code		417226	417223	417363	417362	417357	417224	417225	417334	417263	417364	417227
Sizes		XXS/XS · S/M · L/XL	XS · S · M · L · XL	XXS · XS · S · M · L	XS · S · M · L · XL	XS · S · M · L · XL	$\begin{array}{ccc} XS\cdot S\cdot M\cdot & XXS\cdot XS\cdot S\cdot \\ L\cdot XL & M\cdot L \end{array}$		XS/S · M/L · XL	XS · S · M · L · XL	XS · S · M · L · XL	3XS
Fusion Blad									•			
Classic Blac						•						•
Backmounte	ed				•							
Ergo Inflato	r	•			•	•						
Airtrim									•			
·	Monoplate Backpack		I		•		I	•				•
Foldable Ba		•							•			
Suspension Material	System	Cordura® 420	Cordura® 420		Cordura® 420	Cordura® 420	Cordura® 420		Cordura® 420	Cordura® 420	Cordura® 420	Cordura® 420
	Stainless steel	420	5		6	6	2		420	6	420	420
D .	Aluminium	4					-		6			
D-rings	Heavy-duty Technopolymer	1				3	4				5	2
Weight	Size L	2.3kg / 5.3lb	4.5kg	/ 9.9lb	3.9kg / 8.6lb	4.5kg / 9.9lb	3.9kg	/ 8.6lb	4kg / 8.8lb	2.85kg / 6.2lb	2.8kg / 6.2lb	
	3XS											70N (7.8kg / 17lb)
	XXS	180N (18.5kg / 41lb)		110N (10.8kg / 24lb)				100N (10.8kg / 24lb)				
	XS	180N (18.5kg / 41lb)	130N (14.1kg / 31lb)	130N (14.1kg / 31lb)	200N (21kg / 46lb)	120N (12.2kg / 27lb)	120N (12.2kg / 27lb)	120N (12.2kg / 27lb)	145N (14.8kg / 32.6lb)	140N (14.2kg / 31.3lb)	140N (14.2kg / 31.3lb)	
Buoyancy	S	180N (18.5kg / 41lb)	150N (15.5kg / 34lb)	150N (15.5kg / 34lb)	200N (21kg / 46lb)	130N (13.8kg / 30lb)	130N (13.8kg / 30lb)	130N (13.8kg / 30lb)	145N (14.8kg / 32.6lb)	150N (16kg / 35lb)	150N (16kg / 35lb)	
	М	180N (18.5kg / 41lb)	180N (18.8kg / 41lb)	180N (18.8kg / 41lb)	200N (21kg / 46lb)	150N (16kg / 35lb)	150N (16kg / 35lb)	150N (16kg / 35lb)	200N (21kg / 46lb)	160N (16.3kg / 35.9lb)	160N (16.3kg / 35.9lb)	
-	L	180N (18.5kg / 41lb)	200N (20.4kg / 45lb)	200N (20.4kg / 45lb)	200N (21kg / 46lb)	180N (18.3kg / 38lb)	180N (18.3kg / 38lb)	180N (18.3kg / 38lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)	
	XL	180N (18.5kg / 41lb)	230N (23.9kg / 53lb)		200N (21kg / 46lb)	200N (21kg / 46lb)	200N (21kg / 46lb)		235N (24kg / 52.9lb)	235N [24kg / 52.9lb]	235N (24kg / 52.9lb)	

	WEIGHT POCKETS															
BCD		Magellan	Dragon SLS	Kaila SLS	Bolt SLS	Quantum SLS	Presti	Prestige SLS		Prestige SLS		Prestige SLS		Rock	Prime	Scuba Ranger
Ŋ	417959 (small - max 4 kg)		XS - S	XXS · XS · S	XS · S · M	XS · S	XS - S	XXS · XS · S								
SL	417960 (large - max 6 kg)	-	M·L·XL	M·L	L·XL	M·L·XL	M·L·XL	M·L	-	-	-	-				
Plus	417955 (small - max 4 kg)								XS/S							
MRS Plus	417954 (large - max 6 kg)		-													
Standard Weight System	417963 (small - max 4 kg)	XXS/XS - S/M														
Stanı Wei Syst	417962 (large - max 6 kg)	L/XL				-					Optional	-				
Weight P 417965	ocket Scuba Ranger					-						Optional				

TECHNICAL SPECIFICATIONS

SEAL SKIN

Code: 412369 Man Code: 412370 She Dives

- THE REVOLUTION IN COLD WATER SUITS
- INCREASED THERMAL COMFORT WITH S-SEAL TECHNOLOGY
- GLIDESKIN WRISTS AND ANKLES
- ZIPPERS ON ANKLES
- COMFORTABLE NECK CLOSURE
- SUPRATEX KNEEPAD
- EASY DONNING AND DOFFING THANKS TO ULTRASTRETCH NEOPRENE
- INSTRUMENT GRIP AREA ON BOTH WRISTS
- INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF THE DEDICATED SMART POCKET (SOLD SEPARATELY)





TECHNICAL FEATURES											
Thickness	6mm										
Fabric Type	Ultrastretch Neoprene										
Man sizes		2	3	4	5	6	7	8			

3

4

5

6

2

1

She Dives sizes



DETAILS



FLEXA Z-THERM

Code: 412367 Man

Code: 412368 She Dives

- THE ULTIMATE EXPRESSION OF SEMIDRY SUITS: DONNING/DOFFING, INCLUDING CLOSING OF ZIPPER, CAN BE DONE AUTONOMOUSLY
- DIAGONAL 6-LOCK FRONT ZIP WITH INSIDE FLAPS TO INCREASE THERMAL COMFORT AND SKIN PROTECTION IN THE ZIP AREA
- 100% ULTRASTRETCH WITH STRATEGICALLY PLACED PANELS AND SPECIAL CUT.
- TRILASTIC CONCEPT FOR A BETTER FIT IN THE MOST CRITICAL AREAS (WAIST + NECK/BACK + ARMPIT)
- INNOVATIVE TELESCOPIC SYSTEM: GREAT SIZE CUSTOMIZATION THROUGH CROTCH ADJUSTMENT
- INCREASED THERMAL COMFORT IN THE MOST CRITICAL AREAS AND INCREASED WAIST AND LUMBAR COMFORT
- COMPACT, STRETCHY POCKET INTEGRATED IN THE SUIT ON THE RIGHT THIGH

FLEXA GRAPHENE

Code: 412078 Man

Code: 412079 She Dives

- MAXIMUM THERMAL COMFORT IN THE MOST CRITICAL AREAS THANKS TO THE SOFT AND WARM FABRIC LINING WITH THE ADDITION OF GRAPHENE THAT HOLDS IN BODY HEAT
- SOFT AND FLEXIBLE HORIZONTAL WATERPROOF MASTERSEAL REAR ZIP
- ZIPPERS AT THE ANKLES
- SUPRATEX KNEE PADS
- HOOD LINED WITH GLIDESKIN FOR A BETTER SEAL AND QUICK DRAINAGE
- S-SEAL TECHNOLOGY TO ENSURE BETTER THERMAL COMFORT
- POP OUT POCKET DESIGN
- GRIP AREA ON THE WRISTS FOR FASTENING INSTRUMENTS
- EASY TO PUT ON AND TAKE OFF THANKS TO THE ULTRASTRETCH NEOPRENE



TECHNICAL	FEATURES

	-										
Thickness		7mm									
Fabric Type		Ultrastretch Neoprene									
Man sizes		2	3	4	5	6	7	8			
She Dives sizes	1	2	3	4	5						







TECHNICAL	FEATURES

Thickness		7mm							
Fabric Type		Ultrastretch Neoprene							
Man sizes		2	3	4	5	6	7		
She Dives sizes	1	2	3	4	5				

38



DETAILS



Versatile pop-out pocket

Thermal Graphene lining

FLEXA

8-6-5 mm

Code: 412337 Man

Code: 412339 She Dives

5-4-3 mm Code: 412338 Man

Code: 412340 She Dives

3-2-2 mm

Code: 412348 Man

Code: 412349 She Dives

- THE ULTIMATE EXPRESSION OF TRILASTIC MATERIAL DESIGN
- VARIED THICKNESSES STRATEGICALLY PLACED IN DIFFERENT AREAS OF THE BODY
- NEW SOFT ERGONOMIC CUSTOM CLOSURE
- BACK AND SHOULDERS COMFORT SYSTEM: AN ADDITIONAL LAYER OF NEOPRENE STITCHED IN THE BACK FOR ADDED COMFORT AND PROTECTION
- FRONT ZIP WITH SMOOTH NEOPRENE FLAP FOR GREATER COMFORT AND ISOLATION ■ INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF THE DEDICATED SMART POCKET (SOLD SEPARATELY)
- INSTRUMENT GRIPS ON BOTH WRISTS

PIONEER

7 mm

Code: **412346 Man** Code: 412347 She Dives ♦

5 MM

CODE: 412344 Man

Code: 412345 She Dives

- NON-RUBBER CUSTOM CLOSURE
- ZIPPERS ON THE ANKLES (ONLY ON THE 7 MM VERSION) MAKE DONNING AND DOFFING EFFORTLESS
- THE HOOD VENTING SYSTEM ASSISTS THE RELEASE OF AIR, OPTIMIZING
- EQUALIZATION AND COMFORT ■ NEW NECK CLOSURE WITH ANTI-ABRASION VELCRO PREVENTS WETSUIT DAMAGE
- INSTRUMENT GRIPS ON BOTH WRISTS
- HOOD KEEPER D-RING ON THE RIGHT LEG
- KNEEPAD IN ANTI-ABRASIVE MATERIAL



TECHNICAL FEATURES

Thickness	7mm / 5mm									
Fabric Type		Neoprene & Ultrastretch Neoprene								
Man sizes		2	3	4	5	6	7	8		
She Dives sizes	1	2	3	4	5	6				





TECHNICAL FEATURES

Thickness		8.6.5mm / 5.4.3mm										
Fabric Type		Ultrastretch Neoprene										
Man sizes		2	3	4	5	6	7	8				
She Dives sizes	1	1 2 3 4 5 6										
Thickness		3.2.2mm										

Thickness	3.2.2mm										
Fabric Type		Ultrastretch Neoprene									
Man sizes		2	3	4	5	6	7	8			
She Dives sizes	1	2	3	4	5	6					

DETAILS



DUAL

Code: 412375 Man ◊

Code: 412376 She Dives ♦

- TRADITIONAL COMBINATION OF A LONG JOHN AND A JACKET
- THICKEST NEOPRENE AREA CONCENTRATED ON CHEST AND BACK AREAS WHERE THERMAL PROTECTION IS MOST NEEDED
- GLIDESKIN WRIST AND ANKLE SEALS
- LEAVES ARMS AND LEGS WITH A FEELING OF FREEDOM AND MOBILITY
- STRATEGICALLY PLACED ELASTIC INSERTS
- INSTRUMENT GRIP AREA ON BOTH WRISTS
- KNEEPAD IN ANTI-ABRASIVE MATERIAL





Thickness				5n	nm			
Fabric Type				Neop	orene			
Man sizes		2	3	4	5	6	7	8
She Dives sizes	1	2	3	4	5	6		

REEF

Code: 412382 Man

Code: 412383 She Dives

- NEW MODERN DESIGN WITH SHOULDER GRIP AREA
- COOL, STRETCHY AND IDEAL FOR TEMPERATE WATER ■ ERGONOMIC, COMFORTABLE VELCRO CLOSURE AND BACK ZIP PULLER
- WRIST, ANKLE AND NECK SEALS ENRICHED WITH AQUASTOP FINISH

CORAL

Code: 412386 Man ◊

Code: 412387 She Dives

- COMFORTABLE SECOND SKIN FOR TROPICAL DIVES
- EASY DONNING AND DOFFING
- CAN ALSO BE WORN AS AN UNDERSUIT
- ELASTIC BANDS ON WRISTS AND ANKLES FOR BETTER FIT ALONE OR UNDER A SUIT
- METALITE FABRIC INSIDE WITH HEAT RETAINING EFFECT

FLEXA CORE

Code: 412342 Man

- Code: 412343¢ She Dives
- ULTRA-ELASTIC SHORTY WITH ATTACHED HOOD FOR GREATER THERMAL COMFORT COMPLETES THE FAMILY OF FLEXA SUITS, BUT CAN ALSO BE USED WITH ANY MARES SUIT
- CAN BE USED AS A STAND-ALONE PRODUCT
- INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF A CUSTOMIZED POCKET (SOLD SEPARATELY)







TECHNICAL FEATURES

TECHNICAL FEATURE	5										
Thickness		3mm									
Fabric Type		Neoprene									
Man sizes		2 3 4 5 6 7									
She Dives sizes	1	2	3	4	5	6					

TECHNICAL FEATURES

	0.5mm									
	Neoprene									
	2	3	4	5	6	7	8			
1	2	3	4	5	6					
	1	-		2 3 4	Neoprene 2 3 4 5	2 3 4 5 6	2 3 4 5 6 7			

TECHNICAL FEATURES

Thickness		4mm									
Fabric Type		Ultrastretch Neoprene									
Man sizes		2	3	4	5	6	7	8			
She Dives sizes	1	2	3	4	5	6					

2ND SKIN SHORTY

Code: 412371 Man

Code: 412372 She Dives

- MADE WITH METALITE (HEAT REFLECTING AND HEAT RETAINING PROPERTIES)
- BEST WORN UNDERNEATH THE STEAMER
- EXTREMITIES IN GLIDE SKIN ON THE LEGS, TOGETHER WITH THE ERGONOMIC NECK
- CLOSURE AND THE 0,5 MM HOOD, CREATE AN EXTREMELY WATER RESISTANT SHORTY CAN ALSO BE USED AS A SNORKELING SUIT



Thickness		1.5mm									
Fabric Type		Ultrastretch Neoprene / Metalite Inside									
Man sizes		2	3	4	5	6	7	8			
She Dives sizes	1	2	3	4	5	6					

WETSUITS

REEF SHORTY

Code: 412384 Man

Code: 412385 She Dives

- COOL, STYLISH, LIGHTWEIGHT AND EXCELLENT FOR WARM WATER DIVES AND LONG SNORKELING SESSIONS
- HIGH LEVEL OF FINISH ON ALL DETAILS INCLUDING NECK CUSTOM CLOSURE AND BACK ZIP PULLER
- ERGONOMIC COMFORTABLE VELCRO CLOSURE AND BACK ZIP PULLER
- AQUASTOP FINISH ON ARMS AND THIGHS



Code: 412537 Man

Code: 412538 She Dives

- INCREASES HEAT RETENTION IN COLD WATER DIVING
- IDEAL FOR WEARING UNDER FLEXA SUITS
- LOW COMPRESSION NEOPRENE ON THE TOP OF THE HEAD



TECHNICAL FEATURES

Thickness		3mm								
Fabric Type		Ultrastretch Neoprene								
Man sizes		2 3 4 5 6 7 8								
She Dives sizes	1	2	3	4	5	6				

GOLD SKIN	
Code: 412411 Man ◊	
Code: 412412 She Dives	

■ NEOPRENE WITH OUTER COVERING AND OPEN-CELL INTERIOR WITH GOLD SKIN COATING



TECHNICAL FEATURES

IECHNICAL FEATURE	5										
Thickness		2.5mm									
Fabric Type		Neoprene									
Man sizes		2	3	4	5	6	7	8			
She Dives sizes	1	2	3	4	5	6					

TECHNICAL FEATURES

Thickness		2mm									
Fabric Type		Neoprene - Gold Skin coated interior									
Man sizes		2 3 4 5 6 7									
She Dives sizes	1	2	3	4	5						

SCUBA RANGER

Code: 412373 Jacket Code: 412374 Long John



TECHNICAL FEATURES

Thickness	5mm								
Fabric Type	Neoprene								
Sizes	-3	-2	-1	0					
Ages*	8Y	10Y	12Y	14Y					

* Ages indicated in the table are purely for reference

- DEDICATED KID'S TWIN SUIT: LONG-SLEEVED, HOODED JACKET AND LONG JOHN (SOLD SEPARATELY)
- JACKET AND LONG JOHN CAN BE WORN TOGETHER OR SEPARATELY ACCORDING TO WATER TEMPERATURE
- DEDICATED DESIGN AND COLOR FOR KIDS: SHOULDERS AND ZIPPERS IN LIME
- VARIED THICKNESSES STRATEGICALLY PLACED IN DIFFERENT AREAS OF THE BODY FOR COMFORT AND FREEDOM OF MOVEMENT
- EASY DONNING AND DOFFING

THERMO GUARD SHORTY

Code: 412536 BL (Man) ◊

Code: 412536 AQ (She Dives) > Code: 412536 YL (Junior) 🔷

- ALWAYS HANDY
- EXTREMELY VERSATILE PRODUCT THAT CAN BE USE AS A FIRST LAYER OR AS A STANDALONE IN WARM WATERS
- METALITE FABRIC INSIDE
- THE PERFECT CHOICE FOR SWIMMING POOLS OR SNORKELING
- JUNIOR SIZES WITH DEDICATED GRAPHICS AVAILABLE

THERMO GUARD

LONG SLEEVE

Code: 412550 Man ◊ Code: 412554 She Dives ♦

SHORT SLEEVE Code: 412549 Man ◊

Code: 412553 She Dives

SHORTS

Code: 412534 Man

Code: 412535 She Dives ♦

- BODY CORE COMFORT FOR ALL WATER SPORTS
- EASY TO WEAR AND SMOOTH ON YOUR SKIN
- METALITE COATING HELPS RETAIN HEAT FOR SUPERIOR WARMTH
- FLAT STITCHING FOR COMFORTABLE CONTACT WITH YOUR BODY

RASH GUARD UPF BLOCK 80+

Code: 412413 Man BL ♦

Code: 412414 She Dives LIL ♦

Code: 412415 Junior YL ♦

- LONG-SLEEVED RASH GUARD UPF BLOCK 80+ AVAILABLE IN A MAN'S, WOMAN'S AND JUNIOR VERSION WITH DEDICATED CUT
- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT





TECHNICAL FEATURES

TECHNICALITEATORE	-											
Thickness		1.5mm										
Fabric Type				1	Veopre	ene / M	letalite	Inside	е			
Man sizes (BL)						2	3	4	5	6	7	8
She dives sizes (AQ)					1	2	3	4	5	6		
Junior sizes (YL)	-3	-2	-1	0								

TECHNICAL FEATURES

Thickness		0.5mm								
Fabric Type		Neoprene / Metalite Inside								
Man sizes		XS	S	М	L	XL	XXL	3XL		
She Dives sizes	XXS	XS	S	М	L	XL	XXL			



TECHNICAL FEATURE	5							
Thickness					-			
Fabric Type				Nylon /	Spandex			
Man sizes		XS	S	М	L	XL	XXL	3XL
She Dives sizes	XXS	XS	S	М	L	XL	XXL	
Sizes Junior			S	М	L	XL		

RASH GUARD

LONG SLEEVE

Code: 412551 Man

Code: 412555 She Dives

SHORT SLEEVE

Code: 412552 Man Code: 412556 She Dives

SHORTS

Code: 412547 Man Code: 412548 She Dives

- FOR ALL KINDS OF WATER SPORTS
- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT



			-				
	Polyester / Spandex						
	XS	S	М	L	XL	XXL	3XL
XXS	XS	S	М	L	XL	XXL	
	XXS		XS S	XS S M	XS S M L	XS S M L XL	Volyester / Spandex XS S M L XL XXL

LONG SLEEVE

Code: 412539 Man LM / Man BL 🛇 Code: 412541 She Dives LIL / She Dives AQ

SHORT SLEEVE

Code: 412540 Man LM / Man BL

Code: 412542 She Dives LIL / She Dives AQ

- BE COOL AND PROTECTED
- LOOSE FIT STYLE
- NEW VIBRANT COLORS
- FAST DRYING
- IDEAL AS AN UNDERGARMENT OR BY ITSELF
- FLAT SEAM CONSTRUCTION FOR COMFORT





TECHNICAL FEATURES

			Nylon /	Spandex			
	XS	S	М	L	XL	XXL	3XL
XXS	XS	S	М	L	XL	XXL	
	XXS			XS S M		XS S M L XL	XS S M L XL XXL

TRILASTIC STEAMER

Code: 412545 Man ◊

Code: 412546 She Dives

- SNORKELING WITHOUT WORRIES
- PROTECTS ALMOST YOUR ENTIRE BODY SURFACE FROM SOLAR RAYS OR OCCASIONAL SEA ENCOUNTERS
- CAN BE USED AS THE PERFECT LAYER UNDER A RENTAL SUIT
- STIRRUPS EQUIPPED FOR SECURE PLACEMENT



TECHNICAL FEATURES	5									
Thickness		-								
Fabric Type		Polyester / Spandex								
Man sizes		XS S M L XL XXL 3XI								
She Dives sizes	XXS	XS	S	м	L	XL	XXL			

PHOTOSUIT

Code: 412525

- IDEAL FOR DIVE PHOTOGRAPHY
- TO BE WORN OVER A WETSUIT
- 4 COLORS AVAILABLE



TECHNICAL FEATURES

Thickness	-							
Fabric Type		Polyester / Spandex						
Sizes Unisex	2 3 4							

RASH GUARD KID

LONG SLEEVE

Code: 412543 Boy Code: 412544 Girl

SHORT SLEEVE

Code: 412559 Boy

Code: 412560 Girl

- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT
- DEDICATED KID CUT



TECHNICAL FEATURES

Thickness			-		
Fabric Type		Po	olyester / Spand	lex	
Sizes	XS	S	М	L	XL
Ages*	2/3	3/4	4/5	5/6	6/7

* Ages indicated in the table are purely for reference

RASH GUARD JUNIOR

LONG SLEEVE

Code: 412500 Boy Code: 412501 Girl

SHORT SLEEVE

Code: 412506 Boy Code: 412507 Girl

COOL, LIGHTWEIGHT MATERIAL

- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT
- DEDICATED JUNIOR CUT



Thickness		-								
Fabric Type		Polyester / Spandex								
Sizes	XS	XS S M L XL								
Ages*	8/9	9/10	10/11	11/12	12/13					
Ages+	8/9	9/10	10/11	11/12	12/13					

SHE DIVES

Code: 412420 Steamer

Code: 412390 Shorts >

Code: 412424 Long Pants

Code: 412397 Long Sleeve

Code: 412419 Short Sleeve \$

Code: 412399 Sleeveless with Hood

Code: 412418 Sleeveless without Hood >

ULTRA SKIN ACCESSORIES

GLOVES

Code: 412728



TECHNICAL FEATURES

Thickness			-	-		
Sizes	XS	S	М	L	XL	XXL





TECHNICAL FEATURES

Thickness				-			
Sizes	XS	S	М	L	XL	XXL	3XL

■ INNOVATIVE UNDERSUIT WITH THERMAL COMFORT PROPERTIES

ULTRASKIN TECHNOLOGY COMBINES 3 DIFFERENT LAYERS: FLEECE INSIDE FOR THE BEST COMFORT, A WINDPROOF AND BREATHABLE MEMBRANE AND A STRETCHY LAYER OUTSIDE FOR THE PERFECT FIT AND FREEDOM OF MOVEMENT

■ SUITABLE AS A WETSUIT OR DRY SUIT UNDERSUIT

ULTRA SKIN

Code: 412394 Steamer

Code: 412398 Shorts

Code: 412423 Long Pants

Code: 412389 Long Sleeve

Code: 412393 Short Sleeve

Code: 412391 Sleeveless with Hood

Code: 412392 Sleeveless without Hood

MAN

A FULL RANGE OF STYLES AND ACCESSORIES TO MEET EVERYONE'S NEEDS, IN MALE AND FEMALE VERSIONS



TECHNICAL FEATURES

Thickness				-			
Fabric Type	Outer: I	Nylon/Elas	an - Mid: F	PU Membra	ne - Inner:	Polyester/	Elastan
Man sizes		S	М	L	XL	XXL	3XL
She Dives sizes	XS	S	М	L	XL	XXL	




SOCKS

Code: 412642



Thickness				-			
Sizes	XS	S	М	L	XL	XXL	3XL



FLEXA FIT 5

Code: 412724

FLEXA FIT 6.5

Code: 412725\$



TECHNICAL FEATURES Thickness 6,5 mm Sizes XXS XS S M L XL

FECHNICAL FEATURE	5									
Thickness		5 mm								
Sizes	XXS	XXS XS S M L XL								

SEAL SKIN

Code: 412727



FLEXA CLASSIC

Code: 412723



TECHNICAL FEATURES						
Thickness			5.3	mm		
Sizes	XXS	XS	S	М	L	XL

TECHNICAL	FEATURES

Thickness			3 n	nm		
Sizes	XXS	XS	S	М	L	XL

FLEXA TOUCH

Code: 412726



TECHNICAL FEATUR	ES			TECH
Thickness		2 mm		Thick
Sizes	XS/S	M/L	XL/XXL	Sizes

AMARA	
Code: 412722	



Thickness	2 mm					
Sizes	XXS	XS	S	М	L	XL

FLEXA DS 6.5

Code: 412638



TECHNICAL FEATURES							
Thickness				6,5 mm			
Sizes	5	6	7	8	9	10	11

SEAL SKIN	
Code: 412640	



TECHNICAL FEATURES								
Thickness				5 n	nm			
Sizes	5	6	7	8	9	10	11	12

EQUATOR BO	OTS

Code: 412636



TEC	INICAL FEATURE	S
Thic	kness	2 m

Thickness						2 mm					
Sizes	3	4	5	6	7	8	9	10	11	12	13

FLEXA DS 5

Code: 412637



TECHNICAL FEATURES

Thickness					5 mm				
Sizes	5	6	7	8	9	10	11	12	13

CLASSIC NG

Code: 412634



TECHNICAL FEATURES

Thickness						5 mm					
Sizes	3	4	5	6	7	8	9	10	11	12	13

PURE BOOTS

Code: 412639



Thickness						2 mm					
Sizes	3	4	5	6	7	8	9	10	11	12	13

CLASSIC SOCK

Code: 412635



TECHNICAL FEATURES

Thickness			3 n	nm		
Sizes	XXS	XS	S	М	L	XL

SMART POCKET

Code: 412341

- CAN BE INSTALLED ON ALL NEW MARES SUITS FEATURING THE INTEGRATED SMART POCKET SYSTEM VIA AN EASY AND INTUITIVE CLIP SYSTEM
- INTEGRATED GRAPHIC PERFECTLY MATCHES ALL MARES SUITS
- GRIP PROTECTION SYSTEM TO AVOID LOOSENING WHEN DIVING OR DAMAGE TO THE SUIT



FLEXA HOOD

Code: 412823

- A VENTING SYSTEM HELPS RELEASE AIR, OPTIMIZING EQUALIZATION AND COMFORT
- HOOD ATTACHMENT SYSTEM



TECHNICAL FEATURES

Thickness			6-4-3 mm		
Size	XS	S	М	L	XL

NEOPRENE GLUE

Code: 415108

- IDEAL FOR URGENT AND QUICK WETSUIT REPAIRS
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 20ML



MINERAL TALCUM

Code: 415748 Desk Exhibitor (6pcs)

- HIGH QUALITY TALCUM TO PROTECT LATEX AND RUBBER PARTS
- IDEAL FOR MAINTENANCE AND THE CARE OF DRYSUITS AND WETSUITS
- MAKES DONNING SUITS EASIER
- PREVENTS IRRITATION
- 125G



TIZIP LUBRICANT STICK

Code: 415728

- FOR SEMI-DRY AND DRY TIZIP
- TO PREVENT DRYING
- TO INCREASE DURABILITY



	R			
Seal	Skin	Flexa Z	-Therm	
Man	She Dives	Man	She Dives	N
412369	412370	412367	412368	41
6n	nm	7n	nm	
2.3.4.5.	1 2 2 / 5 /	2.3.4.5.	1 2 2 / 5	2.2.1

Suit	Seal	Skin	Flexa Z	-Therm	Flexa G	raphene			Fl	exa		
Model	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives
Code	412369	412370	412367	412368	412078	412079	412337	412339	412338	412340	412348	412349
Thickness	6n	nm	7r	nm	7r	nm	8.6.	5mm	5.4.	3mm	3.2.	2mm
Sizes	2·3·4·5· 6·7·8	1 · 2 · 3 · 4 · 5 · 6	2·3·4·5· 6·7·8	1.2.3.4.5	2 · 3 · 4 · 5 · 6 · 7	1 · 2 · 3 · 4 · 5	2·3·4·5· 6·7·8	1 · 2 · 3 · 4 · 5 · 6	2· 3· 4· 5· 6· 7· 8	1 · 2 · 3 · 4 · 5 · 6	2· 3· 4· 5· 6· 7· 8	1 · 2 · 3 · 4 · 5 · 6
For Cold Water												
For Temperated Water												
For Warm Water												
Back Protection System												•
Instruments Grip			-	•	1							
Masterseal Zip					1							
G-Lock Zipper			1	•								
S-Lock Zipper	-											
Zippers on Ankles		•			1							
Double Cone												
Graphene Plush						•						
Thermo Plush												•
Hood Included	-	•	1	•	1							
Hood Keeper		•						•				•
Smart Pocket	1											•
Integrated Pocket												
Gasket sealings			-									



Suit		Pion	ieer		D	ual	R	eef	Coral		Scuba	Ranger
Model	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Man	She Dives	Jacket	Long Joh
Code	412346	412347	412344	412345	412375	412376	412382	412383	412386	412387	412373	412374
Thickness	7r	nm	5r	nm	5r	nm	31	mm	0.5	mm	5r	nm
Sizes	2· 3· 4· 5· 6· 7· 8	1 · 2 · 3 · 4 · 5 · 6	2·3·4·5· 6·7·8	1 · 2 · 3 · 4 · 5 · 6	2·3·4·5· 6·7·8	1 • 2 • 3 • 4 • 5 • 6	2·3·4·5· 6·7·8	1 · 2 · 3 · 4 · 5 · 6	2·3·4·5· 6·7·8	1 · 2 · 3 · 4 · 5 · 6	-32	P1-0
For Cold Water												
For Temperated Water				•	1							
For Warm Water										•		
Instruments Grip					1							
Zippers on Ankles	-											
Double Cone	1	•										
Hood Included	1			•								
Hood Keeper	1			•								-








IT	2	3	3W	3L	4	4W	4L	5	5W	5L	6	7	8
EU	s	м	MW	MLO	ML	MLW	MLLO	L	LW	LLO	XL	2XL	3XL
USA		s	sw	ST	м	MW	мт	L	LW	LT	XL	XXL	XXXL
1	175/5'9"	178/5'10"	178/5'10"	181/5'11"	181/5'11"	181/5'11"	184/6"	184/6"	184/6"	187/6'2"	187/6'2"	190/6'3"	193/6'4'
2	93/37"	97,5/38"	101,5/40"	97,5/38"	101,5/40"	105,5/42"	101,5/40"	105,5/42"	110/43"	105,5/42"	110/43"	114/45"	118/46"
3	73/29"	77,5/31"	81,5/32"	77,5/31"	81,5/32"	86/34"	81,5/32"	86/34"	90/35"	86/34"	90/35"	94/37"	98/39"
4	91/36"	95,5/38"	99,5/39"	95,5/38"	99,5/39"	104/41"	99,5/39"	104/41"	108/43"	104/41"	108/43"	112/44"	116/46


WE	TSI	JIT	З	+/-	MAN	

IT	2	3	4	5	6	7	8
EU	s	м	ML	L	XL	2XL	3XL
USA		S	м	L	XL	XXL	XXXL
1	176/5'9"	179/5'10"	182/6"	185/6'1"	188/6'2"	191/6'3"	194/6'4"
2	92/36"	96,5/38"	100,5/40"	105/41"	109/43"	113,5/45"	117,5/46"
3	71,5/28"	75,5/30"	80/32"	84/33"	88,5/35"	92,5/36"	97/38"
4	91/36"	95/37"	99,5/39"	103,5/41"	108/43"	112/44"	116/46"



WETSUIT 5 +/- SHE DIVES											
т	1	2	3	3W	3L	4	4W	4L	5	6	7
EU	XS	S	м	MW	MLO	L	LW	LL0	XL	2XL	3XL
USA	4	6	8	8 W	8 T	10	10 W	10 T	12	14	16
1	164/5'5"	167/5'6"	170/5'7"	170/5'7"	173/5'8"	173/5'8"	173/5'8"	176/5'9"	176/5'9"	179/5'10"	182/6"
2	77,5/31"	81,5/32"	85,5/34"	89,5/35"	85,5/34"	89,5/35"	95,3/37"	89,5/35"	95,3/37"	97,5/38"	91/36"
3	67/26"	71/28"	75/30"	79/31"	75/30"	79/31"	83/33"	79/31"	83/33"	87/34"	91/36"
4	84/33"	88/35"	92/36"	96/38"	92/36"	96/38"	100/39"	96/38"	100/39"	104/41"	108/43"


WE	WETSUIT 3 +/- SHE DIVES							
ΙТ	1	2	3	4	5	6	7	
EU	XS	S	м	L	XL	2XL	3XL	
USA	4	6	8	10	12	14	16	
1	163/5'4"	166/5'6"	169/5'7"	172/5'8"	175/5'9"	178/5'10"	181/5'10"	
2	75/30"	79/31"	83/33"	87/34"	91/36"	95/37"	99/39"	
3	66/26"	70/28"	74/29"	78/31"	82/32"	86/34"	90/35"	
4	82/32"	86/34"	90/36"	94/37"	98/39"	102/40"	106/42"	




SCUBA RANGER								
	-3	-2	-1	0				
1	119 / 47"	129 / 50"	140 / 55"	150 / 59"				
2	59 / 23"	64 / 25"	70 / 27"	75 / 30"				
3	55 / 21"	59 / 23"	63 / 24"	67 / 26"				
4	65 / 26"	73 / 29"	77 / 30"	85 / 33"				

THERMO	THERMO GUARD SHORTY UNISEX								
ΙТ	EU	CHEST	WAIST	HIPS	TOLERANCI				
-3	8 A	56 / 22"	52 / 20"	66 / 26"	± 2 / ± 0.8"				
-2	10 A	61 /24"	56 / 22"	75 / 30"	± 2 / ± 0.8"				
-1	12 A	67/26"	60 / 24"	79/31"	± 2 / ± 0.8"				
0	14 A	73 / 29"	65 / 26"	87 / 34"	± 2 / ± 0.8"				
1	XS	86 / 34"	65 /26"	85 / 33"	± 2 / ± 0.8"				
2	S	90 / 35"	70 / 28"	89 / 35"	± 2 / ± 0.8"				
3	м	94 / 37"	74 / 29"	94 / 37"	±2/±0.8"				
4	L	99 / 39"	78 / 31"	98 / 39"	± 2 / ± 0.8"				
5	XL	103 / 41"	82 / 32"	102 / 40"	±2/±0.8"				
6	XXL	107 / 42"	86 / 34"	106 / 42"	±2/±0.8"				
7	3XL	111 / 44"	91 / 36"	111 / 44"	±2/±0.8"				

NEOPRENE BOOTS							
	EUROPE	USA	JAPAN				
4XS	34/35	3	-				
3XS	35/36	4	-				
2XS	36/37	5	23 cm				
XS	38	6	24 cm				
S	39/40	7	25 cm				
м	40/41	8	26 cm				
L	41/42	9	27 cm				
XL	43	10	28 cm				
2XL	44/45	11	29 cm				
3XL	45/46	12	-				
4XL	47	13	-				
	4X5 3X5 2X5 X5 5 M L XL 2XL 3XL	EUROPE 4XS 34/35 3XS 35/36 2XS 36/37 XS 38 S 39/40 M 40/41 L 41/42 XL 43 2XL 44/45 3XL 45/46	EUROPE USA 4XS 34/35 3 3XS 35/36 4 2XS 36/37 5 XS 38 6 S 39/40 7 M 40/41 8 L 41/42 9 XL 43 10 2XL 44/45 11 3XL 45/46 12				



ULI	ULTRASKIN MAN							
	s	м	L	XL				
1	170.5-178	173-180.5	175.5-183	178-185.5				
1	5'7"-5'10"	5'8"-5'11"	5'9"-6"	5'10"-6'1"				
2	97	104	110	116				
2	38.2"	40.9"	43.3"	45.7"				
3	88	95	101	107				
3	34.6"	37.4"	39.8"	42.1"				
4	100	107	113	119				
-	39.4"	42.1"	44.5"	46.8"				
5	51	53	56	59				
5	20.1"	20.9"	22"	23.2"				



ULT	RASKIN	SHE DI	/ES				
	XS	s	м	L	XL	2XL	3XL
US	4	6	8	10	12	14	16
1	152.5-160	157.5-165	162.5-170	167.5-175.5	172.5-180.5	177.5-185.5	183 / 190.5
1	5'-5'3"	5'2"-5'5"	5'4"-5'7"	5'6"-5'9"	5'8"-5'11"	5'10"-6'1"	67/637
2	88	94	100	106	112	119	125
2	34.6"	37"	39.4"	41.7"	44.1"	47"	49.2"
3	68	74	80	86	93	99	105
3	26.7"	29.1"	31.5″	33.8"	36.6"	39"	41.3"
	96	102	109	114	121	127	133
4	37.7"	40.1"	42.9"	44.9"	47.6"	50"	52.4"
5	49	52	55	57	60	62	65
5	19.3"	20.5"	21.6"	22.4"	23.6"	24"	25.6"

ULTRASKIN ACCESSORIES

SOCKS	XS	S	м	L	XL	:
SHOE SIZE FEMALE (AU/US)	4-5	6-7	8-9	10-11	12-13	
SHOE SIZE MALE (AU/US)			6-7	8-9	10-11	1
EUROPE MALE/FEMALE	37-38	39	40-41	42	43-44	4

GLOVES	XS	S	м	L	XL	
PALM CIRCUMFERENCE	19.5	20.5	21.5	22.5	23.5	
PALM CIRCOMPERENCE	7.5″	8"	8.5″	9"	9.5″	
						_

How to measure gloves: measure circumference of your hand around your palm.

HOOD	XS	S	м	L	XL	
FOREHEAD	46.5-48.5	49-51	51.5-53.5	54-56	56.5-58.5	
FORENEAD	18.3-19"	19.2-20"	20.7-21"	21.3-22"	22.2-23"	2

56

SIZE CHARTS

2XL	3XL
180.5-188	183-190.5
5'11"-6'2"	6"-6'3"
122	128
48"	50.4"
113	119
44.5″	46.8"
125	131
49.2"	51.6"
62	65
24.4"	25.6"

3XL
14-15
47-48

2XL	
24.5	

24.5 10"

2XL	3XL
59-61	61.5-63.5
23.2-24"	24.2-25"



Code: 410027





♦ Please note that some sizes/colors are only available while stocks last

- A 2-MATERIAL, OPEN HEEL FIN
- CAN BE USED BAREFOOT OR WITH MARES PURE BOOTIES
- SOFT AND COMFORTABLE FOOT POCKET
- ERGONOMIC HEEL PAD (PATENT PENDING) MINIMIZES PRESSURE ON THE ACHILLES' HEEL
- SPECIAL BUNGEE STRAP FOR MAXIMUM COMFORT DURING USE, WHEN DONNING AND DOFFING
- BUNGEE GUIDES SO THE STRAP IS ALWAYS PLACED IN THE RIGHT POSITION

COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	XXS	SM	ML	LXL
Fit	30/34	35/38	39/43	44/47
Blade	27cm 10.6in	29.5cm 11.6in	32cm 12.6in	34.5cm 13.6in

DETAILS



Ergonomic heel pad

Interchangeable bungee strap

AVANTI HC PRO

Code: **410347**



- SOFT ERGONOMIC FOOT POCKET WITH LATERAL INSERTS
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/ EFFORT RATIO
- RIDGES ON THE BACK OF THE BLADE: REINFORCE THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY
- OVERMOLDING ON THE BACK RIB FURTHER OPTIMIZES THRUST AND PERFORMANCE

COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	32.5cm	34.5cm	36cm	38cm	40cm	42cm
	12.8in	13.5in	14.2in	15in	15.7in	16.5in

DETAILS



Footpocket with lateral inserts Ridges on the back



2 wider channels for increased thrust

Hyperchannel

AVANTI HC

Code: 410346



mares

- SOFT ERGONOMIC FOOT POCKET WITH LATERAL INSERTS
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/ EFFORT RATIO
- RIDGES ON THE BACK OF THE BLADE: REINFORCE THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY

COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	32.5cm	34.5cm	36cm	38cm	40cm	42cm
	12.8in	13.5in	14.2in	15in	15.7in	16.5in

DETAILS



Footpocket with lateral inserts



2 wider channels for increased thrust



Overmolded ridges on the back



Hyperchannel

FINS

Code: 410025 Excite \$

- Code: 410026 Excite Pro
- INNOVATIVE MATERIALS FOR A MORE HARMONIOUS THRUST
- ENHANCED CHANNEL THRUST
- EXCITE: OPTIMIZED FOR LOW FATIGUE
- EXCITE PRO: OPTIMIZED FOR MAXIMUM THRUST
- COLOR COORDINATED BUNGEE STRAP

X-STREAM

Code: 410019\$

- BUNGEE STRAP
 - RIDDLED FOOT POCKET AVOIDS "PARACHUTE EFFECT"
 - NEXT GENERATION OPB
 - TRI-MATERIAL BLADE CONSTRUCTION REDUCES TURBULENCE
 - CHANNEL THRUST TECHNOLOGY





COLOR VARIATIONS EXCITE PRO



TECHNICAL FE	ATORES			
Sizes	XS	s	R	XL
Fit	34/37	37/41	41/44	44/48
Blade	36cm 14.1in	39cm 15.3in	40cm 15.7in	40cm 15.7in

mares

EXCITE

Code: 410316

ANATOMICAL FOOT POCKET

AVANTI EXCEL

- WHALE TAIL DESIGN FOR POWERFUL FOOT-BLADE POWER TRANSMISSION
- TRI-MATERIAL BLADE WITH CHANNEL THRUST TECHNOLOGY





COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	XS	s	R	XL
Fit	34/37	37/41	41/44	44/48
Blade	34.5cm 13.6in	36cm 14.2in	37cm 14.6in	38cm 15in



TECHNICAL FEATURES

Sizes	034	036	038	040	042	044	046
Blade	29.5cm	30cm	31cm	32cm	33cm	34cm	35.5cm
	11.6in	11.8in	12.2in	12.6in	13in	13.4in	14in

VOLO RACE

Code: 410313

- ANATOMICAL FOOT POCKET
- OPB SYSTEM FOR EASY KICKING EFFICIENCY
- CHANNEL THRUST TECHNOLOGY



COLOR VARIATIONS



Sizes	036	038	040	042	044	046
Blade	33.5cm	33.5cm	36.5cm	37cm	39.5cm	39.5cm
	13.2in	13.2in	14.5in	14.6in	15.6in	15.6in

AVANTI QUATTRO +

Code: 410003

- BUNGEE STRAP
- HI-FLEX MATERIAL OPTIMIZES BLADE'S EFFICIENCY
- 4 CHANNELS FOR GREATER THRUSTING POWER
- STABILIZING TRIM TABS

AVANTI QUATTRO POWER

Code: 410301

- ANATOMICAL FOOT POCKET
- RUBBERIZED SIDE RIBS
- 4 CHANNELS FOR GREATER THRUSTING POWER
- LONG BLADE, IDEAL FOR BOTH SCUBA AND APNEA



Code: 410012\$

- BUNGEE STRAP
- ANATOMICAL OPEN HEEL FOOT POCKET
- 3 CHANNEL DESIGN FOR ADDED PROPULSION
- RUGGED AND DURABLE CONSTRUCTION







TECHNICAL FEATURES

TECHNICAL FE	ATORES		
Sizes	S	R	XL
Fit	37/41	41/44	44/48
Blade	37cm 14.6in	38cm 15in	39cm 15.3in

COLOR VARIATIONS	



TECHNICAL FEATURES

Sizes	040	042	044
Blade	44cm	45.5cm	45.5cm
	17.3in	17.9in	17.9in





TECHNICAL FEATURES

Sizes	S	R	XL
Fit	37/41	41/44	44/48
Blade	35cm 13.8in	37cm 14.6in	37cm 14.6in

AVANTI SUPERCHANNEL FF

Code: 410317

- ORTHOPEDIC FOOT POCKET
- TECRALENE BLADE FOR SUPERIOR PERFORMANCE AND DURABILITY
- 3 CHANNEL DESIGN FOR ADDED PROPULSION



COLOR VARIATIONS





Sizes	036	038	040	042	044	046	
Blade	32cm	33cm	34cm	35.5cm	36.5cm	37cm	
	12.6in	13in	13.4in	14in	14.5in	14.6in	

AVANTI TRE

Code: 410302

ORTHOPEDIC FOOT POCKET

- 3 CHANNELS FOR MAXIMUM THRUST
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION STABILIZING TRIM TABS



BUNGEE STRAP

Code: 415363 (PAIR)

- SMART ALERNATIVE
- TO STEEL SPRING STRAPS
- 3 SIZES: XS/S R XL 5 COLOR OPTIONS: BK-WH-BL-YL-LM
- 2 EXTENSIONS FOR A BETTER FIT
- ERGONOMIC HEEL COVER
- WIDE LOOP TO BE USED EVEN WITH THICK GLOVES









ABS PLUS BUCKLES

Code: 415337 (PAIR)

- USER FRIENDLY BUCKLE SYSTEM
- EASY DONNING AND DOFFING WITH THICK GLOVES
- CAN BE MOUNTED ON ALL MARES OPEN HEEL FINS





TECHNICAL FEATURES

Sizes	036	038	040	042	044	046
Blade	31cm	33cm	34cm	36cm	36.5cm	37.5cm
	12.2in	13in	13.4in	14.2in	14.5in	14.8in

FIN STRAP

Code: 415120

- UNIVERSAL FIN STRAP FOR OPEN HEEL FINS
- WIDTH: 30 MM/1.2 IN LENGTH: 460 MM/18.1 IN
- HIGH QUALITY VULCANIZED RUBBER MATERIAL



		Î			THE AND	Milli Loop					Den la constante de la constan	Î		
Fins		Avanti Pure	Avanti HC Pro	Avanti HC	Excite Pro	Excite	X-Stream	Avanti Excel	Volo Race	Avanti Quattro +	Avanti Quattro Power	Avanti Superchannel OH	Avanti Superchannel FF	Avanti Tre
Code		410027	410347	410346	410026	410025	410019	410316	410313	410003	410301	410012	410317	410302
Sizes		XXS SM ML LXL	036 038 040 042 044 046	036 038 040 042 044 046		S R	XS S R XL	034 036 038 040 042 044 044	036 038 040 042 044 046	S R XL	040 042 044	S R XL	036 038 040 042 044 046	036 038 040 042 044 046
Colors		● BL ○ WH ○ YL	● BKB ● BKR ● BKY ④ WHG ④ WHP	BL GR YL	GR	● BL ● YL	BL JPK** RD TBK OWH YL	● BL ● SI ● YL	Ø BGR ● BL ● YL	● BK ● BL ● FL ● LM ○ WH ○ WH	●вк	● BK ● BL ● YL	BL RD OWH YL	● BK ● BL ● YL
OPB - Optimized Pivoti	ing Blade					•								
Channel Thrust			•	•				•		-	-	•		-
Tri-Material Construc	tion:		•					•						
Thermoplastic Rubbe Technopolymers	r/					•	•	•	•					
Thermoplastic Rubber Tecralene	r/	•	•	-						•	-	•	•	•
Blade* Open Heel (Size R) —	Length	32cm 12.6in	38cm 15in	38cm 15in		cm 7in	37cm 14.6in	33cm 13in	37cm 14.6in	38cm 15in	45.5cm 17.9in	37cm 14.6in	35.5cm 14in	36cm 14.2in
E II E 1 (1 / 0//0)	Thrust Area	550cm ² 85.2in ²	750cm ² 116.2in ²	750cm ² 116.2in ²		cm² 4in²	750cm ² 116.3in ²	560cm ² 86.8in ²	680cm ² 105.4in ²	780cm ² 120.9in ²	960cm ² 148.8in ²	730cm ² 113.1in ²	650cm ² 100.7in ²	680cm² 105.4in²
Weight one fin without b (size R or 42/43)	ouckles	0.6kg 1.4lb	0.7kg 1.5lb	0.7kg 1.5lb		?kg lb	0.7kg 1.5lb	0.6kg 1.3lb	0.7kg 1.5lb	0.9kg 2lb	1kg 2.2lb	0.9kg 2lb	0.7kg 1.5lb	0.6kg 1.3lb

* From end of footpocket to end of blade ** ABS Buckle




CHROMA UP

Code: 411066

- TRI-MATERIAL FRAME WITH SOFT INSERT
- INCREASED OPTICAL CONE AND FIELD OF VISION TOWARDS THE TOP
- QUICK RELEASE LENS SYSTEM: NEW SMART MECHANISM (PATENT PENDING) TO REPLACE LENSES WITHOUT THE USE OF TOOLS
- MONO SILICONE SKIRT







TECHNICAL FEATURES

Optical lens

code 411193: from -1,0 to -7,0 and +1,5 to +3,0

♦ Please note that some sizes/colors are only available while stocks last

DETAILS



Chrome plated inserts



Quick release lens system



Soft over



Low profile frame for an extended field of vision



Code: 4110520

- Code: 411052 Mirrored lenses
- ULTRA CLEAR SKIRT (CLYLWCYL, CLBLWCBL)
- MIRRORED GOLD LENSE INCREASES VISIBILITY IN CLOUDY WATERS (GOGRKGRK) ■ MIRRORED SILVER LENSE REDUCES THE REFLECTION OF SHALLOW WATER OR SANDY
- SEABED (SIGRKGRK) ■ NEW BI-SILICONE SKIRT CONTOURED FOR ENHANCED FIT AND COMFORT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- FIELD OF VISION 20% WIDER THAN PREVIOUS VERSION
- X-SHAPED BI-SILICONE STRAP

X-VISION CHROME LIQUIDSKIN

Code: 411065

- CHROME PLATED FRAME
- NEW BI-SILICONE SKIRT CONTOURED FOR ENHANCED FIT AND COMFORT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- X-SHAPED BI-SILICONE STRAP

X-VISION

Code: 411053

- ULTRA-CLEAR SILICONE
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- FIELD OF VISION 20% WIDER THAN PREVIOUS VERSION
- X-SHAPED SILICONE STRAP
- OPTICAL LENSES AVAILABLE


















Optical lens code 411194: from -1.0 to -7.0 and +1.5 to +3.0 (excludes Mirrored versions) ◊

TECHNICAL FEATURES

Optical lens code 411194: from -1.0 to -6.0 and +1.5 to +3.0 (excludes Mirrored versions) ◊

TECHNICAL FEATURES

code 411194: from -1.0 to -7.0 and +1.5 to +3.0 ♦ Optical lens

X-VISION MID 2.0

Code: 411067

- BI-MATERIAL FRAME
- MEDIUM SIZED SILICONE SKIRT
- WIDE VIEWING ANGLE
- OPTICAL LENSES AVAILABLE





COLOR VARIA	TIONS	
DKWDK	PI WCI	DIVINCI

TECHNICAL FEATURES

Optical lens

code 411186 from +1.5 to +3,0 and code 411187 from -1,0 to -6,0

ONE VISION

Code: 411046\$

Code: 411047 Sunrise >

- SILICONE SKIRT LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- SINGLE LENS DESIGN
- X-SHAPED SILICONE STRAP
- SUNRISE VERSION AVAILABLE

Code: 411059

- MONOLENS MASK FOR CHILDREN
- SILICONE SKIRT
- AMPLE FIELD OF VISION
- LIGHTWEIGHT COMFORTABLE DETACHABLE BUCKLES

X-WIRE

Code: 411068

- BI-MATERIAL FRAME WITH SOFT, WIRED PORTION
- SOFT WIRE PROVIDES SKIRT SUPPORT AND ENHANCES GRIP WHEN FITTING MASK
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES"





COLOR VARIA	TIONS				
N	N		j)		
BK7BK	RDKBK	WBLCI	WHKRK	WYL CL	W







PURE WIRE

Code: 411069

- INTERCHANGEABLE, BI-MATERIAL FRAME
- SOFT WIRED SKIRT PORTION PROVIDES SUPPORT AND ENHANCES GRIP WHEN FITTING MASK
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES



COLOR VARIATIONS







PURE WIRE FRAME

Code: 415132 Pack 2 pcs/color

- INTERCHANGEABLE, BI-MATERIAL FRAME
- FOR CUSTOMIZING THE PURE WIRE MASK
- SOFT, WIRED PORTION PROVIDES SUPPORT AND ENHANCES GRIP WHEN FITTING THE MASK



Code: 411031\$

- BI-SILICONE SKIRT FOR UNMATCHED COMFORT
- LIGHT AND FOLDABLE, ALSO IDEAL AS SPARE MASK
- AMPLE FIELD OF VISION X-SHAPED BI-SILICONE STRAP
- SINGLE LENS DESIGN

TROPICAL

Code: **411246**

- FRAMELESS SILICONE MASK
- ULTRA COMFORTABLE SKIRT
- BUCKLES WITH SOFT SILICONE BUTTONS

JUNO

Code: 411056


- FRAMELESS MONOLENS MASK
- SILICONE SKIRT
- SAME STYLE AS THE JUPITER BUT WITH A REGULAR SKIRT FIT
- PIVOTING BUCKLE ON SKIRT
- GREAT FIELD OF VISION














JUPITER

Code: 411057\$

- FRAMELESS MONOLENS MASK
- SILICONE SKIRT
- SAME STYLE AS THE JUNO BUT WITH AN "XL" SKIRT FIT FOR BIGGER FACES
- PIVOTING BUCKLE ON SKIRT
- GREAT FIELD OF VISION





13

Code: 411040

Code: 411042 Sunrise

- SILICONE SKIRT
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- GREAT PERIPHERAL VISION
- X-SHAPED SILICONE STRAP SUNRISE VERSION AVAILABLE

NEW

SPYDER Code: 411074

- FRAME WITH SOFT WIRED NOSE BRIDGE FOR ENHANCED GRIP WHEN FITTING THE MASK AND EQUALIZING
- EXTREMELY COMFORTABLE SILICONE SKIRT
- GUSSETS AT THE SIDE OF THE NOSE TO FACILITATE EQUALIZING

SEALHOUETTE

Code: 411058\$

- BI-LENS MASK
- SILICONE SKIRT
- REDUCED DISTANCE BETWEEN LENSES AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- SOFT SILICONE BUCKLES
- BUCKLES ON SKIRT














X-FREE

- OVERMOLDED FRAME AND ANATOMICAL SILICONE SKIRT
- MINIMUM DISTANCE BETWEEN LENS AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- ERGONOMIC MASK STRAP BUCKLES FOR EASY OPERATION
- EMBOSSED GRIP AREA ON THE NOSE FOR PERFECT FIT





TANA

Code: 411055\$

- SILICONE SKIRT
- SOFT TOUCH INSERTS ON THE FRAME FOR GRIP
- LIGHTWEIGHT
- SIDE GUSSETS AT THE NOSE TO FACILITATE EQUALIZING

EDGE

Code: 411070

- STREAMLINED BI-MATERIAL FRAME
 - SOFT AREAS FOR ENHANCED GRIP WHEN FITTING THE MASK
 - STURDY, DURABLE CONSTRUCTION
 - INTEGRATED BUCKLES ON FRAME
 - EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES







PURE EDGE

Code: 411071

- STREAMLINED BI-MATERIAL FRAME
- SOFT AREAS FOR ENHANCED GRIP WHEN FITTING THE MASK
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES"







OPERA

Code: 411019\$

- SILICONE SKIRT
- STURDY AND DURABLE CONSTRUCTION
- OVAL SHAPED SILICONE STRAP
- OPTICAL LENSES AVAILABLE





code 411182: from -1 to -6 ◊ Optical lens

MASK STRAP LIQUIDSKIN

Code: 415115 White

Code: 415116 Black

- MASK STRAP FOR LIQUIDSKIN MASKS
- WIDTH : 14MM / 0.55IN LENGTH: 580MM / 22.8IN
- BI-SILICONE MATERIAL



MASK STRAP

Code: 415105 Clear

- Code: 415106 Black
- UNIVERSAL MASK STRAP
- WIDTH : 14MM / 0.55IN LENGTH: 560MM / 22IN
- SILICONE MATERIAL



STRAP COVER

Code: 412901

Code: 412902 She Dives

- ONE SIZE FITS ALL
- SOFT NEOPRENE MASK STRAP COVER
- HELPS TO KEEP THE MASK STRAP IN PLACE
- HIGH COMFORT
- TANGLE-FREE DIVE



ANTIFOG

- GEL TO PREVENT MASK LENSES FROM FOGGING UP
- OPEN/CLOSE CAP WITH BRUSH
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 60ML





Code: 411487\$

- 100% DRY TOP
- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS ■ UNPARALLELED BREATHING COMFORT DUE TO THE INCREASED INTERNAL VOLUME OF THE BOTTOM HOUSING

SEMIDRY TOP WITH ANTI SPLASH SLIDING SNORKEL KEEPER

Code: **411488**\$

CORRUGATED SILICONE HOSE AND

REBEL SPLASH

- MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS
- UNPARALLELED BREATHING COMFORT DUE TO THE INCREASED INTERNAL VOLUME OF THE BOTTOM HOUSING






Code: 411489\$

- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND
- MOUTHPIECE
- EXHAUST VALVE SUITABLE FOR DIVING OR EXTENDED
- SNORKELING SESSIONS
- UNPARALLELED BREATHING COMFORT DUE TO THE INCREASED INTERNAL VOLUME OF THE BOTTOM HOUSING



COLOR VARIATIONS







BKWH BKBL WHIM WHYI

ERGO DRY

Code: 411481

- 100% DRY TOP
- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS



COLOR VARIATIONS



ERGO SPLASH

Code: 411480

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS



COLOR VARIATIONS



ERGO FLEX

Code: 411482

- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND
- MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS



COLOR VARIATIONS



SNORKELS

SNORKEL @

Code: 411479

- ERGONOMIC SHAPE
- ROLL UP, COMPACT DESIGN FITS IN A BCD POCKET OR CAN BE
- ATTACHED TO A BC ■ ALL SILICONE DESIGN FOR FLEXIBILITY AND DURABILITY
- TUBE TOP DESIGN MADE TO PREVENT WATER ENTRY WHILE SNORKELING
- IDEAL FOR TRAVELLING



PLUTO

Code: **411486**

- 100% DRY TOP SNORKEL DEDICATED TO JUNIORS
- SLIDING SNORKEL KEEPER
- SILICONE MOUTHPIECE EXHAUST VALVE
- WHISTLE ON BOTTOM AS SAFETY DEVICE





BK WH


PRO FLEX

Code: 411460


- BI-MATERIAL SOFT CONSTRUCTION
- CURVED, ERGONOMIC STRUCTURE
- NO AIRFLOW INTERRUPTIONS TO REDUCE
- NOISE AND VIBRATIONS SLIDING KEEPER
- SILICONE MOUTHPIECE FOR EXTENDED
- USE



COLOR VARIATIONS



	OP	E	N		T		Ą	X			F
Mask	Chroma Up		on Ultra idskin	X-Vision Chrome Liquidskin	X-Vision	X-Vision Mid 2.0	One	Vision	Comet	X-Wire	Pure Wire
Code	411066	411052 Regular	411052 Mirrored	411065	411053	411067	411046 Regular	411047 Sunrise	411059	411068	411069
Colors	 BKYBK BLWCL WHKBK 	CLBLWBLW CLBLWCBL CLGRKGRK CLPKWPKW CLRDKRDK CLWHKWHK CLWHKWHK CLVLKYLK CLYLKYLK	Ø GOGRKGRK Ø SIGRKGRK		● BK7BK ● BLWCL ● LMKBK ④ WHKBK ④ YLWCL	● BKWBK ● BLWCL ● PKWCL	BK7BK RDKBK WBLCL WHKBK WSICL WYLCL	● BK7BK** ● RDKBK ● WBLCL ● WSIWH**	 ♥ BLWBL ♥ LMCL ♥ PKWPK ♥ YLCL 	BLGCL GRRBK GRYBK GRYCL WHGBK	 BLGCL GRRBK GRYBK GRYCL WHGBK
Liquidskin											
Sunrise								•			
Monolens									-		
Bilens			•		•						
Tri-Comfort			•		•			•			
Optical lens (optional)	code 411193: from -1,0 to -7,0 and +1,5 to +3,0	code 411194: from -1.0 to -7.0 and +1.5 to +3.0	NO	code 411194: from -1.0 to -6.0 and +1.5 to +3.0] ◊	code 411194: from -1.0 to -7.0 and +1.5 to +3.0 ◊	code 411186 from +1.5 to +3,0 and code 411187 from -1,0 to -6,0		NO	NO	NO	NO



NO

)			J
Snorkel	Rebel Dry	Rebel Splash	Rebel Flex	E
Code	411487	411488	411489	41
Colors	 BKBL BKRD BKRD BKWH BKYL WHBK WHPK WHPK WHRD 	● BKPK ● BKWH ● WHBK ● WHRD	● BKBL ● BKWH ④ WHLM ④ WHYL	Bi Bi Bi Bi Bi Bi Bi Bi D Bi O Cl G JF Rt O Ri O W
Dry Top				
Purge Valve		•		

* Please note that some colors/sizes are only available while stocks last ** Only available in some countries via drop shipment

NO


NO

NO

NO

82

Spyder	Sealhouette	X-Free	Tana	Edge	Pure Edge	Opera
411074	411058	411060	411055	411070	411071	411019
● RDKBK ④ WHBCL ④ WHKBK	© BKWH © LMBK © PKWH © RDBK © RDWH © WHBK © WHBL © YLBK	© BLWH ● LMBK © PKWH @ WHBK @ YLBK	 BLKCL BLWCL LBWWH PKWWH PUWWH RDKBK YLKCL 	 BWGCL GWBBK YWGCL 	 BKLBK BKWBK BKYBK WBLCL 	ØRBLCL ØRYLCL ●TBKBK
	•					
NO	NO	NO	NO	NO	NO	code 411182: from -1 to -6 ◊




mares

EOS 20RZ W/LOCK

Code: 415688

- 2300 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 100 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP





TECHNICAL FEATURES

Bulb	3 Cree XP-L LED Chip				
Switch Mode	High	Low		Flash/SOS	
Led lumens (25°)	2300	690		/	
Burn time (min)	100	180		310	
Color Temperature	5700-7800				
Light beam (1m distance)	Hot Spot (1	2°]	orona (75°)		
(mm/in)	230 / 9.0			1550 / 61	
Rechargeable Batteries	1 x ICR26800				
Time to charge	7h (5V1A adapter) / 14h (PC 500mA)				
Total length		206mm	n / 8.1in		
Head diameter	62mm / 2.4in				
Body diameter	37mm / 1.5in				
Weight with batteries	594g / 20.9oz				
Max. operation depth		120m	/ 393ft		




EOS **15RZ**

Code: 415689

- 1504 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 125 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP





Bulb	3 Cree XP-G2 LED Chip				
Switch Mode	High	Low		Flash/SOS	
Led lumens (25°)	1504	500		/	
Burn time (min)	125	185		180	
Color Temperature		5800 ÷ 7300			
Light beam (1m distance)	Hot Spot (1	2°]	orona (75°)		
(mm/in)	230 / 9.0	0 1550 / 61		1550 / 61	
Rechargeable Batteries		1 x ICR26650			
Time to charge	6h (5V1A	adapter)	/ 12h (P	C 500mA)	
Total length		189mm	n / 7.4in		
Head diameter		62mm	/ 2.4in		
Body diameter	37mm / 1.5in				
Weight with batteries	553g / 19.5oz				
Max. operation depth		120m	/ 393ft		

Code: 415690

- 1010 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 135 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP

EOS **5RZ**

Code: 415691

- 503 LUMENS
- ADJUSTABLE FOCUS
- 105 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP





Code: 415692

- 320 LUMENS
- ADJUSTABLE FOCUS
- 55 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP










TECHNICAL FEATURES

Bulb	1 (1 Cree XM-L2 LED Chip				
Switch Mode	High	Lo	w	Flash/SOS		
Led lumens (25°)	1010	365		/		
Burn time (min)	135	255		240		
Color Temperature		5800 ÷ 7300				
Light beam (1m distance)	Hot Spot (1	ot (12°) Corona (75°				
(mm/in)	220 / 8.6	5		1550 / 61		
Rechargeable Batteries		1 x ICR26650				
Time to charge	6h (5V1A	adapter)	/ 12h (P	C 500mA)		
Total length		186mm	n / 7.3in			
Head diameter		57mm	/ 2.2in			
Body diameter		37mm / 1.5in				
Weight with batteries		537g / 18.8oz				
Max. operation depth		120m	/ 393ft			

TECHNICAL FEATURES

Bulb	1 Cree XP-G2 LED Chip				
Switch Mode	High	Lo	Flash/SOS		
Led lumens (25°)	503	165		1	
Burn time (min)	105	270		220	
Color Temperature	5800 ÷ 7300				
Light beam (1m distance)	Hot Spot (1	2°]	orona (75°)		
(mm/in)	220 / 8.6	1		1550 / 61	
Rechargeable Batteries	1 x ICR18650				
Time to charge	4h 30' (5V1A adapter) / 6h (PC 500mA)				
Total length		164mm	n / 6.4in		
Head diameter	43mm / 1.7in				
Body diameter	29mm / 1.1in				
Weight with batteries	280g / 9.8oz				
Max. operation depth		120m	/ 393ft		





TECHNICAL FEATURES

Bulb	1 Cree XPE LED Chip			ip
Switch Mode	High	Low		Flash/SOS
Led lumens (25°)	320	10)5	/
Burn time (min)	55	12	20	130
Color Temperature	6700 ÷ 7800			
Light beam (1m distance)	Hot Spot (12°) Corona		orona (75°)	
(mm/in)	220 / 8.6	220 / 8.6 1		1550 / 61
Rechargeable Batteries	1x ICR14500			
Time to charge	3h (5V1A adapter) / 3h (PC 500mA)			; 500mA)
Total length	137mm / 5.4in			
Head diameter	35mm / 1.3in			
Body diameter	23mm / 0.9in			
Weight with batteries	152g / 5.3oz			
Max. operation depth	120m / 393ft			

EOS STROBE

Code: 415693

- 450 LUMENS
- 360° HIGH VISIBILITY
- 15/20 HOURS OF BURN TIME
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- MAGNETIC, ROTATIONAL SWITCH
- TWO OPERATING MODES: ON, STROBE
- ANODIZED ALUMINUM HOUSING
- ADJUSTABLE STRAP PADDED CASE WITH ZIP



Bulb	1 Cree XPE	E LED Chip	
Switch Mode	High Flash/SOS		
Led lumens (25°)	450	/	
Burn time (min)	300	1500	
Color Temperature	5800 -	+ 7300	
Light beam (1m distance)	Diffused light		
Flash rate (p/min)	120		
Rechargeable Batteries	1 x ICR26650		
Time to charge	6h (5V1A adapter) / 12h (PC 500mA)		
Total length	170mm / 6.6in		
Head diameter	39mm / 1.6in		
Body diameter	34mm / 1.4in		
Weight with batteries	245g / 8.6oz		
Max. operation depth	120m / 393ft		

EOS 10RW

Code: 415686

- CREE LED 1053 LUMENS
- WIDE LIGHT BEAM
- EXCELLENT FOR VIDEO AND PHOTOGRAPHY VISUAL BATTERY INDICATOR
- MULTIFUNCTION SWITCH
- FOUR OPTIONS: ON, LOW, SOS, OFF
- VERY COMPACT AND LIGHTWEIGHT
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGER CABLE
- LED CHARGE INDICATOR ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP

EOS 10R

Code: 415687

- CREE LED 1053 LUMENS
- POWERFUL LIGHT BEAM
- VISUAL BATTERY INDICATOR
- MULTIFUNCTION SWITCH
- FOUR OPTIONS: ON, LOW, SOS, OFF
- HANDY AND COMPACT
- LED CHARGE INDICATOR
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGER CABLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP

TORCH ADAPTER

Code: 415179\$

- TURN THE TORCH INTO A VIDEO LIGHT
- DESIGNED FOR FLEXIBLE ARM
- A QUICK, EASY AND RELIABLE SOLUTION
- 3 SIZES (S/21 MM M/27MM L/34 MM)
- STAINLESS STEEL WITH RUBBER PROTECTION





EOS 10RW - VIDEO SET Code: 415685

- COMPLETE SET FOR VIDEO MAKING AND PHOTOGRAPHY
- COMPACT AND LIGHTWEIGHT
- 2 EOS 10RW TORCHES
- USB CHARGER CABLES
- ALUMINUM TRAY FOR ATTACHING VIDEO CAMERA
- FLEXIBLE ARMS WITH CONNECTIONS FOR EOS 10RW
- DEDICATED PADDED CASE WITH ZIP
- CAMERA NOT INCLUDED

TECHNICAL FEATURES

Bulb	XM-L2		
Switch Mode	High Low Flash/SC		
Led lumens (25°)	1000	500	1000
Burn time (min)	90	150	240
Color Temperature	5800 - 7300		
Light beam (1m distance)	Wide Spot (120°)		
(mm/in)	2500 / 98.4		
Rechargeable Batteries	1x ICR18650		
Time to charge	300min		
Total length	148.1mm / 5.8in		
Head diameter	28mm / 1.1in		
Body diameter	26mm / 1.0in		
Weight with batteries	178g / 6.3oz		
Max. operation depth	100m / 328ft		

TECHNICAL FEATURES

Bulb		XM-L2		
Switch Mode	High	High Low Flash/SOS		
Led lumens (25°)	1000	500	1000	
Burn time (min)	90	150	240	
Color Temperature		5800 - 7300		
Light beam (1m distance)		Hot Spot (12°)		
(mm/in)		220 / 8.6		
Rechargeable Batteries		1x ICR18650		
Time to charge		300min		
Total length		158.7mm / 6.2in		
Head diameter		28mm / 1.1in		
Body diameter		26mm / 1in		
Weight with batteries		188.5g / 6.6oz		
Max. operation depth		100m / 328ft		

While stocks last

SOFT GOODMAN HANDLE

Code: 415180

- ADJUSTABLE HAND STRAP TO BE USED EVEN WITH THICK GLOVES
- SAFETY WRIST STRAP FOR A PERFECT FIT
- DOUBLE ADJUSTABLE VELCRO STRAPS
- CAN BE USED WITH ALL EOS LIGHTS
- RELIABLE AND STURDY MATERIAL
- ADDITIONAL D-RING TO SECURE THE TORCH



MARKER BEAM

- FLASHING LIGHT STICK
- SAFETY LEASH WITH STOP
- LR 44 BATTERIES





Code: 415464

- TELESCOPING HANDLE
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDLE
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS WITH ZIP
- SIDE HANDLES
- A.T.O. AIR TRAVEL OPTIMIZED



AIR MESH HANDLE

SIDE HANDLES

Code: 415465

TELESCOPING HANDLE

LARGE STURDY WHEELS

BICOLOR, ULTRALIGHT BUCKLES

■ INTEGRATED FRONT POCKETS WITH ZIP

PADDED SHOULDER STRAPS

A.T.O. - AIR TRAVEL OPTIMIZED

CRUISE BACKPACK

EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM

ADJUSTABLE EXTERNAL COMPRESSION STRAPS



Volume

100l / 6071in³

Unit Net Weight

4.4kg / 9.7lb

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
47 x 32 x 81cm / 18.5 x 12.5 x 32in	5kg / 11lb	128l / 7811in³

Unit Net Weight

3kg / 6.6lb

CRUISE BACKPACK ROLLER

Code: 415466

- EASY TO FOLD AND STOW
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDLE
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS
- LIGHTWEIGHT
- A.T.O. AIR TRAVEL OPTIMIZED

TECHNICAL FEATURES

47 × 32 × 81cm / 18.5 x 12.5 x 32in

Dimensions (LxWxH)

CRUISE BUDDY

40 x 31 x 80cm / 16 x 12 x 31.5in

TECHNICAL FEATURES

Dimensions (LxWxH)

Code: 415467

- TELESCOPING HANDLE
- WIDE WHEEL BASE FOR STABILITY
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- TWO AIR MESH HANDLES
- INTEGRATED FRONT POCKETS WITH ZIPPERS
- ADJUSTABLE INTERNAL TIE-DOWN STRAPS BICOLOR, ULTRALIGHT BUCKLES
- BUSINESS CARD WINDOWS LIGHTWEIGHT
- A.T.O. AIR TRAVEL OPTIMIZED

TECHNICAL FEATURES

	Dimensions (LxWxH)	Unit Net Weight	Volume
3	43 x 27 x 75cm / 17 x 10.5 x 29.5in	3.5kg / 7.7lb	87l/5309in³

CRUISE BACKPACK DRY

Code: 415540\$

- ULTRA LIGHTWEIGHT
- COMPLETELY WATERTIGHT
- LARGE INTERNAL VOLUME
- ADJUSTABLE, PADDED AND REMOVABLE SHOULDER STRAPS
- ULTRALIGHT BUCKLES



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
42 x 33 x 79cm / 16.5 x 13 x 31in	1.1kg / 2.4lb	108l / 6590in ³

CRUISE BACKPACK MESH DELUXE

Code: 415476

- STURDY PVC MESH NET
- ADJUSTABLE SHOULDER AND STERNUM STRAP
- LATERAL ZIP AND STURDY HANDLE
- BOTTOM PROTECTION
- INTERNAL POCKET
- WIDE EXTERNAL POCKET
- BOTTOM EXTENSION WITH DRAINAGE HOLE
- DRAWSTRING CLOSURE



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
41 x 41 x 75cm / 16 x 16 x 29.5in	1.2kg / 2.6lb	123.5l / 7536in³

While stocks last

Volume

1281 / 7811in³



CRUISE CAPTAIN

Code: 415472

- TELESCOPING HANDLE
- WIDE WHEEL PLACEMENT
- EXPANDABLE POCKET WITH ZIPPER
- INTEGRATED FRONT POCKET
- WIDE INTERNAL MESH POCKET
- COMPRESSION STRAPS WITH BICOLOR, ULTRALIGHT BUCKLES
- TOP AND LATERAL SIDE AIR MESH HANDLES
- A.T.O. AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
36 x 22 x 55cm / 14 x 8.5 x 22in	2.8kg / 6.2lb	42l / 2563in³

CRUISE BACKPACK MESH ELITE

Code: 415477

- CAN BE FOLDED INTO A SMALL BAG WITH HANDLE
- LIGHTWEIGHT
- INTEGRATED SOFT HANDLE
- BOTTOM PROTECTION
- INTERNAL POCKET
- WIDE EXTERNAL POCKET
- BOTTOM EXTENSION WITH DRAINAGE HOLE
- ADJUSTABLE SHOULDER STRAPS



Dimensions (LxWxH)	Unit Net Weight	Volume
39 x 39 x 74cm / 15.5 x 15.5 x 29in	0.5kg / 1.1lb	114l / 6956in³

Code: 415598\$

- CAN BE FOLDED INTO A SMALL BAG WITH HANDLE
- WATER REPELLENT COATING
- INTERNAL POCKET MESH COVER WITH DRAWSTRING CLOSURE
- EXTREMELY LIGHTWEIGHT

CRUISE X-STRAP

Code: 415469

- EASY TO FOLD
 - TWO LARGE INTEGRATED POCKETS
 - BICOLOR, ULTRALIGHT BUCKLES
 - NEOPRENE HANDLES
 - ADJUSTABLE, PADDED AND REMOVABLE SHOULDER STRAPS
 - AUTO-BLOCKING ZIP
 - EXTREMELY LIGHTWEIGHT





Unit Net Weight

1.2kg / 2.6lb

Volume

76l/4637in³

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
80 x 39 x 37cm / 31.5 x 15.5 x 14.5in	0.9kg / 2lb	116l / 7079in³

CRUISE CLASSIC

Code: 415473

- HANDLE AND SHOULDER STRAPS
- EXTERNAL FIN POCKET WITH BUCKLE
- ZIP POCKET FOR PERSONAL BELONGINGS
- STURDY AND LIGHTWEIGHT
- REINFORCED BOTTOM

CRUISE POOL

TECHNICAL FEATURES

76 x 31 x 33cm / 30 x 12 x 13in

Dimensions (LxWxH)

Code: 415468

- EXTREMELY LIGHTWEIGHT
- EXTERNAL ZIP POCKET
- REINFORCED BOTTOM
- WIDE, LONG STRAP



TECHNICAL FEATURES		
Dimensions (LxWxH)	Unit Net Weight	Volume
76 x 29 x 36cm / 30 x 11.5 x 14in	2kg / 4.4lb	79L / 4821in ³

TECHNICA	L FEATURES
a: .	/1 14/ 111

Dimensions (LxWxH) 69 x 26 x 29cm / 27 x 10 x 11in	Unit Net Weight	Volume		
69 x 26 x 29cm / 27 x 10 x 11in	0.7kg / 1.5lb	50l/3057in ³		

CRUISE JOURNEY

Code: 415470

- STYLISH DESIGN
- A NEW CONCEPT FOR DAILY USE, THE OFFICE AND LEISURE
- ADJUSTABLE PADDED SHOULDER STRAPS
- DEDICATED LAPTOP POCKET WITH ZIP
- MULTIUSE ZIPPERED POCKETS
- EXPANDABLE SIDE POCKET
- BICOLOR, ULTRALIGHT BUCKLES
- SHOE COMPARTMENT
- WIDE STRAP TO ALLOW FOR ATTACHMENT TO A TELESCOPIC HANDLE
- CARRYING HANDLE
- ULTRALIGHT MATERIAL
- A.T.O. AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
31 x 20 x 56cm / 12.2 x 8 x 22in	1.2kg / 2.6lb	35l / 2135in³

CRUISE DRY D55

Code: 415451

- DRY 55L DUFFLE BAG
- DOUBLE CLOSURE SYSTEM
- LARGE INTERNAL VOLUME
- HAND STRAP & ADJUSTABLE SHOULDER STRAP
- STURDY 500D TARPAULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
60 x 30 x 55cm / 23.5 x 12 x 21.5in	0.9kg / 2lb	55l / 3356in³

While stocks last



CRUISE BEACH

Code: 415506

- ADJUSTABLE SHOULDER STRAP
- CARRY HANDLE
- TWO OUTER POCKETS WITH ZIP CLOSURE
- MESH AREAS FOR BETTER AIR CIRCULATION
- LARGE OPENING FOR EASY ACCESS
- EXTREMELY LIGHT
- IDEAL FOR SNORKELING



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume	
73 x 27 x 17cm / 28.7 x 10.6 x 6.7in	0.43kg / 0.95lb	311 / 1891in ³	

CRUISE DRY MBP15

Code: 415450

- MODULAR 15L BACKPACK
- ROLL NECK & BUCKLE CLOSURE SYSTEM
- ADJUSTABLE, PRE-SHAPED SHOULDER STRAPS
- PADDED BACKPACK
- ADJUSTABLE CHEST AND WAIST STRAPS
- REMOVABLE LAPTOP AND GADGET SLEEVE
- REMOVABLE MESH POCKET
- STURDY 500D TARPAULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL



Dimensions (LxWxH)	Unit Net Weight	Volume		
40 x 12 x 65cm / 16 x 5 x 25.5in	1.2kg / 2.6lb	15l / 915in ³		

BAGS

CRUISE DRY T35

T35

Code: 415452

T25

Code: 415453

T10

Code: 415455



- COLOR & SIZE SYSTEM
- ADJUSTABLE SHOULDER STRAP
- QUICK CLOSURE SYSTEM
- STURDY 500D TARPAULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL

Code: 415454

Т5



CRUISE DRY ATTACK TITAN

Code: 415524

- HEAT SEALED BAG WITHOUT STITCHING
- 500D TARPAULIN, STURDY AND LIGHTWEIGHT
- FOLDABLE WITH A LARGE INTERNAL VOLUME
- ADJUSTABLE HANDLES
- SIDE DRAIN VALVE

CRUISE DRY BP75 - ULTRALIGHT

Code: 415460

- ROLLING CLOSURE SYSTEM
- ADJUSTABLE, PADDED SHOULDER STRAPS
- ADJUSTABLE WAIST STRAPS
- STURDY, LIGHTWEIGHT 210D POLYESTER
- FRONT POCKET WITH WATERPROOF ZIPPER ■ IDEAL FOR WATER SPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIALS

CRUISE DRY ULTRA LIGHT

T-LIGHT 25L Code: 415461 T-LIGHT 10L

Code: 415462

T-LIGHT 5L

Code: 415463



Dimensions (LxWxH)	Unit Net Weight	Volume		
90 x 46 x 35cm / 35.4 x 18.1 x 13.7in	1.7kg /3.7lb	144L / 8787in ³		

POR	and a
Ĩ	

1

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
41 x 22.5 x 83cm / 16.1 x 8.8 x 32.6in	0.40kg / 0.89lb	75l / 4577in³



AQ

CRUISE DRY BP18 - LIGHT

Code: 415480

- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
 - STYLISH DESIGN, AVAILABLE IN TWO COLORS
 - AIR CROSSOVER SYSTEM: BETTER AIR CIRCULATION IN THE BACK AREA
- ROLLING CLOSURE SYSTEM
- STURDY AND LIGHTWEIGHT
- FRONT POCKET WITH DRY ZIP
- ADJUSTABLE, PRE-SHAPED, COLORED SHOULDER STRAPS
- ADJUSTABLE CHEST STRAPS





BL

REINFORCED, LIGHTWEIGHT POLYESTER

- QUICK CLOSURE SYSTEM
- HEAT-SEALED STITCHING
- FULLY WATERPROOF
- EXCELLENT FOR WATER SPORTS
- IDEAL FOR OUTDOOR ACTIVITIES
- AVAILABLE IN THREE DIFFERENT SIZES
- SVHC FREE MATERIALS



CRUISE CARPET

Code: 415478

- DOUBLE USE BAG
- DRY CARPET FOR DONNING AND DOFFING DIVE GEAR
- QUICK AND EASY TO FOLD
- DRAWSTRING CLOSURE EXTREMELY LIGHTWEIGHT



Unit Net Weight

0.8kg / 1.7lb

Volume

75l / 4577in³

CRUISE REG

Code: 415471

- ADJUSTABLE SHOULDER STRAP
- INTERNAL ZIPPED MESH POCKET
- VELCR0 STRAPS TO ATTACH REGULATORS
- BUSINESS CARD POCKET
- COLORED, MICRO-INJECTED ZIPPER PULLERS W/MARES LOGO



TECHNICAL FEATURES

MESH BAG

IDEAL FOR SNORKELING

PRACTICAL AND COMPACT MESH SACK

EASY TO CARRY AND FOR RINSING EQUIPMENT

Code: 415515

Dimensions (LxWxH)	Unit Net Weight	Volume		
26×10×36 cm / 10"×4"×14"	0,25 kg / 0.55 lb	9.4 l / 573 cu.in.		

CRUISE MESH

TECHNICAL FEATURES

Code: 415576

Dimensions (D)

140cm / 55in

- FULL MESH
- TO STORE SCUBA DIVING OR FREE DIVING EQUIPMENT
- CAN BE FOLDED INTO A ROUND BAG WITH HANDLE



CRUISE DIVER

Code: 415475

- ADJUSTABLE SHOULDER STRAP
- DEDICATED POCKET FOR COMPUTER AND INTERFACE
- MOBILE PHONE POCKET
- MANY PLACES FOR ELECTRONIC DEVICES KEY HOLDER
- CARD HOLDER



CRUISE PEARL

- VELCR0 CLOSURE SYSTEM
- TO STORE AND PROTECT YOUR MASK
- CAN BE ATTACHED TO BELT DEDICATED ANTIFOG POCKET



					A	N N N	P	ß	
Bag	Cruise Backpack Pro	Cruise Backpack	Cruise Backpack Roller	Cruise Buddy	Cruise Backpack Dry	Cruise Captain	Cruise Backpack Mesh Deluxe	Cruise Backpack Mesh Elite	Cruise Quick Pack
Code	415464	415465	415466	415467	415540	415472	415476	415477	415598
Dimensions (LxWxH)	47 x 32 x 81cm 18.5 x 12.5 x 32in	40 x 31 x 80cm 16 x 12 x 31.5in	47 × 32 × 81cm 18.5 x 12.5 x 32in	43 x 27 x 75cm 17 x 10.5 x 29.5in	42 x 33 x 79cm 16.5 x 13 x 31in	36 x 22 x 55cm 14 x 8.5 x 22in	41 x 41 x 75cm 16 x 16 x 29.5in	39 x 39 x 74cm 15.5 x 15.5 x 29in	80 x 39 x 37cm 31.5 x 15.5 x 14.5in
Unit Net Weight	5kg / 11lb	4.4kg / 9.7lb	3kg / 6.6lb	3.5kg / 7.7lb	1.1kg / 2.4lb	2.8kg / 6.2lb	1.2kg / 2.6lb	0.5kg / 1.1lb	0.9kg / 2lb
Volume	128L / 7811in ³	100L / 6071in ³	128L / 7811in ³	87L / 5309in ³	108L / 6590in ³	42l / 2563in ³	123.5l / 7536in ³	114L / 6956in ³	116l / 7079in ³
A.T.O. Air Travel Optimized		•							
Heavy Duty Wheels	-	•	-			•			
Backpack System		-	-				-		
Foldable System									



Bag	Cruise X-Strap	Cruise Classic	Cruise Pool	Cruise Journey	Cruise Beach	Cruise Dry Attack Titan	Cruise Carpet	Cruise Reg	Cruise Mesh
Code	415469	415473	415468	415470	415506	415524	415478	415471	415576
Dimensions (LxWxH)	76 x 31 x 33cm 30 x 12 x 13in	76 x 29 x 36cm 30 x 11.5 x 14in	69 x 26 x 29cm 27 x 10 x 11in	31 x 20 x 56cm 12.2 x 8 x 22in	73 x 27 x 17cm 28.7 x 10.6 x 6.7in	90 x 46 x 35cm 35.4 x 18.1 x 13.7in	140cm 55in	26 x 10 x 36cm 10 x 4 x 14in	95.3 x 38.1 x 38.1cm 37.5 x 15 x 15in
Unit Net Weight	1.2kg / 2.6lb	2kg / 4.4lb	0.7kg / 1.5lb	1.2kg / 2.6lb	0.43kg / 0.95lb	1.7kg /3.7lb	0.8kg / 1.7lb	0.25kg / 0.55lb	0.67kg / 1.48lb
Volume	76l / 4637in³	79L/4821in ³	50L / 3057in ³	35l / 2135in ³	31L/1891in ³	144L / 8787in ³	75l / 4577in ³	9.4l / 573in ³	108.5l / 6623in ³
A.T.O. Air Travel Optimized									
Backpack System									
Foldable System									

	igares			marra)	I	mares	mares Pret		
Dry Bag	Т5	T10	T25	T35	BP18 Light	T5 Ultralight	T10 Ultralight	T25 Ultralight	BP75 Ultralig
Code	415455	415454	415453	415452	415480	415463	415462	415461	41546
Density	500D Polyurethane	500D Polyurethane	500D Polyurethane	500D Polyurethane	Body: 210D Polyurethane, Bottom: 420D Polyurethane		5D ester	210D Polyester	210D Polyureth
Dimension (DxH)	16.5cm x 29cm 6.5in x 11.4in	19.5cm x 33.5cm 7.7in x 13.2in	25.5cm x 56.5cm 10in x 22.2in	25.5cm x 69cm 10in x 27.2in	23cm x 60cm 9in x 23.6in	15cm x 48cm 5.9in x 18.9in	20cm x 35cm 7.8in x 13.7in	24cm x 57.5cm 9.4in x 22.6in	41 x 22.5 x 16.1 x 8.8 x
Unit Net Weight	0.14kg / 0.31lb	0.17kg / 0.38lb	0.35kg / 0.77lb	0.40kg / 0.89lb	0.40kg / 0.89lb	0.05kg / 0.11lb	0.06kg / 0.13lb	0.11kg / 0.24lb	0.40kg / 0
Volume	5l / 305in ³	10L / 610in ³	25l / 1525in ³	35l / 2136in ³	18l / 1098in ³	5l / 305in ³	10l / 610in ³	25l / 1525in ³	751 / 457



DIVER MARKER BUOY - ALL IN ONE

Code: 415753

- 180CM HEIGHT
- 5CM / 2" SOLAS REFLECTIVE TAPE
- EXTREMELY LIGHTWEIGHT
- "DIVER BELOW" REFLECTIVE WRITING
- INTEGRATED MESH POCKET FOR SPOOL
- 20M / 66FT SPOOL INCLUDED
- STAINLESS STEEL D-RING
- DOUBLE ENDER STAINLESS STEEL CARABINER ORAL INFLATE CONNECTOR FOR LP BCD HOSE
- OVER PRESSURE RELEASE VALVE
- VELCRO CLOSURE SYSTEM



TECHNICAL FEATURES

FORCE PLUS

SOFT OVERMOLDED ERGONOMIC HANDLE

FITS ON MARES BCDS, BAGS AND HOSES

■ EASY RELEASE SYSTEM, EVEN WITH GLOVES

Code: 415626

Blade	Stainless Steel - PVD Coated
Blade length	100mm / 3.9in

COMPACT REEL

Code: 415349

- FOLDABLE HANDLES
- DOUBLE ENDED CARABINER
- 30M / 100 FT LINE

FORCE NANO PLUS

Code: 415627

- SOFT OVERMOLDED ERGONOMIC HANDLE
- FITS ON MARES BCDS, BAGS AND HOSES
- EASY RELEASE SYSTEM, EVEN WITH GLOVES



TECHNICAL FEATURES

в

Blade length 65mm / 2.6in	Blade	Stainless Steel - PVD Coated
	Blade length	65mm / 2.6in

SAFETY STOP MARKER

Code: 415708

- 3-5M SAFETY/DEC0 STOP BUOY
- HIGH VISIBLITY ORANGE COLOR
- LARGE INTERNAL VOLUME
- HD CONSTRUCTION AND STRONG BRASS HOOK



COMPACT

Code: 415742\$

- ORANGE DIVER MARKER BUOY
- 10M LINE
- 300G -2/3 LB SHAPED LEAD WEIGHT
- NYLON SACK WITH CARABINER



While stocks last



STANDARD MARKER

Code: 415709

- HIGHLY VISIBLE EGG SHAPE
- ONE PIECE CONSTRUCTION WITH INTEGRATED FLAG
- TWO-CHAMBER CONSTRUCTION FOR SAFETY AND AN UPRIGHT POSITION
- 20 M ROPE
- VARIOUS HOOKS



TORPEDO

Code: 415721

- LOW-DRAG TOPEDO SHAPE FOR EASY TOWING
- HIGH VISIBLITY ORANGE COLOR
- TWO-CHAMBER CONSTRUCTION FOR SAFETY AND AN UPRIGHT POSITION
- 20M ROPE ■ SIX UNIVERSAL ADJUSTMENT CONNECTORS



DIVER'S ALERT MARKER

Code: 415743

- 180CM TALL AND 15CM WIDE FOR HIGH VISIBILITY
- SOLAR REFLECTIVE TAPE
- AUTOMATIC SEAL SYSTEM
- ORAL INFLATION CONNECTOR FOR LP BCD HOSE
- PRESSURE RELEASE VALVE
- DEDICATED POCKET FOR LIGHT
- STAINLESS STEEL DRING



STANDARD INFLATABLE

- HIGH VISIBLILTY ORANGE COLOR
- FOLDING BAG WITH HOOK
- 20M ROPE AND VARIOUS HOOKS
- INTEGRATED WEIGHTS FOR PROPER SURFACE FLOTATION
- FITS IN BCD POCKET



ACCESSORIES

UNIVERSAL HANGER

Code: 415177

- HOLDS UP TO 15 DIFFERENT ITEMS
- UNIQUE MARES DESIGN
- STURDY AND ROBUST EQUIPMENT PERFECTLY ORGANIZED



DRYSUIT HANGER

Code: 415713

- PERFECT FOR DRY SUITS WITH BOOTS
- BETTER VENTILATION BECAUSE THE DRY SUIT IS UPSIDE DOWN
- STURDY AND SIMPLE TO USE



WEIGHT BELT

Code: 415122

QUICK RELEASE PLASTIC BUCKLE



STAINLESS STEEL BELT

Code: 415123

QUICK RELEASE STAINLESS STEEL BUCKLE



LIQUID PATCH

Code: 415181 BK / GR

- IDEAL FOR REPAIRING HOLES AND SMALL CUTS
- CAN BE USED ON NEOPRENE, BC VESTS, DRY SUITS AND MORE
- AVAILABLE IN BLACK AND GREY
- EASY TO USE, JUST THREE STEPS
- FLEXIBLE AND ELASTIC
- 20G

Liquid PVC Increasing protect the PVC actions report 20 g Matters.com

SCUBA CLEAN

Code: 415905 Desk Exhibitor (12pcs)

- MARES SANITIZER FOR ALL SCUBA GEAR
- TRIPLE ACTION: FUNGICIDE, BACTERICIDE AND VIRUCIDE
- OFFERS TOTAL DISINFECTION, CLEANLINESS AND SANITIZIATION
- COMPATIBLE WITH PLASTIC, NYLON, NEOPRENE AND METAL
- 125ML



SILICONE GREASE

Code: 415102

- IDEAL FOR MAINTENANCE AND TO LUBRICATE 0-RINGS
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 20 ML



SHELLS

- SHOCKPROOF CASE
- STURDY ZIPPER
- MARES MICRO-INJECTED LABEL
- SILVER PIPING

SHELL REGULATOR

code: 415866

- PERFECT SIZE FOR STORING REGULATORS
- DEDICATED HANDLE FOR EASY CARRYING



SHELL OVAL

code: 415864

PERFECT FOR TORCHES, MASKS AND MORE



SHELL ROUND

code: 415865

IDEAL FOR DIVE COMPUTERS



AIR NOZZLE

Code: 415724

- EASY TO USE
- QUICK CONNECTION AND DISCONNECTION FROM LP INFLATOR HOSE
- USE AIR TO CLEAN AND DRY
- NOT ONLY FOR SCUBA EQUIPMENT



DIVING BOX

Code: 415516 (4 pcs)

- TO STORE, PROTECT AND CARRY DIVING EQUIPMENT
- SIZES: 82X42X38CM
- 130L CAPACITY
- REMOVABLE HANDLE
- RELIABLE WHEELS
- STURDY MATERIAL



PERSONAL DRY BOX

Code: 415727

- LANYARD FOR TRANSPORTATION
- DRY SEAL FOR WATERTIGHT CLOSURE
- SLEEK DESIGN
- SMALL AND DURABLE



MAGNETIC SHAKER

Code: 415172

- SPECIAL MAGNETIC SYSTEM
- TO PREVENT UNWANTED AND IRRITATING NOISE
- LIGHTWEIGHT AND EASY TO STORE
- EASY TO USE WITH JUST A SIMPLE DOWNWARD MOVEMENT



UNDERWATER SLATE

- BRIGHT WHITE WRITING SLATE
- COMPACT SIZE: 12 X 15CM
- HOOK SYSTEM TO ATTACH TO YOUR
- BCD
- QUICK RELEASE BUCKLE
- STANDARD REPLACEABLE PENCIL WITH SILICONE TUBE



TANKS

Code: 415087 10L Single Valve

Code: 415088 12l Single Valve

Code: 415089 15l Double Valve

- SINGLE PIECE CONSTRUCTION IN STEEL ALLOY
- 3 SIZES : 10L, 12L AND 15L
- MEETS REQUIREMENTS OF DIRECTIVE 2014/68EU INT/DIN VALVE CONNECTION
- RUBBER BOOT
- OPTIONAL SECOND CONNECTION FOR 10L AND 12L SINGLE VALVE



Code	415087	415088	415089	
Volume	10 liters	12 liters	15 liters	
Valve	Sin	Double		
Weight	13.5kg / 29.6lb	16.5kg / 36.5lb	20kg / 44.1lb	
Height	67cm / 26.4in	61cm / 24.0in	71cm / 28in	
Diameter	18cm / 7.0in 22cm / 8.6in		/ 8.6in	
Operating pressures	232 bar			
Material	Heat-treated steel			
Internal coating	Phosphate coating and anti-corrosion treatment			
Black external coating	Soft touch polyurethane coating			

TANK NETS - 10L

Code: 415749 10L YL

- Code: 415731 12l BL Code: 415730 15l BK
- HIGH QUALITY NYLON
- VARIOUS COLORS & SIZES
- 10L/YELLOW, 12L/BLUE AND 15L/BLACK



VALVE 2ND CONNECTION

Code: 45180732

- INT/DIN VALVE CONNECTION
- OPTIONAL FOR 10 AND 12 LITER TANK VALVES





Code: 415726

- IDEAL FOR TROUBLE-SHOOTING ON DIVING EQUIPMENT
- 20 TOOLS INCLUDING SPANNERS, SCREWDRIVERS, PLIERS, ALLEN KEYS AND MORE
- HANDY SIZE ZIPPERED CASE
- EASY STORAGE



MULTI TOOLS

Code: 415701 Multi Tools Pro

Code: 415703 Multi Tools Tech

- TWO VERSIONS FOR ALL NEEDS
- TECH: VARIOUS SPANNERS AND SCREWDRIVERS
- PRO: VARIOUS SPANNERS AND ALLEN WRENCHES
- HIGH QUALITY STAINLESS STEEL WITH NICKEL COATING
- EASY TO USE
- EXCLUSIVE MARES DESIGN
- OVERMOLDED HANDLE WITH MARES LOGO



JACKET

Code: 449127 ◊



TECHNICAL FEATURES

	Unisex	
Size	XS · S · M · L · XL · XXL	
Characteristics Waterproof / Refolding hood		

P0L0 Code: 449130 \$





TECHNICAL FEATURES

	Unisex	
Size	XS · S · M · L · XL · XXL	
Characteristics 100% cotton		

While stocks last

HOODED SWEATER

Code: **449129**



TECHNICAL FEATURES

	Unisex	
Size	XS · S · M · L · XL · XXL	
Characteristics 100% cotton		

T-SHIRT

Code: 449128 \$



	Unisex	
Size	XS · S · M · L · XL · XXL	
Characteristics	100% cotton	

ACCESSORIES

REGULATORS

DFC - DYNAMIC FLOW CONTROL:

Minimizes intermediate pressure drop during inhalation thus maximizing gas delivery, especially under extreme conditions.

AST - AUTO SEALING TECHNOLOGY: Pneumatic dry system, protects against water entering the 1st stage.

NCC - NATURAL CONVECTION CHANNEL:

ases cold water performance by creating a flow of water across the regulator. The flow is driven by the change of density in water with temperature

OPD - OPTIMIZED PORT DESIGN.

nsures that the pressure gauge's hose is always pointing downwards, regardless of first stage orientation.

TWIN POWER SYSTEM

Flow control manages the delivery rate of your gas, from natural breathing to power breathing. The former is the traditional way of breathing a Mares regulator, (VAD) while the latter (VAD+) provides an extra nush when you need it

VAD - VORTEX ASSISTED DESIGN: The air bypass tube delivers air to the mouthpiece creating a swirling vortex with a low pressure area in the center that keeps the diaphragm down during inhalation, for very sensitive and easy breathing at all depths

ADJUSTABLE BREATHING COMFORT:

Allows the diver to change the second stage spring load which affects the breathing resistance.

PAD - PNEUMATICALLY ASSISTED DESIGN:

The second stage is accomplished by routing medium pressure air to the backside of the valve to help counteract the force of the spring. This allows the valve to open with less effort.

MESH GRID:

Patented design which reduces the impact of water flow onto the second stage diaphragm, thus eliminating free flows even in strong currents.

METAL TECHNOLOGY

Outstanding mechanical reliability and high thermal conductivity make our metal 2nd stages extremely long lasting and ideal for cold water dives. The high thermal conductivity of metal reduces also the dry uth feeling during the dive.

FLUID DYNAMIC DEFLECTOR:

Receives and properly directs the airflow from the bypass tube to the mouthpiece

SUPERFLEX LP HOSE:

Extreme light weight and exceptional softness guarantee the maximum freedom of movement.

INSTRUMENTS

LCD COLOR DISPLAY:

ne technology applied to dive computers (320 x 240 pixels / 262.144 colors). FULL DOT MATRIX

The next generation of dive computer displays: exceptional resolution allowing for total flexibility. The best user interface, the best dive display, no compromises.

SEGMENT / MATRIX AREA DISPLAY:

nise between sharpness (segments) and flexibility (dot matrix) at a reasonable price.

SEGMENT DISPLAY: Needle-sharp information combined and intelligent placement of information for easiest readability.

GAS INTEGRATED:

Provides all relevant gas related information such as tank pressure, time to reserve, and gas consumption resulting in a significant increase in safety.

GAS SWITCHING:

Setting the computer to include one or more oxygen enriched - gases (up to 99%) in addition to your main gas; allow you to benefit from shorter decompression times by switching gases during the dive.

MINERAL GLASS (TEMPERED):

Superior scratch resistance and improved readability in all diving conditions and viewing angles

BCD'S

FUSION BLADDER:

Combines features of backmounted and classic bladder. High lift capacity, unrestricted movement and a comfortable position on the surface characterize this type of bladder

BACKMOUNTED:

Aircell separated from the harness, resulting in unrestricted freedom of movement.

ERGO INFLATOR:

The standard inflation and deflation control device used in sanctioned training programs. Intuitive use

and secure grip. AIRTRIM:

Patented technology for easiest and precise buoyancy control in all positions and conditions. The control device is always at hand and placed in the most ergonomic position.

MONOPLATE BACKPACK:

Ideal for travelling thanks to its reduced dimensions and its marked weight reduction compared to a traditional backpack. Integrated rubber pads provide secure grip of the tank and carrying comfort.

Inspired by the design of modern hiking backpacks, the system avoids direct contact between body and tank support.

SUITS

ULTRASTRETCH NEOPRENE:

Top of the range neoprene which delivers superior comfort during diving as well as when donning and doffing.

BACK PROTECTION SYSTEM

mically shaped neoprene cushion between back and tank support for improved wearing comfort and extra warmth in a zone which is usually cold sensitive

G-LOCK ZIPPER

Soft, flexible waterproof zip ensures maximum freedom of movement and optimum thermal comfort S-I OCK TIPPER

oft, flexible waterproof zip ensures maximum freedom of movement. Thermal comfort is increased by the zip coating which limits water entry.

MASTERSEAL ZIP:

Extremely sturdy and durable dry zipper. The new soft and flexible Masterseal zip ensures maximum freedom of movement and optimum thermal protection.

DOUBLE CONE:

The Double Cone System minimize the water flowin the most critical sealing areas like wrist and ankles

THERMO PLUSH.

Extremely soft internal layer in the chest area to keep the upper part of the body warm. Thermo plush is durable and dries fast.

FINS

RIDDLED FOOT POCKET:

he perforations prevent stagnating water flow from slowing you down. Eliminating this "parachute effect" you'll slide faster through the water. Furthermore the openings eliminate any suction effect making doffing easier.

OPB - OPTIMIZED PIVOTING BLADE:

Allows the blade to maintain an optimal angle throughout the kicking cycle, whereas traditional fins achieve this only during a small portion of the cycle. OPB produces a constant thrust, which minimizes fatigue and produces fluid movement through the water.

CHANNEL THRUST:

Soft longitudinal inserts allow a controlled deformation of the fin blade while kicking. This channel shape moves a greater amount of water resulting in more thrust for the same effor TRI-MATERIAL CONSTRUCTION:

3 specific materials for maximum elasticity, high durability and resistance to aging. The result is superior performance in all diving conditions.

MASKS & SNORKELS

LIQUIDSKIN

Patented Technology. The exclusive Bi-Silicone technology uses two different types of silicone: a firmer portion for support structure and a softer portion for contact with your face. It is 45% softer for unparalleled comfort and 270% more elastic for a perfect fit.

SUNRISE:

The Suprise masks are dedicated to the Asian market and wider faces because of the special geometry of the skirt

TRI-COMFORT.

Small horizontal ribs between the frame and the skirt in the area around the nose. These ribs absorb and redistribute the pressure exerted by the frame onto the skirt, with a resulting increase in comfort. OPTICAL LENSES:

Mares offers corrective lenses for most models. In addition to the negative diopters, for some models also positive diopters are available. Mares design makes it quick and easy to install lenses.

ACCESSORIES

LIGHTS

MAGNETIC SWITCH The external magnetic switch protects the light from flooding. High reliability ensured by the complete absence of o-ring

ADJUSTABLE FOCUS:

The focus can be adjusted during the dive by a simple rotation. It allows for a change in the light beam between 12° and 75°. IN-HOUSE RECHARGEABLE BATTERY:

Rechargeable batteries are standard. The system allows recharging without removing the batteries from the flashlight.

BAGS

ATO - AIR TRAVEL OPTIMIZED: he choice of extremely lightweight and resilient materials, in addition to the overall attention to details, make these products ideal for the travelling diver-

HEAVY DUTY WHEELS:

All Mares bags include rugged and durable construction wheels, secured with stainless steel screws BACKPACK SYSTEM:

cally designed shoulder straps are included and stored in an appropriate pocket

FOLDARI E SYSTEM

The product can be folded into itself in less than one minute to store it in small space.





28XR - HR - FULL SM TEK SET

Code: 416409

- THIS SET INCLUDES:
- 2 X HR SECOND STAGES
- 2 X 28XR FIRST STAGES
- 2 X MIFLEX XT-TECH HOSES (60 cm-210 cm)
- 2 X SHORT MIFLEX XT-TECH SIDEMOUNT INFLATOR HOSES (20 cm)
- 1M OF 4MM BUNGEE
- 2 X PRESSURE GAUGES

FIRST STAGE

- FULL SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- BALANCED DIAPHRAGM AND ENVIRONMENTALLY SEALED "TBP" (TWIN BALANCED PISTON)
- ENVIRONMENTALLY SEALED AST FOR UNDERWATER REMOVAL
- 4 LP PORTS ON SWIVEL TURRET
- 1 ADDITIONAL 5TH LP IN-LINE PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING

SECOND STAGE:

COLD *

mares

BREATHING SYSTEMS

Mares regulators have been tested and certified in compliance with EC directive 89/686/EEC and/or European Regulation 2016/425 according to the EN 250: 2014 standard and EN13949 (Nitrox regulators). All Mares Nitrox regulators are compatible with oxygen mixes up to 100% 02 and are equipped with a dedicated connection in conformity with European standard EN144-3.

- DIN ONLY 300 BAR

■ SIMPLE, PERFORMING, ULTRALIGHT TECHNOPOLYMER BODY

■ CAN BE OPENED AND CLEANED OR FIXED UNDERWATER

OVERSIZED PURGE BUTTON MIFLEX XT-TECH HOSE

TECHNICAL FEATURES

Flow Rate (STP)

Hose length

Weight (without hose)

HR

ADJUSTABLE BREATHING COMFORT

PAD - PNEUMATICALLY ASSISTED DESIGN

- LIGHTWEIGHT <790G

■ FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE



Technopolymer second stage Pneumatically assisted valve

560l/min - 20cuft/min

225g - 8oz

60cm / 24in - 210cm / 7ft

25XR - DR FULL TEK SET

Code: 416402

- THIS SET INCLUDES:
- 2 X DR SECOND STAGES
- 2 X 25XR FIRST STAGES - 2 X HOSES (60 cm-210 cm)
- 1 X NECK REGULATOR BUNGEE
- 1 X DEAD BOLT SNAP
- HIGH-PERFORMANCE SECOND STAGE
- MESH GRID
- STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING (VAD VORTEX ASSISTED DESIGN)
- NO NEED FOR USER ADJUSTMENTS
- COMPACT AND RUGGED ALL-METAL BODY MADE FROM HIGH-IMPACT CHROME AND NICKEL-PLATED BRASS
- SLIGHTLY NEGATIVELY BUOYANT
- STRONG AND RESISTANT, IDEAL FOR SCOOTERING, DEEP, COLD AND WRECK DIVING COVER DESIGN DISPERSES WATER FLOW AND REDUCES FREE FLOW (MESH GRID DESIGN)
- EASY-TO-PUSH PURGE
- CARBON/TITANIUM PU COATED MIFLEX HOSE:
- STRONGER RESISTANCE TO CUTS, ABRASIONS, BURSTING AND UV LESS FLOATING ENVIRONMENTALLY SEALED
- FLEXIBLE AND COMFORTABLE

■ ACHIEVED NORSOK U-101 WORK OF BREATHING REQUIREMENTS AT THE DEPTH OF 200 M AT A BREATHING RATE OF 62,5 L/MIN WHILE USING A BREATHING MIX OF 3% OXYGEN IN HELIUM (AS PER NORSOK U-101)

25XR - CR FULL TEK SET

Code: 416403

- THIS SET INCLUDES: - 2 X CR SECOND STAGES - 2 X 25XR FIRST STAGES
- 2 X HOSES (60 cm-210 cm)
- 1 X NECK REGULATOR BUNGEE
- 1 X DEAD BOLT SNAP
- HIGH-PERFORMANCE SECOND STAGE
- SOFT COVER
- STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING (VAD VORTEX ASSISTED DESIGN)
- NO NEED FOR USER ATTACHMENTS
- SLIGHTLY NEGATIVELY BUOYANT
- COVER DESIGN DISPERSES WATER FLOW AROUND THE SECOND-STAGE DIAPHRAGM AND REDUCES FREE FLOW
- EASY-TO-PUSH PURGE
- CAN BE OPENED UNDER WATER IDEAL FOR CAVE AND COLD WATER DIVING
- CARBON/TITANIUM PU COATED MIFLEX HOSE:
- STRONGER RESISTANCE TO CUTS ABRASIONS BURSTING AND UV LESS ELOATING
- ENVIRONMENTALLY SEALED
- FLEXIBLE AND COMFORTABLE
- ACHIEVED NORSOK U-101 WORK OF BREATHING REQUIREMENTS AT THE DEPTH OF 320 M AT A BREATHING RATE OF 62.5 L/MIN WHILE USING A BREATHING MIX OF 3% OXYGEN IN HELIUM (AS PER NORSOK U-101)

28XR - HR

Code: 416410

FIRST STAGE:

- FULL SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- BALANCED DIAPHRAGM AND ENVIRONMENTALLY SEALED "TBP" (TWIN BALANCED PISTON)
- ENVIRONMENTALLY SEALED AST FOR UNDERWATER REMOVAL
- 4 LP PORTS ON SWIVEL TURRET
- 1 ADDITIONAL 5TH LP IN-LINE PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING
- DIN ONLY 300 BAR
- LIGHTWEIGHT <790G</p>

SECOND STAGE:

- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT
- SIMPLE, PERFORMING, ULTRALIGHT TECHNOPOLYMER BODY
- PAD PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE
- CAN BE OPENED AND CLEANED OR FIXED UNDERWATER









TECHNICAL FEATURES

DR	All-metal (nickel and chrome plated brass) second stage	Standard downstream valve	
Flow Rate (STP)	620l/m - 22ft³/min		
Weight (without hose)	269g / 9.6oz		
Hose length 60cm / 24in - 210cm / 7ft			

TECHNICAL FEATURES

CR	Technopolymer second stage Standard downstream value		
Flow Rate (STP)	560l/min - 20ft³/min		
Weight (without hose)	193g / 7oz		
Hose length	60cm / 24in - 210cm / 7ft		



TECHNICAL FEATURES

HR	Technopolymer second stage Pneumatically assisted desi		
Flow Rate (STP)	560l/min - 20cuft/min		
Weight (without hose)	225g / 8oz		
Hose length 75cm / 30in			

108

VR 2ND STAGE

Code: 416408 - NR: black - air

Code: 416408 - NX: green - 02

- THE FIRST VERTICAL SECOND STAGE EVER
- EXCELLENT BREATHING POSITION
- INTEGRATED SAGITTAL VAD (S-VAD)
- OVERSIZED SILICONE PURGE BUTTON
- FREEDOM OF MOVEMENT IN ALL POSITIONS
- IDEAL FOR STAGE DECOMPRESSION, TRAVEL GAS AND SIDEMOUNT CONFIGURATION
- CAN BE MOUNTED ON THE RIGHT AS WELL AS THE LEFT SIDE
- "UNDER THE SHOULDER" HOSE POSITION
- EASY-TO-PUSH PURGE
- CARBON/TITANIUM PU COATED MIFLEX HOSE:
- STRONGER RESISTANCE TO CUTS, ABRASIONS, BURSTING AND UV LESS FLOATING
- ENVIRONMENTALLY SEALED
- FLEXIBLE AND COMFORTABLE

Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.



VR	Technopolymer second stage	Standard downstream valve		
Flow Rate (STP)	560l/min - 20ft³/min			
Weight (without hose)	199g / 7oz			
Hose length	110cm / 43.3in			

HR 2ND STAGE

Code: 416412 - NR: black - air

Code: 416412 - NX: green - 02

- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT ■ SIMPLE, PERFORMING, ULTRALIGHT TECHNOPOLYMER BODY
- PAD PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE
- CAN BE OPENED AND CLEANED OR FIXED UNDERWATER

28XR 1ST STAGE

Code: 416411 - NR: air - G5/8

Code: 416411 - NX: 02 - M26

THE 28XR IS A TECHNICAL FIRST STAGE IDEAL FOR: - SIDEMOUNT REGULATORS - BACKMOUNT REGULATORS - STAGE REGULATORS

- FULL SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- BALANCED DIAPHRAGM AND ENVIRONMENTALLY SEALED "TBP" (TWIN BALANCED PISTON)
- ENVIRONMENTALLY SEALED AST FOR UNDERWATER REMOVAL
- 4 LP PORTS ON SWIVEL TURRET
- 1 ADDITIONAL 5TH LP IN-LINE PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING
- DIN ONLY 300 BAR
- LIGHTWEIGHT <790G</p>

25XR AST 1ST STAGE

Code: 416400 - Left

- Code: 416400 Right
- COMPACT, SOLID ONE-PIECE BODY
- 2 LP PORTS (3/8" UNF) ALL ANGLED DOWNWARD
- 1 HP PORT (7/16" UNF) WITH IPD INTERCHANGEABLE PORT DESIGN
- PERFECT, SNAG-FREE LP HOSE POSITIONING
- DFC DYNAMIC FLOW CONTROL
- ACT VALVE ADVANCED COATING TECHNOLOGY ■ ENVIRONMENTAL DRY SYSTEM: KEEPS WATER OUT OF THE MAIN SPRING CHAMBER,
- PREVENTS ICE BUILDUP, KEEPS SILT AND CONTAMINATION OUT
- DIN ONLY COLD WATER KIT
- TRIMIX, HELIOX, HELITROX
- EXTREME DEPTH, ENGAGED DIVES & MIXED GAS DIVING (HELIUM, 02, NITROGEN)
- FOR TWINSET USE BUT EQUALLY SUITABLE FOR SINGLE OR STAGE CYLINDER CONFIGURATIONS
- DUAL CONFIGURATION: FITS ALL CERTIFYING AGENCIES FROM RSTC TO DIR DIVERS AND ALL XR USES INCLUDING CAVE
- MINIMIZED RISK OF ACCIDENTAL SNAGGING, NO HOSE KINKING AND EASIER ACCESS TO THE MANIFOLD VALVES
- AST AUTO SEALING TECHNOLOGY
- KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
- THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
- TESTED WITH OXYGEN AND COLD TEMPERATURES IN DEMANDING ENVIRONMENTS
- PATENTED SYSTEM

Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.









HR	Technopolymer second stage Pneumatically assisted va		
Flow Rate (STP)	560l/min - 20cuft/min		
Weight (without hose)	225g / 8oz		
Hose length	110cm / 43.3in		

TECHNICAL FEATURES

	All-metal (nickel and chrome plated brass) first stage	Twin balanced piston mechanism	
Flow Rate at end of one 210cm/7ft long low pres- sure hose (STP)	12001/m - 41cuft/min		
Static intermediate pres- sure (0-300bar/4350psi supply pressure)	9.8 - 10.2bar / 142 - 148psi		
High pressure ports	2 [7/16" UNF]		
Low pressure ports	5 [3/8" UNF]		
Weight	DIN: 760g / 27oz		

TECHNICAL FEATURES

25XR	All-metal (nickel and chrome plated brass) first stage	Balanced diaphragm mechanism		
Flow Rate at end of one 210cm/7ft long low pres- sure hose (STP)	1200l/min - 42ft³/min			
Static intermediate pres- sure (0-300bar/4350psi supply pressure)	8.8-9.4 bar / 127-136 psi			
Dynamic Flow Control (DFC)	Up to 9.9 bar / 144 psi			
High pressure ports	1 (7/16" UNF)			
Low pressure ports	2 (3/8" UNF)			
Of which DFC ports	1			
Weight	DIN : 758 g / 27 oz			

R2 1ST STAGE

Code: 416407 - NR: air - G5/8

Code: 416407 - NX: 02 - M26

- VERY SIMPLE AND RELIABLE
- STURDY AND COMPACT
- FASY TO CLEAN AND MAINTAIN
- DIN ONLY
- AST AUTO SEALING TECHNOLOGY
- KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
- THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
- TESTED WITH OXYGEN AND COLD TEMPERATURES IN DEMANDING ENVIRONMENTS PATENTED SYSTEM

Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.



R2	All-metal (nickel and chrome plated brass) first stage	Piston mechanism		
Flow Rate at end of one 210cm/7ft long low pres- sure hose (STP)	1200l/min - 42ft³/min			
Static intermediate pres- sure (0-300bar/4350psi supply pressure)	9.8 - 10.5bar @ 230bar / 142 - 152 @ 3300psi 7.8 - 8.5bar @ 30bar / 113 - 123psi @ 450ps			
Dynamic Flow Control (DFC)	Up to 11.5bar / 167psi			
High pressure ports	1 [7/16" UNF]			
Low pressure ports	4 [3/8" UNF]			
Of which DFC ports	1			
Weight	DIN: 431g / 15oz			

HOSES

46201394			60 cm / 24 in
46201477	3/8"	RUBBER	110 cm / 43 in
46201393			210 cm / 83 in
47201191		MIFLEX XT-TECH	20 cm / 8 in
46201680	3/8"		60 cm / 24 in
46201681	3/8		110 cm / 43 in
46201682			210 cm / 83 in

2ND STAGE LP SWIVEL CONNECTOR NEW

Code: 416413

- LOW PRESSURE HOSE ADAPTER 360° SWIVEL
- GOES BETWEEN A REGULATOR HOSE AND 2ND STAGE
- IDEAL FOR A LEFT SIDEMOUNT REGULATOR
- MORE COMFORT ON WAIST-MOUNTED DECO
- AND STAGE TANKS
- REDUCES JAW FATIGUE ALLOWS A WIDER RANGE OF HEAD

OVER PRESSURE RELIEF VALVE

Code: 416404

MOVEMENT

- STANDARD LP PORT THREAD, 3/8 UNF
- SET TO 13BAR, NOMINALLY, WITH +/-0.5BAR TOLERANCE
- CHROME PLATED BRASS
- STANDARD REGULATOR SPRING



NECK REGULATOR BUNGEE

Code: 415763

- ATTACHES EASILY TO ANY REGULATOR 2ND STAGE MOUTHPIECE
- ALLOWS REGULATOR TO HANG CLOSE UNDER THE CHIN
- DURABLE, SHAPE RETAINING SILICONE



INSTRUMENT SPG52

Code: 414600 - 56cm hose - BAR Code: 414600 - 56cm hose - PSI Code: 414601 - 15cm Miflex - BAR Code: 414601 - 15cm Miflex - PSI Code: 414602 - 15cm Miflex Oxygen - BAR

Code: 414602 - 15cm Miflex Oxygen - PSI

- SPG WITH GRADUATION RANGE 0-360 BAR, 0-5000 PSI
- SINGLE READING
- TEMPERED GLASS
- LUMINESCENT "GLOW IN THE DARK" SCREEN
- AIR OR 100% OXY (OXY CLEAN)
- CERTIFIED ACCORDING TO EN 250
- DOUBLE CHROME, MIRROR-PLATED CASE TREATMENT BRASS HOUSING WITH TEMPERED GLASS FOR EXTREME DURABILITY
- COPPER BERYLLIUM BOURDON TUBE MECHANISM THAT NEVER GOES OUT OF CALIBRATION EVEN WITH HARD KNOCKS
- PREFERRED FOR ITS SIMPLICITY BY MANY TECHNICAL DIVERS WHO FOLLOW DIR TRAINING PHILOSOPHY

SINGLE TANK BAND SET

Code: 417541

- DEDICATED TO ALL OUR SINGLEMOUNT SETS
- FITS ALL DIAMETERS OF STANDARD TANKS
- INCLUDES: 2 X 52CM WIDE HEAVY DUTY STRAPS WITH 2 STAINLESS STEEL BUCKLES



ELASTIC STAGE TANK STRAP

Code:	417515	7L \$
Code:	417515	10L \$

Code: 417515 15L ◊

- 1 PAIR OF ELASTIC LOOP TANK STRAPS
- 2.5 CM WIDE WITH WEBBING PULLER

3 SIZES:

- 6" FOR 6" DIAMETER TANK

- 7" FOR 7" DIAMETER TANK

- 8" & 8.5" DIAMETER TANKS



While stocks last

TECHNICAL FEATURES

210g

52mm

7.40oz

2in


Weight

Diameter

STAGE RIGGING SET

Code: 417518

- THE MOST MODULAR SYSTEM FOR CARRYING STAGE TANKS
- FITS ALL DIAMETERS OF STANDARD TANKS
- FITS STAGES OF ALL LENGTHS
- INCLUDES: 2 LARGE STAINLESS STEEL DEAD BOLT SNAPS, ADJUSTABLE TANK BAND WITH STAINLESS STEEL BUCKLE AND HI-RESISTANCE CORD



RUBBER STAGE TANK STRAP

Code: 417527 - 6"

Code: 417527 - 7"

- 1 PAIR OF RUBBER LOOP TANK STRAPS
- 2.5 CM WIDE WITH WEBBING PULLER
- 6" FOR 6"DIAMETER TANK (17 CM RUBBER LOOP)
- 7" FOR 7", 8" & 8.5" DIAMETER TANKS (23 CM RUBBER LOOP)



XR-REC SILVER SINGLE BACKMOUNT SET

Code: 417559

A COMPLETE MOUNTED SET INCLUDING:

■ 16 LITER STANDARD SINGLE TANK SILVER DONUT

ONE SIZE FITS ALL (FULLY ADJUSTABLE HARNESS)

- 3 mm SILVER ALU BACK PLATE
- 6 mm SILVER ALU D-RINGS
- SS316 SILVER BUCKLE
- STANDARD WEBBING HARNESS
- LEFT SHOULDER MILSPEC 2-POINT, QUICK-RELEASE, SILVER ALU BUCKLE
- 2 TANK STRAPS WITH SILVER SS316 BUCKLES
- UPPER CENTRAL HANDLE

PERFECT FOR TRAVELLING

- NEW X-REC BACK-SHOULDERS PADDING
- BLACK, FLAT-HEAD BOLT SCREWS
- 2 REMOVABLE SIDE WEIGHT POCKETS WITH D-RINGS, CLOSED WITH VELCRO (ONE INCLUDES A LOWER EXTENSION POCKET)
- A SINGLE BACKMOUNT SET THAT INCLUDES EVERYTHING YOU NEED TO ENTER THE WORLD OF XR DIVING





NEW







HEAVY DUTY **HARNESS**

Code: 417501 - Complete

WEBBING

- 3.5 m WEBBING WITH CENTER HOLE AND GROMMET
- 3 X 40 mm ELASTIC LOOP RETAINERS
- 1.5 m CROTCH STRAP
- HARNESS
- 2 X BENT D-RING 50 mm STAINLESS STEEL
- 2 X STRAIGHT D-RING 50 mm STAINLESS STEEL
- 4 X 3-BAR SLIDES NORMAL STAINLESS STEEL
- 2 X 3-BAR SLIDES TOOTHED STAINLESS STEEL
- 1 X WAIST BUCKLE STAINLESS STEEL
- CROTCH STRAP
- 2 X STRAIGHT D-RINGS 50 mm STAINLESS STEEL
- 1 X 3-BAR GLIDES 50 mm STAINLESS STEEL
- DIR HOGARTHIAN CONFIGURATION



HEAVY LIGHT HARNESS

Code: 417502 - Complete

WEBBING

- 3.5 m WEBBING WITH CENTER HOLE AND GROMMET
- 3 X 40 mm ELASTIC LOOP RETAINERS
- 1.5 m CROTCH STRAP
- HARNESS
- 2 X BENT D-RING 50 mm BLACK ALUMINUM
- 2 X STRAIGHT D-RING 50 mm BLACK ALUMINUM
- 4 X 3-BAR SLIDES NORMAL BLACK ALUMINUM
- 2 X 3-BAR SLIDES TOOTHED BLACK ALUMINUM
- 1 X SS316 STANDARD WAIST BUCKLE
- CROTCH STRAP
- 2 X STRAIGHT D-RINGS 50 mm BLACK ALUMINUM
- 1 X 3-BAR GLIDES 50 mm BLACK ALUMINUM
- DIR HOGARTHIAN CONFIGURATION



HEAVY DUTY MOUNTED SYSTEM

Code: 417516 - Mounted System

- 417501 HARNESS HEAVY DUTY COMPLETE
- 417507 BACKPLATE STAINLESS STEEL 3 mm



HEAVY LIGHT MOUNTED SYSTEM

Code: 417517 - Mounted System

- 417502 HARNESS HEAVY LIGHT COMPLETE
- 417508 BACKPLATE ALUMINUM 3 mm



SIDEMOUNT BACK WEIGHT

Code: 417532\$

- HOLDS UP TO 12KG
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY COLD WATER VELCRO DUAL CLOSING SYSTEM
- ATTACHMENT GROMMETS ON TOP AND BOTTOM FOR MODULAR FIXING ON SIDEMOUNT PLATES
- 3 BACK STRAPS FOR ADJUSTABLE ATTACHMENT ON HARNESS



SIDE WEIGHT POCKET

Code: 417533

- HOLDS UP TO 4KG
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- MODULAR THEY CAN BE INSTALLED ON ANY MARES XR HARNESS
- CAN BE PLACED ON THE SHOULDER OR WAIST STRAPS
- HEAVY DUTY COLD WATER VELCRO SINGLE CLOSING SYSTEM
- INTEGRATED FLAT D-RING



SIDEMOUNT BACK POUCH

Code: 417534

- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR POSTERIOR POUCH
- ZIPPERED FRONT
- 316 STAINLESS STEEL D-RINGS TO ATTACH FASTENING
- VERY USEFUL ACCESSORY FOR ALL SIDEMOUNT DIVERS ENABLING YOU TO STOW
- AWAY EVERYTHING THAT YOU WOULD NORMALLY CARRY IN YOUR POCKETS
- FAST AND EASY WATER DRAINAGE
- OUTER MESH POCKET FOR STORAGE OF SLATES, DIVE TABLES OR WETNOTES
- DOUBLE ENDERS NOT PROVIDED



& While stocks last

CARGO POCKET

Code: 417505

- 1200D "BULLETPROOF" BALLISTIC NYLON LARGE MAIN VOLUME POCKET WITH
- ZIPPERED CLOSURE
- INTERNAL BUNGEE CORD INTERNAL STAINLESS STEEL D-RING
- SMALL FRONT COMPARTMENT POCKET WITH ZIPPERED CLOSURE
- 2 LARGE NYLON LOOPS TO SLIDE OVER HARNESS BELT
- 2 SMALL NYLON LOOPS TO ATTACH POCKET TO STANDARD 2" WAISTBAND
- 2 BOTTOM DRAIN GROMMETS
- CAN BE ATTACHED TO YOUR HARNESS



MASK POCKET

Code: 417506

- 1200D "BULLETPROOF" BALLISTIC NYLON
- 600D POLYESTER WEB GRID
- LARGE AND EXPANDABLE
- INNER REINFORCEMENT IN BLACK POLYURETHANE
- 1 OVERSIZED CLIP
- LONG NYLON STRAP ALLOWING FULL POCKET EXPANSION
- 1 LARGE NYLON LOOP TO SLIDE OVER HARNESS BELT
- CAN BE ATTACHED TO YOUR HARNESS



RUBBER RINGS

- RUBBER SLIDING D-RING COMPATIBLE WITH ALL 50/52 mm WEBBING
- CAN BE MOVED FORWARDS (BY PINCHING TOGETHER) WHEN CYLINDERS START BECOMING MORE BUOYANT TO ALLOW FOR BETTER TRIM CONTROL
- FITS SNUGLY
- WEIGHT: 0.01KG
- OUTER DIAMETER: ~50 mm
- THICKNESS: 8 mm
- 4 PCS



TOOTHED SS316 TRIGLIDERS

Code: 417524

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316 FITS WITH ALL HARNESS STRAPS
- 10 PCS



BENT TOOTHED TRIGLIDERS

Code: 417552 - Alu Black

Code: 417553 - SS316

- REPLACES THE CLASSICAL CHEST TRIGLIDERS ALLOWING FOR THE ADDITION OF ANY BACKUP LIGHTS OR ADDITIONAL ACCESSORIES
- PRECISION MACHINED FROM SS316 OR ALU STRONG, DURABLE, FITS WITH ALL HARNESS STRAPS
- 2 PCS



D-RINGS SS316 FLAT

Code: 417525

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS

D-RINGS SS316 BENT

Code: 417526

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS



SF2 SS316 CLIP

Code: 417522

- ALLOWS FREE ADJUSTMENT OF RIGHT HARNESS STRAP
- PRECISION MACHINED FROM SS316 OR ALU
- STRONG, DURABLE, LOGICAL ALTERNATIVE TO PLASTIC CLIPS
- FITS IN ALL OUR RIGID PLATES (ALU AND SS)



METAL BUCKLE ALUMINUM

Code: 417556 - Alu black

- Code: 417555 SS316
- MILSPEC FOR 50MM WEBBING, STRAPS AND HARNESSES
- TWO-POINT QUICK-RELEASE SAFETY CONCEPT ALLOWING A BREAK IN THE HARNESS



DONUT BLADDER SINGLE TANK

Code: 417511 - 10 kg

Code: 417511 - 16 kg

- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH
- 4 HEAVY DUTY GROMMETS POSITIONED TO ALLOW OPTIMUM TRIM
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS ■ LEFT POSITION DOES NOT INTERFERE WITH 1ST STAGE DUMP VALVE
- I OW PROFILE DUMP VALVE
- MICRO PULLER TANK STABILIZER BODY SLIDE BARS
- VERY SMART AND UNIQUE DESIGN ALLOWING THE CYLINDER TO NEST INSIDE
- EXTREMELY STREAMLINED VERY STABLE CONTINUOUS LOOP SHAPE
- SMOOTH GAS SHIFT FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: DOES NOT INTERFERE WITH THE WOVEN TEXTILE TAPE, EASY HANDLING, STRONG AND DURABLE



DONUT BLADDER TWIN TANK

Code: 417512 - 20 kg

Code: 417512 - 24 kg

- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH
- 4 HEAVY DUTY GROMMETS POSITIONED TO ALLOW OPTIMUM TRIM
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- MID POSITION DOES NOT INTERFERE WITH 1ST STAGE DUMP VALVE
- RIGHT AND LEFT MODULAR LOW PROFILE DUMP VALVE AND BLINDER
- KNOBLESS PULLER
- EXTREMELY STREAMLINED VERY STABLE CONTINUOUS LOOP SHAPE
- SMOOTH GAS SHIFT OF AIR FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: EASY HANDLING, STRONG AND DURABLE



Code: 417507 - 3 mm 🛇 Code: 417507 - 6mm \$

- STAINLESS STEEL GRADE 316
- 13 LASER CUT AND LASER ETCHED SLOTS
- 8 SLOTS SPECIALLY DESIGNED FOR OPTIMUM POSITIONING OF THE HARNESS WEBBING ■ 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER
- CAN BE STRAPPED DIRECTLY ■ HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT
- WEAKENING THE STRENGTH OF THE SPINE ■ 2" WIDE CROTCH STRAP SLOT
- 15 HOLES
- 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR BUOYANCY CELLS AND CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
- 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR THE MOUNTING OF ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- BENDED LOWER EDGES
- HIGHLY TECHNICAL PRE-SHAPE
- ULTRA-RUGGED BACKBONE
- TOTAL MODULARITY: ALL HARNESSES AND ALL DONUTS/WINGS

BACKPLATE ALUMINIUM

Code: 417508 - 3 mm

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY, 3 mm
- 13 LASER CUT AND LASER ETCHED SLOTS
- 8 SLOTS SPECIALLY DESIGNED FOR OPTIMUM POSITIONING OF THE HARNESS WEBBING
- 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER CAN BE STRAPPED DIRECTLY
- HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT WEAKENING THE STRENGTH OF THE SPINE
- 2" WIDE CROTCH STRAP SLOT
- 15 HOLES
- 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR BUOYANCY CELLS AND CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
- 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR MOUNTING ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- BENDED LOWER EDGES MARES XR LOGOS AND LAZER CUT SHAPED AXIS
- HIGHLY TECHNICAL PRE-SHAPE UNPARALLELED VERSATILITY
- ULTRA-RUGGED UNFOLDABLE BACKBONE
- PUSHED TO LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL HARNESSES AND DONUTS/WINGS

PURE LIGHT SIDEMOUNT SET

Code: 417547

A COMPLETE MOUNTED SET INCLUDING

- 417536 SIDEMOUNT PURE LIGHT BLADDER 10 LITERS
- 417543 SIDEMOUNT TOP ALU PLATE
- 417544 SIDEMOUNT BOTTOM ALLI PLATE
- 417545 SIDEMOUNT TAIL ALU PLATE
- 417546 SIDEMOUNT HIP ALU RINGS (R&L)
- 417502 HARNESS HEAVY LIGHT COMPLETE
- 417532 SIDEMOUNT BACK WEIGHT
- 417534 SIDEMOUNT BACK POUCH
- 417535 SIDEMOUNT STAGE BUNGEES





3 m

2.5kc De



TECHNICAL FEATURES

		TECHNICAETEATORES	
m	6mm	Thickness	3 mm
kg	4kg	Weight	750g
eluxe Paddin	ig / Butt Plate	Compatibility	Deluxe Padding / Butt Plate

Thickness

Compatibility

Weight

TECHNICAL FEATURES

ALUMINUM 40µ

HEAVY PURE SIDEMOUNT SET

- A COMPLETE MOUNTED SET INCLUDING:
- 417542 SIDEMOUNT HEAVY PURE BLADDER 16 LITERS
- 417528 SIDEMOUNT TOP SS316 PLATE
- 417529 SIDEMOUNT BOTTOM SS316 PLATE
- 417530 SIDEMOUNT TAIL SS316 PLATE ■ 417531 - SIDEMOUNT HIP SS316 RINGS (R&L)
- 417501 HARNESS HEAVY DUTY COMPLETE
- 417532 SIDEMOUNT BACK WEIGHT
- 417534 SIDEMOUNT BACK POUCH
- 417535 SIDEMOUNT STAGE BUNGEES





SIDEMOUNT PLATES

- 6MM GRADE 316 STAINLESS STEEL
- LASER CUT AND LASER ETCHED EDGES
- HIGHLY TECHNICAL PRE-SHAPE UNPARALLELED VERSATILITY
- ULTRA-RUGGED PUSHED TO THE LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL TYPES OF SIDEMOUNTING

SIDEMOUNT ALU PLATES

- ANODIZED ALUMINUM 40M
- LASER CUT AND LASER ETCHED EDGES
- HIGHLY TECHNICAL PRE-SHAPE UNPARALLELED VERSATILITY ■ ULTRA-RUGGED - PUSHED TO THE LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL TYPES OF SIDEMOUNTING

SIDEMOUNT TOP PLATE

Code: 417528◊

460G



SIDEMOUNT BOTTOM PLATE

Code: 417529\$

400G



SIDEMOUNT TAIL PLATE

Code: 417530\$

180G



SIDEMOUNT HIP RINGS

Code: 417531 (Right & Left) >

105G EACH

While stocks last



SIDEMOUN	T TOP PL	ATE ALU

Code: 4175430

76G



SIDEMOUNT BOTTOM PLATE ALU

Code: 4175440

72G



SIDEMOUNT TAIL ALU PLATE

Code: 417545\$

■ 66G



SIDEMOUNT HIP ALU RINGS

Code: 417546 (Right & Left) >

42G EACH



& While stocks last



SIDEMOUNT PURE LIGHT BLADDER

Code: 417536\$

- 10 LITERS FULLY COMPATIBLE WITH ALL HARNESSES FROM THE RANGE
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- INNER AIR CELL: BLACK POLYURETHANE
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH DOES NOT INTERFERE WITH WOVEN TEXTILE TAPE, EASY TO HANDLE, STRONG AND DURABLE ■ FULLY MODULAR TRIM: CAVE, OPEN WATER, WRECK - COLD AND WARM WATERS
- WAVE SHAPE FOR PERFECT ENVELOPMENT OF THE BACK WEIGHT POUCH
- NO BUNGEES COMPRESSING THE BODY ALLOWING COMFORT AND OPTIMAL TRIM
- NO CAMEL OR CAKE EFFECT WITH PRE-SHAPED INTERNAL BLADDER ALLOWING PERFECT FLAT TRIM
- REVERSIBLE LOW PROFILE DUMP VALVE / INFLATOR
- KNOBLESS PULLER
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- STYLISH, DURABLE, LIGHTWEIGHT AND LONG-LASTING, FINEST QUALITY MATERIALS





SIDEMOUNT HEAVY PURE BLADDER

Code: 417542\$

- BEST FOR SS316 PLATES, LOCAL DIVING, COLD WATERS, HEAVY DECOMPRESSION, DEEP DIVING
- 16 LITERS FULLY COMPATIBLE WITH ALL HARNESSES FROM THE RANGE
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- INNER AIR CELL: BLACK POLYURETHANE
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH DOES NOT INTERFERE WITH WOVEN TEXTILE TAPE, EASY TO HANDLE, STRONG AND DURABLE ■ FULLY MODULAR TRIM: CAVE, OPEN WATER, WRECK - COLD AND WARM WATERS
- WAVE SHAPE FOR PERFECT ENVELOPMENT OF THE BACK WEIGHT POUCH
- NO BUNGEES COMPRESSING THE BODY ALLOWING COMFORT AND OPTIMAL TRIM
- NO CAMEL OR CAKE EFFECT WITH PRE-SHAPED INTERNAL BLADDER ALLOWING PERFECT FLAT
- REVERSIBLE LOW PROFILE DUMP VALVE / INFLATOR
- KNOBLESS PULLER
- NEW STRETCHIER, LOW PROFILE, OVAL CORRUGATED HOSE
- NEW K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- STYLISH, DURABLE (RESISTANT TO SCUFFS, TEARS AND ABRASIONS),
- LIGHTWEIGHT AND LONG-LASTING FINEST QUALITY MATERIALS





BACKPLATE **SOFT**

Code: 417509

- 1200D "BULLETPROOF" BALLISTIC NYLON
- POLYPHRENE HYDRO-DRAINAGE COMFORT PADDING, 4 SLOTS
- 2 UPPER AND 2 LOWER SLOTS ACCOMMODATE NYLON CYLINDER BANDS TO STRAP SINGLE CYLINDER DIRECTLY TO THE PLATE
- 5 DOUBLE SLIDE BARS SPECIALLY POSITIONED FOR OPTIMIZED FITTING OF THE HARNESS WEBBING AND THE CROTCH STRAP
- 2 CENTERED HOLES AT THE TOP AND 2 AT THE BOTTOM OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR THE BUOYANCY CELLS
- 2 MID PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR MOUNTING ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- 4 D-RINGS COMPLEMENTING THE SIDE HOLES
- HIGHLY TECHNICAL SHAPE
- TOTAL MODULARITY: ALL HARNESSES AND ALL DONUTS/WINGS



XR-REC BACK-SHOULDERS PADDING NEW

Code: 417560

- ULTIMATE IN COMFORT AND CONVENIENCE WITHOUT SACRIFICING ANY FEATURES
- LUMBAR REINFORCEMENT
- FAST DRAINING CONCEPT
- ERGONOMIC, COMPACT SHOULDER PADS
- NON-TWISTING SHOULDER DESIGN
- COMPACT, INTEGRATED BACK SPACE TO CARRY A LIFTING DEVICE



SIDEMOUNT STAGE BUNGEES

Code: 417535¢

- INDEPENDENT BUNGEES
- 52CM LONG PAIR OF BUNGEES TO BE ATTACHED TO THE BACK/SHOULDER PLATE
- BOLT SNAPS ATTACHED TO THE FREE ENDS OF THE BUNGEES
- TO BE STRETCHED AROUND THE NECK OF THE CYLINDER WITH BOLT SNAP CLIPPED ON A CHEST MOUNTED HARNESS D-RING
- CAN BE USED WITH ANY VALVES MATCHED (LEFT & RIGHT HAND) VALVES ARE NOT REQUIRED



S.T.R.A.W.S.

Code: 417557

- A SIMPLE, LIGHTWEIGHT, DURABLE WEIGHT POCKET, ADDED DIRECTLY ON THE TANK BANDS
- ONE SIDE, OR BETTER, TWO, ALLOW FOR ADDITIONAL WEIGHT
- SIGNIFICANTLY IMPROVES TRIM, ALLOWS TRIM FINE TUNING
- IMPROVES BACK COMFORT
- STABILIZES THE TANK



DRY SUIT INFLATION MOUNTING BAND

Code: 417503

- INFLATION TANK MOUNTING STRAP WITH BUCKLE
- FOR MOUNTING A SMALL 0,85L OR 1L STEEL AIR OR ARGON BOTTLE DIRECTLY ON A BACK PLATE
- SUITABLE ESPECIALLY FOR COLD, DEEP, WRECK OR CAVE DIVING
- A SECONDARY BOTTLE FILLED WITH ARGON IS THE MOST COMMON METHOD USED TO INCREASE INSULATION PROPERTIES OF THERMAL GARMENTS
- PROVIDES A QUICK, SECURE AND LIGHTWEIGHT MOUNTING OPTION FOR DRYSUIT INFLATION SOURCES
- NOT AVAILABLE IN NORTH AMERICA



DEADBOLT SCREW FLAT

Code: 417520 - 11mm Chrome

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- 11 mm FLAT HEAD DEAD BOLT SCREW WITH 0-RINGS
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + 0-RINGS)
- FOR USE WITH ALUMINUM PLATES AND 0-RINGS TO PREVENT ANODIZING



DEADBOLT SCREW ROUND

Code: 417521 - 6 mm \$

Code: 417521 - 9 mm >

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- ROUNDED HEAD 6 mm AND 9 mm
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + O-RINGS)
- FOR USE WITH ALUMINUM PLATES AND 0-RINGS TO PREVENT ANODIZING



ROLL OF ELASTIC THREADED BUNGEE

Code: 417554\$

■ FOR REGULATOR NECKLACE, SIDEMOUNT LOOPS, HARNESSES, TANKS AND STAGES, BACKUP LIGHTS, DRY SUITS ETC



TECHNICAL FEATURES

Length	100m
Diameter	4mm - 6mm - 8mm

O While stocks last

DEADBOLT SCREW FLAT

Code: 417538 - 11mm Black

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- 11 mm FLAT HEAD DEAD BOLT SCREW WITH 0-RINGS
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + 0-RINGS)
- FOR USE WITH ALUMINUM PLATES AND O-RINGS TO PREVENT ANODIZING



THUMBWHEEL SS316

Code: 417523 - 28x14 mm

Code: 417523 - 28x18 mm

- PRECISION MADE FROM AISI 316 STAINLESS STEEL
- STRONG AND DURABLE
- EASY ALTERNATIVE TO THE TRADITIONAL WINGNUT/BUTTERFLY
- KNURLED SURFACE FOR EASIER GRIP
- 28 X 14 mm AND 28 X 18 mm WITH A HOLE THROUGH THE CENTER
- 2 PCS



STAXR SINGLE TANK ADAPTER

Code: 417561

■ FOR DIVERS WHO NEED EASY TRANSITIONING BETWEEN A SINGLE TANK AND DOUBLE TANK SETUP

NEW

- QUICK AND EASY ATTACHMENT OF A SINGLE TANK TO A BACK PLATE
- FITS PERFECTLY ON THE CYLINDER BODY
- SMALL AND COMPACT WITH A UNIQUE XR DESIGN
- MADE IN MARINE GRADE 316 STAINLESS STEEL

NOTE: STA DOES NOT INCLUDE STRAPS AND HARDWARE



XR3 NEOPRENE

Code: 412149 Neoprene/Latex Dry Suit

- Code: 412034 Neo Socks Dry Suit
- NEW HIGH-DENSITY, HYPER-FLEXIBLE 4MM NEOPRENE TOUGH BUT FLEXIBLE
- LARGE, PRE-MOUNTED, COMFORTABLE, ADJUSTABLE ELASTIC SUSPENDERS
- 4 mm NEOPRENE NECK
- NEW REDEFINED, ENHANCED DESIGN, TESTED FOR SIZING, OFFERING MAXIMUM FLEXIBILITY
- 1 NEOPRENE, WIDE-ZIPPERED POCKET ON THE RIGHT LEG
- NEW HIGHLY-DURABLE KEV/XR REINFORCEMENTS FOR PROTECTION ON THE KNEES, SHOULDERS AND POSTERIOR
- BACK MOUNTED DRY ZIP MARES XR EXCLUSIVE INLET AND OUTLET VALVES
- DRY SEAL AROUND NECK (VELCRO) AND COMPLETE COVERAGE FROM THE HOOD TO AVOID WATER EXPOSURE
- NEW 4 mm DRY SM00TH H00D
- NEW 411111 DRT 3M00TH HC
 NEW STRONGER MAT BAG
- INTEGRATED 4 mm NEOPRENE BOOTS WITH A RIGID SOLE
- REINFORCED BOOT INSTEP AND ADJUSTABLE VELCRO ANKLE STRAP
- FOR PERFECT CLOSURE
- LATEX WRIST SEALS (ALLOWING FOR USE OF DRY GLOVES)

412149:

- INTEGRATED 4 mm NEOPRENE BOOTS WITH A RIGID SOLE
- REINFORCED BOOT INSTEP AND ADJUSTABLE VELCRO ANKLE STRAP FOR PERFECT CLOSURE
- LATEX WRIST SEALS (ALLOWING FOR USE OF DRY GLOVES)

412034:

- 4 mm SOFT NEOPRENE SOCKS
- NEOPRENE WRIST SEALS

DETAILS







412149 - Boots with rigid sole


412034 - Neoprene socks

412149 / TECHNICAL FEATURES							
Sizes S M L XL XXL 3XL							
412034 / TECHNICAL FEATURES							
Sizes	S	м	L	XL	XXL		






SIZE CHART / XR3



	XS	S	м	L	XL	2XL	3XL
A	149/159	156/166	163/173	170/180	177/187	184/194	190/200
в	45/55	55/65	65/75	75/85	85/95	95/105	105/115
С	79/87	85/93	91/99	99/107	105/113	113/121	119/127
D	61/69	69/77	77/85	85/93	93/101	101/109	109/117
Е	68/76	80/88	92/100	96/104	104/112	112/120	120/128

	XS	s	м	L	XL	2XL	3XL
F	119	126	133	140	147	154	160
G	90	96	102	110	116	124	130
н	72	80	88	96	104	112	120
I	79	91	103	107	115	123	131



		XS	S	м	L	XL	2XL	3XL
(к	25	25	25	25	25	25	25
	L	23,9	25	25,9	27	28	28,2	30,3
-	м	34	35	36	37	38	39	40

DRY-BASE UNDERGLOVES

Code: 412761 - 2mm

- DESIGNED FOR USE UNDER DRY GLOVES WHILST MAINTAINING MAXIMUM DEXTERITY
- RETAIN SOME PROTECTION IN CASE OF DRY GLOVE FAILURE OR FLOODING
- CAN BE USED WITH TRADITIONAL THINSULATE GLOVES UNDER DRY GLOVES FOR
- EXTREME CONDITIONS
- DOUBLE LINED, ULTRA-STRETCH NEOPRENE
- SHORT WRIST



TECHNICAL FEATURES TECHNICAL FEATURES							
Thickness		2mm		Thickness			
Sizes	XS/S	M/L	XL/XXL	Sizes		XS	

TEK GLOVES

Code: 412760

- 3 UNCOVERED FINGERS (THUMB, INDEX, MIDDLE)
- DOUBLE-LINED NEOPRENE, WITH 2MM AMARA INSERTS
- NO VELCRO STRAP
- BEST DESIGN FOR MAINTAINING TOUCH WHEN ,BLIND' DIVING



Thickness			2n	nm		
Sizes	XS	S	М	L	XL	XXL

XR3 DRY SMOOTH HOOD



DRY SUIT ROCK BOOTS

Code: 412629

- PERFECT PROTECTION FOR DRY SUITS WITH NEOPRENE SOCKS
- SUPPORT THE FEET AND REDUCE AIR
- MIGRATION NO AIR POCKETS
- VERY STRONG AND RESISTANT RUBBER WITH RUGGED, ANTI-SLIP SOLE
- MAXIMUM WATER DRAINAGE

TECHNICAL FEATURES

Thickness			2m	nm		
Sizes	S	М	L	XL	XXL	3XL

P-VALVE

Code: 415802

- TRIMMED P-VALVE
- SOLID DELRIN BODY
- COVER DESIGNED FOR EASY GRIP AND
- OPERATION WITH DRY GLOVES
- MINIMAL PUSH PRESSURE AND BACKPRESSURE
- EASY MAINTENANCE NO FAIL KISS DESIGN
- SAFETY LOCK
- GREATLY REDUCES RISK OF DECOMPRESSION SICKNESS BY ENCOURAGING PRE-DIVE HYDRATION
- ENHANCED DIVE COMFORT
- INCLUDES TUBE AND OPTIMIZED SEALING
- FLANGE
- INCLUDES QUICK DISCONNECT FOR SHE-P

GREY SILICONE SEALS ACCESSORIES

NECK	WRIST BOTTLENECK (1PAIR)
code: 415781	code: 415782
code: 415783 Small	code: 415784 Small





TEK SHORTS


Code: 412032

- TO BE WORN ON TOP OF A WET SUIT OR ALONE IN WARM WATER
- MADE OF SUPER LIGHT BILAMINATE AND KEVLAR
- NON-FLOATING, FAST DRAINING AND FAST DRYING
- ULTRA-LIGHT BUT EXTREMELY RESISTANT



DETAILS





		s	м	L	XL	2XL	3XL
A	-	156/166	163/173	170/180	177/187	184/194	190/200
В	-	55/65	65/75	75/85	85/95	95/105	105/115
	TOLERANCE	s	м	L	XL	2XL	3XL
С	+- 1.5 cm	58	62	65	69	72	75
D	+- 2.0 cm	118	130	144	152	160	168
E	+- 0.5 cm	28	29.5	31	32.5	34	35
F	+- 0.5 cm	32	34	36	38	40	42
G	+- 0.5 cm	46	50	55	57	60	62

COMFORT MID BASE LAYER

Code: 412148

- CAN BE USED AS A BASE LAYER OR A MID-LAYER -PERFECT FOR NEOPRENE DRY SUITS
- EXA-STRETCH ELASTANE FOR ENHANCED STRETCH AND MOVEMENT
- ANTI-ODOR, WASHABLE, BREATHABLE, MOISTURE-WICKING POLYESTER
- BREATHABLE, FLEECE-LINED, WINDPROOF, WATER-RESISTANT PANELS
- TRAPS A LAYER OF AIR A MUCH BETTER INSULATOR THAN WATER - NEXT TO THE SKIN
- FLAT SEAMS FOR COMFORT
- ULTRA-LIGHTWEIGHT

TECHNICAL FEATURES

Sizes

Code: 412147

THE BODY

- UNISEX
- COMES WITH A LIGHTWEIGHT DRY SACK, IDEAL FOR STORING THE UNDERSUIT AND OTHER ITEMS

EXTREME UNDERGARMENT

ENHANCED INSULATION ON CRITICAL AREAS OF

BREATHABLE, FLEECE-LINED, WINDPROOF, WATER-

RESISTANT PANELS ON THE CHEST AND ARMS

EXA-STRETCH ELASTANE FOR ENHANCED

STRETCH AND MOVEMENT ANTI-ODOR, WASHABLE, BREATHABLE,

MOISTURE-WICKING POLYESTER HANDWARMER POCKETS FOR COMFORT AND A CONVENIENT, ZIPPED POCKET FOR VALUABLES COMES WITH A LIGHTWEIGHT DRY SACK, IDEAL FOR STORING THE UNDERSUIT AND OTHER ITEMS

XS S M L XL XXL



Code: 412173 Top

Code: 412174 Pants

- DESIGNED FOR EXTENDED USE IN EXTENDED RANGE DIVING
- WARM, VERY STRETCHY, LIGHTWEIGHT, COMPACT ■ KEEPS THE SKIN DRY BY WICKING AWAY PERSPIRATION
- ANTIMICROBIAL AND ANTI-ODOR
- STILL PERFORMS, EVEN IN THE CASE OF SUIT FLOODING



TECHNICAL FEATURES						TECHNICAL FEA	TURES						
Sizes	S	М	L	XL	XXL	Sizes	XS	S	М	L	XL	XXL	3XL

ACTIVE HEATING VEST

Code: 412146

- DOUBLE ZIP FOR COMFORT WHEN SEATED
- SUPPLIED WITH RECHARGEABLE BATTERY AND CHARGER
- ADJUSTABLE HEAT SETTING TEMPERATURE CONTROL
- 2 5 HOURS HEATING TIME
- HAND WASHABLE
- CREATED TO BE EVEN LIGHTER AND THINNER FOR DEMANDING DIVERS
- PROVIDES HEAT TO THE BACK KIDNEY AREA AND TO EACH SIDE OF THE CHEST IN ORDER TO GIVE A FEELING OF COMPLETE WARMTH TO THE UPPER BODY

▲ NOT SUITABLE FOR PEOPLE WITH PACEMAKERS



TECHNICAL FEATURES								
Sizes	XS	S	М	L	XL	XXL		
Chest Size	34-36"	36-38"	38-40"	40-42"	42-44"	44-46"		

BATTERY TECHNICAL FEATURES

Lithium Capacity	2200 mAh			
Heating Time	2-5 hours			
Weight approx	125g			
Dimension	70mm x 50mm x 22mm			
Voltage	7.4V			
Indicator	Charge level and battery level indicator			
Output	EU charger			

A	IV STANDARD BATTERY

Code: 415780

	1					
	Voltage	7.4V				
Battery	Capacity	2200 mAh				
	Cell	Brand new grade-A Li-ion				
	In	AC100V~240V				
Charger	Out	DC8.4V 1.2A				
	Single - EU Type					

ACTIVE HEATING PANTS

Code: 412172

- FRONT 'TROUSER STYLE' ZIP AND ELASTIC WAISTBAND
- SUPPLIED WITH A RECHARGEABLE BATTERY AND CHARGER
- ADJUSTABLE TEMPERATURE CONTROL
- 2 5 HOURS HEATING TIME
- HAND WASHABLE
- LIGHT AND THIN FOR DEMANDING DIVERS
- PROVIDES HEAT TO THE BACK ILIAC AREA AND KNEES IN ORDER TO GIVE A FEELING OF COMPLETE WARMTH IN THE LOWER BODY

▲ NOT SUITABLE FOR PEOPLE WITH PACEMAKERS



TECHNICAL FEATURES

Sizes	S	М	L	XL	XXL
			1		

BATTERY TECHNICAL FEATURES

Lithium Capacity	2200 mAh			
Heating Time	2-5 hours			
Weight approx	125g			
Dimension	70mm x 50mm x 22mm			
Voltage	7.4V			
Indicator	Charge level and battery level indicator			
Output	EU charger			

SMBS

Code: 415755 SMB Regular Orange

- Code: 415756 SMB Emergency Yellow
- WIDTH: 15CM TOTAL LENGTH: 1.80M (INFLATABLE SECTION: 1.40M) LIFT: 12KG
- WELDED AND DOUBLE STITCHED
- TRANSPARENT WINDOW AT THE TOP FOR INSERTING WETNOTES, MESSAGES OR GLOW STICKS
- MARKED WITH COAST GUARD APPROVED, SOLAS REFLECTIVE TAPE
- AVAILABLE IN ORANGE (STANDARD) OR YELLOW (EMERGENCY)
- ONE-WAY VALVE FOR LP CONNECTOR OR ONE-BREATH INFLATION

mares

 \bigcirc

- STAINLESS STEEL D-RING AND BUNGEE ATTACHED
- INFLATE ON THE SURFACE TO ATTRACT ATTENTION OR AT DEPTH TO SEND UP AS A SURFACE MARKER
- FITS IN A THIGH POCKET OR BACKPLATE STORAGE AREA WHEN DEFLATED



ACCESSORIES



SMBS

Code: 415773 SMB Training Orange

- ONE-BREATH INFLATION TRAINING SMB IN ORANGE
- OVER-PRESSURE VALVE (OPV)
- LENGTH: 1M (3.3FT) WIDTH: 10CM (3.9IN) LIFT: 2.7KG (6LB)
- 210D NYLON WITH TPU LAMINATION
- METAL PARTS IN 304 STAINLESS STEEL





LIFT BAG

- WELDED AND DOUBLE STITCHED
- 30KG / 80 LB LIFT CAPACITY
- AVAILABLE IN SAFETY-ORANGE COLOR, EASILY SPOTTED BY SURFACE OR AIR TRAFFIC
- ONE-WAY VALVE FOR LP CONNECTOR OR ONE-BREATH INFLATION
- STAINLESS STEEL D-RING ON TOP AND BOTTOM, AND BUNGEE ATTACHED ON THE BOTTOM OVER-PRESSURE VALVE (OPV) ALLOWS FOR PRECISE ADJUSTMENT DURING LIFT OPERATIONS WITH A LONG PULLER
- ESSENTIAL FOR A RANGE OF DIVING ACTIVITIES: FROM SALVAGE AND SIGNALING TO REDUNDANT LIFT AND EMERGENCY FLOTATION
- ELIMINATES THE CHANCE THAT GAS WILL ESCAPE FROM YOUR LIFT BAG DURING ASCENT OR WHILE ON THE SURFACE





Code: 415774

- 9 DEGREE NARROW LED DIVING FLASHLIGHT
- 3*CREE XM-L2 (U4), MAX 3200 LUMENS OUTPUT
- 3*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES TO 27H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT OVERHEAT PROTECTION FUNCTION - REVERSE POLARITY BATTERY PROTECTION
- MAGNETIC SWITCH
- ,THREE 0-RING' DESIGN TO ENSURE WATERPROOF FUNCTION UNDERWATER DOWN TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- 5MM TOUGHENED GLASS
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING
- STANDARD ACCESSORIES: SPARE 0-RINGS I ANYARD AND PLASTIC BOX
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING

DCTV CANISTER LIGHT

Code: 415775

- 120 DEGREE NARROW LED DIVING FLASHLIGHT
- 6*CREE XM-L2 (U4), MAX 3400 LUMENS OUTPUT
- 3*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES 23H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVER-HEAT PROTECTION FUNCTION REVERSE POLARITY BATTERY PROTECTION MAGNETIC SWITCH
- THREE 0-RINGS DESIGNED TO ENSURE WATERPROOF FUNCTION UNDERWATER DOWN TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING
- 5MM TOUGHENED GLASS
- STANDARD ACCESSORIES: SPARE 0-RINGS, LANYARD AND PLASTIC BOX
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING

DCTS CANISTER LIGHT

Code: 415776

- 9 DEGREE NARROW LED DIVING FLASHLIGHT
- 3*CREE XM-L2 (U4), MAX 2000 LUMENS OUTPUT
- 2*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES 21H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVER-HEAT PROTECTION FUNCTION REVERSE POLARITY BATTERY PROTECTION MAGNETIC SWITCH
- THREE 0-RINGS DESIGNED TO ENSURE WATERPROOF FUNCTION UNDERWATER TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- 5MM TOUGHENED GLASS

TECHNICAL FEATURES

ANSI

Lumen Output

Runtime (3*26650)

Luminous Intensity

Color Temperature

Beam Distance

Drop Resistance Waterproof Grade

Underwater Weight

Dimension Net Weight

- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING
- STANDARD ACCESSORIES: SPARE 0-RINGS | ANYARD AND PLASTIC BOX
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND NEW INNER FOAM PADDING





TECHNICAL FEATURES

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	3200lm	2000lm	1000lm	230lm	3200lm
Runtime (3*26650)	2.1hours	3.2hours	6.5hours	27hours	/
Luminous Intensity	36000cd				
Color Temperature	6500 ~ 7500 Kelvin°				
Beam Distance	396m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 (Dia)*73 (L)mm; Canister: 37 (Dia)*245 (L)mm				
Net Weight	754g (excluding battery)				
Underwater Weight	200g (excluding battery)				

TECHNICAL FEATURES

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	3400lm	2100lm	1000lm	230lm	3400lm
Runtime (3*26650)	1.9hours	3.1hours	6.2hours	23hours	/
Luminous Intensity	130000cd				
Color Temperature	6500 ~ 7500 Kelvin°				
Beam Distance	72m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 (Dia)*73 (L)mm; Canister: 37 (Dia)*245 (L)mm				
Net Weight	740g (excluding battery)				
Underwater Weight	210g (excluding battery)				

Notice: The data may vary slightly during real-world use due to battery type, individual usage habits and environmental factors.

Low

550lm

6.5hours

22000cd

6500 ~ 7500 Kelvin

300m 1.5m

IPX-8, underwater 200m Head: 66 (Dia)*73 (L)mm; Canister: 37 (Dia)*175 (L)mm

700g (excluding battery)

210g (excluding battery)

Very Low

135lm

21hours

Strobe

2000lm

Medium

1200lm

3.2hours

High

2000lm


2.0hours

BACK UP LIGHT

Code: 415789

- THE LIGHT YOU DEPEND ON IF YOUR PRIMARY FAILS
- TOUGH, VERY COMPACT AND SUPER BRIGHT
- DELRIN BODY AND ALUMINUM HEAD, CAN BE USED TO 100M DEEP
- 8° ANGLE, CONVENIENT FOR LOW VISIBILITY





Battery	1 ICR 18650 (2600mAh)			
Led	1 XML2 U2			
Beam Angle	8 degrees			
Maximum Lumen	850			
Beam Distance	220m			
1m LUX	12500			
Waterproof Grade	IPX-8, underwater 100m			
Burn time (min)	2.25 hours			
Charge Time	4-5 hours			
Dimension	34 x 142mm			
Weight	85g			

Code: 415792 - 15m / 30m / 45m / 60m

- MARINE GRADE 316 STAINLESS STEEL WITH MOLDED, COATED EDGES
- COMPACT SIZE AND SOFT TOUCH, COMFORTABLE GRIP
- EDELRID[™] CORD
- TECHNICAL BUT VERSATILE ENOUGH TO BE USED IN A RANGE OF DIVING APPLICATIONS FROM SMB TO CAVE JUMPS
- UNIQUE FLARED DESIGN ALLOWS FOR EASE OF WINDING WHILST WEARING GLOVES
- LARGE CENTER HOLE FOR USE IN COLD WATER WHILST WEARING GLOVES
- RUGGED CONSTRUCTION. WELDED MARINE GRADE 316 STAINLESS STEEL
- SPOOL IS NOT OVER-WOUND, ENABLING ADDITIONAL LINE TO BE ADDED IF REQUIRED

15m / 49ft

- INCLUDES 316 STAINLESS STEEL DOUBLE ENDER
- EASY-RELEASE PULL TABS
- HIGH QUALITY, HIGH VISIBILITY LINE FOR LOW LIGHTING CONDITIONS
- COMPLEMENTED BY A RANGE OF LINE MARKERS AND COOKIES

TECHNICAL FEATURES

Sizes

MARKERS

- MADE FROM INJECTION MOLDED, DURABLE ABS
- SUPPLIED IN PACKS OF 5
- CORNERS REMOVED FOR EASE OF USE, LINE GUIDING CURVES AND GROOVES, HOLES FOR RING / IDENTIFIER CLIPPING, DEDICATED SURFACE FOR MARKING

30m / 98ft

- USED FOR ORIENTATION AS A VISUAL AND TACTILE REFERENCE ON A GUIDELINE
- 3 DIFFERENT TYPES: LINE ARROWS TO INDICATE DIRECTION, COOKIES TO DENOTE A JUNCTION, NON-DIRECTIONAL MARKERS REFERENCE A SPECIFIC SPOT

Code: 415761

MARKERS

Code: 415760

Carestan a

COOKIES

ARROWS Code: 415759

60m / 200ft

45m / 148ft



REELS

Code: 415767 - 60m / 200ft - Safety or Back Up

Code: 415767 - 120m / 400ft - Primary

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY HANDLE
- HARD-COAT FINISHED
- PRECISION-FIT HANDLE DELRIN FLARES PRECISELY ADJUSTED
- KNURLED 316 MARINE STAINLESS STEEL LOCK-DOWN SCREW
- 316 MARINE STAINLESS STEEL DOUBLE ENDED BOLT SNAP
- WHITE BRAIDED NYLON LINE
- COLD WATER / DRY GLOVES PULLER
- EXCELLENT QUALITY AND OPTIMIZED DESIGN ENTANGLEMENT FREE

120m / 400ft

60 m

TECHNICAL FEATURES

Sizes



Code: 415778 B Titanium

- S/L
- B TITANIUM ALLOY HRC 51 ± 2 3.5 :
- EXCELLENT ABRASION AND CORROSION RESISTANCE
- VELCRO HANDLE
- DEDICATED BAG



EXPEDITION BAG

Code: 415795

- HOGARTHIAN AND WATERTIGHT WITH DRAINAGE
- LARGE ENOUGH FOR COMPLETE XR GEAR AND LIGHT FOR TRAVEL
- ADJUSTABLE, PADDED REMOVABLE SHOULDER STRAPS
- ULTRALIGHT BUCKLES AND STRONG HANDLES



TECHNICAL FEATURES

Dimensions (LxWxH)	Volume
30x40x70cm	80L
	h

60m / 200ft

HAND LINE-CUTTER

Code: 415777 Ceramic

- S/S
- ULTRA SHARP
- EXCELLENT ABRASION AND CORROSION RESISTANCE
- VELCRO HANDLE
- DEDICATED BAG



DRY BACKPACK

Code: 415758

- FULLY WATERPROOF SACK
- REINFORCED PVC WITH HEAT-SEALED STITCHING
- QUICK CLOSURE
- SHOULDER COMFORT PADS WITH CHEST BUCKLE



Dimensions (LxWxH)	Volume	
35x20x60 cm	30L	

Code: 411063

- BLACK, FRAMELESS, FOLDABLE, CLASSIC TECHNICAL DIVING MASK
- LARGE, WIDE, FLAT MONO-LENS
- MATT BLACK LOOK
- COMFORTABLE, FITS ALL SMALLER FACE SHAPES
- HIGHLY COMFORTABLE, LARGE, DOUBLE-SEALED BLACK SKIRT ARTICULATED, HEAVY-DUTY BUCKLES
- MARESIXR NEOPRENE STRAP
- VERY STRONG AND DURABLE
- WATERTIGHT AT ALL DEPTHS
- FOR ALL EXTENDED TECHNICAL DIVING USES
- ALSO IDEAL AS A BACK-UP MASK



XRM-CLASSIC MASK

Code: 411064

- BLACK, FRAMELESS, FOLDABLE, CLASSIC TECHNICAL DIVING MASK
- EXTRA-LARGE, EXTRA-WIDE, FLAT MONO-LENS
- SHINY BLACK LOOK
- COMFORTABLE, FITS ALL LARGER FACE SHAPES
- HIGHLY COMFORTABLE, LARGE, DOUBLE-SEALED BLACK SKIRT
- ARTICULATED, HEAVY-DUTY BUCKLES
- MARESIXR NEOPRENE STRAP
- VERY STRONG AND DURABLE
- WATERTIGHT AT ALL DEPTHS ■ FOR ALL EXTENDED TECHNICAL DIVING USES
- ALSO IDEAL AS A BACK-UP MASK



CAVE MASK BLINDER

Code: 412904

- AN IDEAL TOOL FOR CAVE AND TECHNICAL INSTRUCTORS
- BLACKOUT MASK COVER DESIGNED FOR SIMULATING ZERO VISIBILITY TRAINING AND/ OR STRESS CONTROL (CAVE AND/OR STAGES)
- CAN BE USED WITH MULTIPLE STUDENTS AND EASILY TRANSFERRED UNDERWATER IN FULL SAFETY



MASK STRAP

Code: 412903

- EASY TO USE
- ADJUSTS TO FIT ALL FACE SIZES AND HOOD THICKNESSES
- DURABLE, GOOD RESISTANCE TO SALT AND SUN



SPRING STRAP FOR TEK FIN

Code: 415768

- SPRING WITH WRAP AROUND NYLON PULLER & SAFETY CHORD
- THE BEST SOLUTION FOR TECHNICAL AND COLD WATER DIVING
- SOLD AS A PAIR



TECHNICAL FEATURES

Sizes	R	XL	XXL	

POWER PLANA

Code: 410050

- HIGH-QUALITY NATURAL RUBBER WITH REINFORCED RIBS
- HIGH PERFORMING FIN IDEAL FOR ALL KINDS OF KICKS, PARTICULARLY FROG KICKS ■ HIGH DENSITY MATERIAL MAKES THE FINS NEGATIVELY BUOYANT, A DESIRED FEATURE WHEN USING A DRY SUIT AND A TEC RIG WITH STEEL PLATE
- FULL-SHAPE FOOT POCKET
- MATCH STRAP/FIN SIZES:
- FIN S > STRAP R - FIN R > STRAP XL - FIN XL > STRAP XXL - FIN XXL > STRAP XXL



TECHNICAL FE				
Sizes	S	R	XL	XXL

HAND COMPASS

Code: 414604 - Navigation (North) Code: 414604 - Navigation (South)

- COMPASS WITH BUNGEE HOLDER AND EXTRA LONG ELASTOMERIC BUNGEE CORDS
- SIDE AND TOP READING
- LUMINESCENT "GLOW IN THE DARK" INTERNAL DIAL
- DUAL ROTATING INDEX MARKS FOR EASIER RECIPROCAL NAVIGATION
- OVERSIZED FOR EXTREME USE (LOW VISIBILITY, CAVE, NIGHT...)





RIGID CAP

Code: 415787

- TOTALLY NEUTRAL IN WATER
- SUPER LIGHT, FAST DRAINAGE FOAM
- ONE SIZE THAT FITS MOST
- ADJUSTABLE SOFT NYLON CHIN STRAP
- QUICK DISCONNECT BUCKLE
- SUITABLE FOR MOUNTING BACKUP LIGHTS, LED PRIMARY LIGHTS OR A GOPRO® CAMERA
- ⚠ CAUTION: THE RIGID CAP OFFERS NO IMPACT PROTECTION



LIGHTS BRACKETS

Code: 415798 Pair

- BRACKETS FOR THE XR RIGID CAP
- HOLDS ANY TYPE OF LIGHT, OF ANY DIAMETER
- HOLDS MARES CANISTER LIGHT HEADS



WETNOTES

- WATER RESISTANT NOTEBOOK
- IDEAL FOR UNDERWATER COMMUNICATION, FOR DECO STOPS AND FOR MAKING NOTES
- COVER MADE FROM DURABLE 2250D PU COATED BALLISTIC NYLON
- POCKETS ON THE INSIDE AND
- OUTSIDE CONTAINS 23 PAGES OF REUSABLE / REPLACEABLE WATERPROOF PLASTIC FOIL SHEATHS (W/6 TABLES)
- GRAPHITE PENCIL
- ELASTIC BOOKMARK FOR QUICK REFERENCE
- ELASTIC SECURE CLOSURE LOOP
- ELASTIC SHOCKCORD ATTACHMENT FOR BOLT SNAP



ACCESSORIES

DEAD BOLT SNAP **SS316**

Code: 415765 - 75mm

- Code: 415765 120mm
- HIGH QUALITY 316 MARINE GRADE STAINLESS STEEL
- CORROSION AND RUST RESISTANT
- SWIVELING BASES MAKING THEM EASY TO USE
- SMALL SNAPS ARE IDEAL FOR ATTACHING ITEMS SUCH AS BACKUP LIGHTS, A LONG REGULATOR HOSE, A CANISTER LIGHT, SPG ETC.
- LARGE SNAPS ARE GREAT FOR COLD WATER USE WHERE THICK GLOVES MAKE DEXTERITY DIFFICULT





TECHNICAL FEATURES				
Sizes	75mm	120mi		

DOUBLE ENDER **SS316**

Code: 415766 - 90mm

Code: 415766 - 100mm

Code: 415766 - 120mm

■ HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL

- CORROSION AND RUST RESISTANT
- EASY TO USE EVEN WITH DRY GLOVES
- TO CLIP AWAY GEAR INSIDE DRY SUIT POCKETS
- TO TEMPORARILY STOW A CANISTER LIGHT HEAD
- TO ATTACH A PRIMARY REEL, A SPOOL, WET NOTES, A SPARE MASK, ETC.

DEAD BOLT SNAP BLACK CERAMIC

Code: 415793 - 75mm

Code: 415793 - 120mm

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL WITH BLACK CERAMIC COATING
- CORROSION AND RUST RESISTANT
- SWIVELING BASES MAKING THEM EASY TO USE
- SMALL SNAPS ARE IDEAL FOR ATTACHING ITEMS SUCH AS BACKUP LIGHTS, A LONG REGULATOR HOSE, A CANISTER LIGHT, SPG ETC.
- LARGE SNAPS ARE GREAT FOR COLD WATER USE WHERE THICK GLOVES MAKE DEXTERITY DIFFICULT



120mm

TECHNICAL FEATURES

Sizes

DOUBLE ENDER BLACK CERAMIC

Code: 415794 - 90mm

(Code: 415794 - 100mm
(Code: 415794 - 120mm

75mm

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL WITH BLACK CERAMIC COATING
- CORROSION AND RUST RESISTANT
- EASY TO USE, EVEN WITH DRY GLOVES
- TO CLIP AWAY GEAR INSIDE DRY SUIT POCKETS
- TO TEMPORARILY STOW A CANISTER LIGHT HEAD
- TO ATTACH A PRIMARY REEL, A SPOOL, WET NOTES, A SPARE MASK ETC






TECHNICAL FEATURES				TECHNICAL FEATURES			
Sizes	90mm	100mm	120mm	Sizes	90mm	100mm	120mm
							^







HORIZON 2.0

Code: **422316** - Man

- Code: 422317 Lady
- ULTRA-STRETCH 2mm SMOOTH MATERIAL FOR EASY BREATHING
- INSIDE LINING ALLOWS FOR EASY DONNING, EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND IS COMPRESSION RESISTANT
- VERY HYDRODYNAMIC MATERIAL FOR FASTER SWIMMING
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT





Thickness			2.0	mm			
		Smooth					
Fabric type			Neop	orene			
			Black	lining			
Man Sizes		2	3	4	5	6	
Lady Sizes	1	2	3	4	5		





PRISM SKIN

MAN

Code: **422314** - Jacket

Code: 422315 - Pants

LADY

Code: **422318** - Jacket

Code: **422319** - Pants

- NEW
- ULTRA-STRETCH, SMOOTH MATERIAL FOR EASY BREATHING
- INSIDE LINING ALLOWS FOR EASY DONNING, EXCELLENT ELASTICITY, GREAT THERMAL PROPERTIES AND IS COMPRESSION RESISTANT
- VERY HYDRODYNAMIC MATERIAL FOR FASTER ASCENT/DESCENT
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- NEW CHIN DESIGN
- NEW VELCRO BEAVERTAIL CLOSURE FOR PERFECT ADJUSTMENT



TECHNICAL FEATURES

Thickness			3.0	mm			
	Smooth						
Fabric type	Neoprene						
			Colore	d lining			
Man Sizes		2	3	4	5	6	
Lady Sizes	1	2	3	4	5		



New preformed chin Velcro beavertail closure for perfect adjustment

APNEA INSTINCT

30 MAN

Code: **422475** - Jacket Code: **422476** - Pants

30 LADY Code: **422477** - Jacket

Code: **422478** - Pants

50 MAN

Code: **422459** - Jacket Code: **422460** - Pants

50 LADY

Code: **422461** - Jacket Code: 422462 - Pants

- NEW PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- THE 5 mm JACKET UTILIZES 3.5 mm NEOPRENE AT THE WRISTS AND AROUND THE FACE, INCLUDING THE SAME APPLICATION ON THE PANTS AT THE ANKLES AND WAISTBAND HIGH-WAISTED PANTS
- RUGGED DOUBLE-LINED BEAVER TAIL WITH QUICK-CONNECT GROMMETS



Thickness			3mm,	/ 5mm		
	Lining					
Fabric Type			Neop	orene		
			Oper	n cell		
Sizes Man		2	3	4	5	6
Sizes Lady	1	2	3	4	5	

HOOD INFINITY 30

Code: **422465** - Man

- NEW PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- DEDICATED TO THE NEW FREEDIVING STEAMERS



TECHNICAL FEATURES

Thickness			3mm			
			Smooth			
Fabric Type			Neoprene			
	Black Lining Interior					
Sizes Man	2	3	4	5	6	

SWIM APNEA CAP

Code: 425868

■ A SILICONE SWIMMING CAP FOR FREEDIVING COMPETITIONS




NEW

X-WING FOOT POCKET

Code: 420924

- NO BLADE SIDE RIBS
- VERY LIGHTWEIGHT SIZE 42-43 WEIGHS 270g
- PREFORMED 30° ANGLE
- ERGONOMIC, ULTRA-REACTIVE FOOTPOCKET MADE IN 2 MATERIALS, DESIGNED TO TRANSMIT ENERGY TO THE FIN IN THE MOST EFFECTIVE WAY, OPTIMIZING EFFORT AND IMPROVING PERFORMANCE
- STIFFENED SOLE TO AVOID DEFORMATION OF THE FOOTPOCKET UNDER BLADE LOAD AND ROTATION IN THE LONGITUDINAL AXIS
- DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS

ALSO FOR SPEARFISHING



FIN BLADE X-WING	
BLADE X-WING CARBON Code: 420918 SFT/ MED	NEW
BLADE X-WING APNEA Code: 420919 SFT/ MED	NEW
BLADE X-WING APNEA S Code: 420920	NEW
BLADE X-WING Code: 420922	NEW
BLADE X-WING PRO Code: 420923	NEW
BLADE RAZOR APNEA Code: 420912 4	

ALSO FOR SPEARFISHING









X-WING CARBON

Code: 420415 SFT/ MED



NEW

- BLADE PRODUCED WITH PRE-IMPREGNATED CARBON AND FIBERGLASS LAYERS NEW 3K CARBON WITH FIBERS WOVEN AT 90°
- FIBERS CROSS OVER EACH OTHER FEWER TIMES, INCREASING THE RESPONSIVENESS OF THE BLADE
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 200 MM WIDE AND 713 MM LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE DEPENDING ON THE USER'S WEIGHT
- LONGER FINS, ADAPTED TO HIGH KICK FREQUENCY
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT A NEOPRENE SOCK
- INTERCHANGEABLE BLADE CONSTRUCTION

ALSO FOR SPEARFISHING

TECHNICAL FEATURES

	Sizes		
EU	UK	USA	Length
36/37	3/4	4/5	937mm
38/39	5/6	6/7	951mm
40/41	6.5/7.5	7/8	958mm
42/43	8/9	8.59.5	972mm
44/45	10/10.5	10/11	991mm
46/47	11.5/12	12/13	1000mm

SPARE PART

X-Wing Foot Pocket	420924	Page 146
X-Wing Blade Fixing Set	420925	Page 146
Fin Blade X-Wing	420918	Page 146

	Razor fin insole	423943	Page 164
--	------------------	--------	----------

X-WING APNEA

Code: 420416 SFT/ MED

- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 190 MM WIDE AND 713 MM LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE DEPENDING TO THE USER'S
- WEIGHT
- LONGER FINS, ADAPTED TO MEDIUM KICK FREQUENCY
- BLUE POLYGON BLADE FOR BETTER RECOGNITION IN THE DEEP
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- INTERCHANGEABLE BLADE CONSTRUCTION

ALSO FOR SPEARFISHING

Sizes

UK

3/4

5/6

6.5/7.5

8/9

10/10.5

11.5/12

USA

4/5

6/7

7/8

8.59.5

10/11

12/13

420924

420925

420919

423943

Length

937mm

951mm

958mm

972mm

991mm

1000mm

Page 146

Page 146

Page 146

Page 164

TECHNICAL FEATURES

EU

36/37

38/39

40/41

42/43

44/45

46/47

SPARE PART

ACCESSORIES

Razor fin insole

X-Wing Foot Pocket

X-Wing Blade Fixing Set

Fin Blade X-Wing Apnea

X-WING APNEA S

Code: 420417





148

NEW

- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 190 MM WIDE AND 613 MM LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- BLACK & WHITE POLYGON BLADE FOR BETTER RECOGNITION IN THE DEEP
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- INTERCHANGEABLE BLADE CONSTRUCTION

ALSO FOR SPEARFISHING

TECHNICAL FEATURES

	Sizes		
EU	UK	USA	Length
36/37	3/4	4/5	837mm
38/39	5/6	6/7	851mm
40/41	6.5/7.5	7/8	858mm
42/43	8/9	8.59.5	872mm
44/45	10/10.5	10/11	891mm
46/47	11.5/12	12/13	900mm

SPARE PART

X-Wing Foot Pocket	420924	Page 146
X-Wing Blade Fixing Set	420925	Page 146
Fin Blade X-Wing Apnea S	420920	Page 146

	Razor fin insole	423943	Page 164
--	------------------	--------	----------

X-WING PRO

Code: 420420



X-WING

Code: 420419



- TAPERED HIGH-QUALITY ELASTOMER BLADE FACILITATES EXCELLENT AGILITY AND PERFORMANCE
- PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM FOOT TO BLADE
- V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING
- THE BLADE IS 190 MM WIDE AND 713 MM LONG
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS
- INTERCHANGEABLE BLADE CONSTRUCTION

ALSO FOR SPEARFISHING

TECHNICAL FEATURES

	Sizes		
EU	UK	USA	Length
36/37	3/4	4/5	937mm
38/39	5/6	6/7	951mm
40/41	6.5/7.5	7/8	958mm
42/43	8/9	8.59.5	972mm
44/45	10/10.5	10/11	991mm
46/47	11.5/12	12/13	1000mm

SPARE PART

X-Wing Foot Pocket	420924	Page 146
X-Wing Blade Fixing Set	420925	Page 146
Fin Blade X-Wing Pro	420923	Page 146

ACCESSORIES

Razor fin insole 423943 Page 164





NEW

- TAPERED HIGH-QUALITY ELASTOMER BLADE FACILITATES EXCELLENT AGILITY AND PERFORMANCE
- PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM FOOT TO BLADE
- V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING
- THE BLADE IS 190 MM WIDE AND 713 MM LONG
- 30° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- 30% SOFTER BLADE VERSUS RAZOR PRO FINS
- BEST CHOICE FOR EXTENDED SURFACE SWIMMING
- INTERCHANGEABLE BLADE CONSTRUCTION
- THE X-WING FOOT POCKET IS DESIGNED TO BE WORN ALSO WITHOUT NEOPRENE SOCKS

JLES

ALSO FOR SPEARFISHING

TECHNICAL FEATURES

Sizes			
EU	UK	USA	Length
36/37	3/4	4/5	937mm
38/39	5/6	6/7	951mm
40/41	6.5/7.5	7/8	958mm
42/43	8/9	8.59.5	972mm
44/45	10/10.5	10/11	991mm
46/47	11.5/12	12/13	1000mm

SPARE PART

X-Wing Foot Pocket	420924	Page 146
X-Wing Blade Fixing Set	420925	Page 146
Fin Blade X-Wing	420922	Page 146

	Razor fin insole	423943	Page 164
--	------------------	--------	----------

RAZOR APNEA

Code: 420410¢ SFT/MED



RAZOR

APNEA

- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 20.5CM WIDE AND 65CM LONG HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH WHITE BLADE
- 22° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE RAZOR FOOT POCKET IS DESIGNED TO BE WORN WITH A 3MM NEOPRENE SOCK
- FIN PROTECTION BAG INCLUDED

ASCENT DRY FIN BAG

Code: 425568

- WATERPROOF WETSUIT COMPART
- ERGONOMIC SHOULDER STRAPS
- WATERPROOF KEY HOLDER
- FITS VERY LONG FINS, A WETSUIT, MASK, SPEARGUN AND ALL YOU NEED
- FOR EASY TRANSPORTATION




TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight
30x28x120 cm	1,6 kg

While stocks last

TECHNICAL FEATURES



	Sizes			
EU	UK	USA	Weight	Length
39/40	5.5/6.5	7/8	1032gr	900mm
41/42	7.5/8	8.5/9.5	1085gr	910mm
43/44	9/10	10/11	1135gr	930mm
45/46	10.5/11.5	12/13	1200gr	940mm
47/48	12/13	13/14	1240gr	950mm

SPARE PART

	Razor Foot Pocket	420904	Page 164
	Blade Fixing Set	420905	Page 164
	Blade Razor Apnea	420912	Page 146

ACCESSORIES

Razor fin insole	423943	Page 164

While stocks last

NEW

ATTACK MONOFIN

Code: **425563**\$

- A BAG FOR TRANSPORTING AND PROTECTING THE MARES RACE MONOFIN
- HORIZONTAL ZIP TO ACCESS THE FRONT POCKET
- ADJUSTABLE SHOULDER STRAP AND HANDLE ON SIDE



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
77 x 68.5 x 19cm	1kg	100.2l

COLLAR

Code: 425864 Weight 300g

Code: 425865 Cordura Strap

Code: 425866 Silicone Strap

- SOPHISTICATED FREEDIVING WEIGHT COLLAR SYSTEM
- 300G WEIGHTS WHICH CONNECT INDIVIDUALLY
- EASY WEIGHT ADJUSTMENT
- WHITE WEIGHTS FOR BETTER VISIBILITY AND NICE DESIGN
- TWO ADJUSTABLE STRAPS: CORDURA OR SILICONE
- BUCKLES ARE DESIGNED FOR SIMPLE AND INTUITIVE USE



NOSE CLIP

Code: 423974

- ERGONOMIC SHAPE FOR HANDS-FREE COMPENSATION
- LIGHT AND COMPACT
- SOFT OVER MOLDED AREA FOR MAXIMUM GRIP AND COMFORT
- CAN BE APPLIED ON THE MASK OR NOSE
- IDEAL FOR SWIMMING AND FREEDIVING IN ALL ENVIRONMENTS
- SYMMETRICALLY FORMED
- ADJUSTABLE LANYARD



Code: 423992 - Lanyard Freediving

Code: 423995 - Lanyard Freediving with snap release

- RELEASABLE SAFETY CABLE
- SAFETY RELEASE SYSTEM ON THE BRACELET
- STAINLESS STEEL SNAP HOOK
- COATED STEEL CABLE, YELLOW COLOR AND 100CM LONG
- TWO SWIVELS AT THE EXTREMITIES OF THE CABLE
- THE LANYARD IS MANDATORY IN COMPETITION, AND RECOMMENDED DURING COURSES AND TRAINING





TRAINING BUOY

Code: 425715

- FOUR OUTSIDE HANDLES FOR PRE-DIVE PREPARATION
- AMPLE INSIDE SPACE TO CONTAIN THE LINE DURING TRANSPORTATION
- EXTERNAL POCKET WITH ZIP
- ORAL INFLATOR AND OVER PRESSURE VALVE
- STAINLESS STEEL D-RING FOR TO CONNECT THE FREE DIVING LINE
- 12 HOLES FOR WATER DRAINAGE
- DIVE FLAG (CODE: 45200301) AND FLAG SUPPORT (CODE: 425716) NOT INCLUDED



BOTTOM nare **Mares**

TECHNICAL FEATURES

TECHNICAETERTORES			
	Length	Height	Volume
	70 cm	17 cm	48 L

BELT ELASTIC W/NYLON BUCKLE

Code: 425812 WH/BK

- QUICK-RELEASE NYLON BUCKLE
- 3MM ELASTIC TAPE, 140CM LONG





BELT ELASTIC W/MARSEILLAISE S.S

Code: 425813 WH/BK

- NEW STAINLESS STEEL, QUICK-RELEASE BUCKLE
- 3MM ELASTIC TAPE, 140CM LONG

ALSO FOR SPEARFISHING



BOTTOM PLATE

Code: 425814

- THE BEST FREEDIVING BOTTOM PLATE FOR TRAINING AND COMPETITIONS
- DESIGNED FOR USE WITH Ø 10MM FREEDIVING LINE
- OPTIMAL HYDRODYNAMIC PERFORMANCE THANKS TO ITS SHAPE AND HOLES FOR WATER
- Ø 27CM WHITE PLATE FOR GREAT VISIBILITY FROM A DISTANCE CONNECTION HOLES AVAILABLE: 2 FOR ACTION CAMS - 16 FOR VELCRO NAME TAG STRIPS - 32 FOR DEPTH TAGS

DIVE FLAG 30.5 X 30.5 CM

Code: 45200301

- SPARE PART FOR TECH BUOYS
- FLAG: 30.5 X 30.5CM



HOLDER FOR DIVE FLAG

- DIVE FLAG HOLDER
- CAN BE USED WITH THE TRAINING BUOY (425715)





SMART APNEA

Code: 424153

- SEGMENTED LCD DISPLAY
- INSTANTANEOUS DEPTH, DIVE TIME, RECOVERY TIME, TEMPERATURE
- DESCENT AND ASCENT RATE
- CUSTOMIZABLE ALARMS (DEPTH, TIME, SPEED, HYDRATION, RECOVERY TIME)
- ONE SECOND SAMPLING RATE ADVANCED PERFORMANCE MICROPROCESSOR
- LATEST GENERATION DEPTH SENSOR
- UPDATABLE FIRMWARE AND DATA DOWNLOAD WITH AFTERMARKET DIVE LINK INTERFACE







COMPUTERS



TECHNICAL FEATURES

Battery	Туре	CR2430	
Battery	Duration	Approx. 200 hours of diving over a 2 year time span	
Max displayed depth		150m	
Resolution		Resolution 0.1m until 99.9m - 1m at depth deeper than 100m In ft. it is always 1ft	
Temperature		-10 °C to +50 °C / 14 °F to 122 °F	
Logbook memory		20-30 hours of dive profile at 1-second sampling rate	
Display		Mineral glass - Diagonal 31 mm / 1 ¼ inch	
Clock		Quartz clock, time, date, dive time, displays up to 999 minutes	



Dive mode



MISSION DIGITAL CHRONO SF


Code: 424154

- DIGITAL CHRONOGRAPH WITH BACK LIGHT
- DEPTH RATED TO 200M / 660FT
- HIGH-QUALITY SWISS QUARTZ MOVEMENT DAILY ALARM AND HOURLY TIME SIGNAL
- COUNTDOWN TIMER
- DIGITAL TIMEZONE AND DATE
- SECOND DIGITAL TIMEZONE
- FLUORESCENT DIGITS
- STAINLESS STEEL
- ADJUSTABLE STRAP

SOFTWARE

DIVE ORGANIZER

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- ALLOWS UPLOADING OF MAPS AND IMAGES TO ICON HD
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR PC ONLY



BLUELINK PRO

Code: 414317

- TO DOWNLOAD THE LOGBOOK OF A DIVE COMPUTER USING THE BLUETOOTH LOW ENERGY TECHNOLOGY
- REQUIRES THE DIVESSI APP (ANDROID, IOS)



DIVE LINK 2 USB

Code: 414316

- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC
- REQUIRED SOFTWARE: DIVE ORGANIZER (PC) OR DIVERS DIARY (MAC)



DISPLAY PROTECTOR

Code: 415173

- PERFECT FIT AND EASY TO INSTALL
- PREVENTS FROM SCRATCHES, DIRT AND SAND
- SOFT AND DURABLE
- ULTRA CLEAR
- A PACK CONTAINS 2 PIECES



DIVER'S DIARY

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR MAC ONLY



RAZOR POLYGON

Code: 420418






♦ Please note that some sizes/colors are only available while stocks last

NEW

- BLADE PRODUCED WITH PRE-IMPREGNATED FIBERGLASS LAYERS
- CONSTANT BLADE THICKNESS
- INDIGO BASED CAMOUFLAGE DISGUISES THE SPEARFISHER FOR OPTIMAL FISHING POTENTIAL
- THE BLADE IS 22 cm WIDE AND 59 cm LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- 28° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE RAZOR FOOT POCKET IS DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- INTERCHANGEABLE BLADE CONSTRUCTION

TECHNICAL FEATURES



Sizes EU UK USA Weight Length 39/40 5.5/6.5 7/8 1027gr 843mm 41/42 7.5/8 8.5/9.5 1080gr 853mm 43/44 9/10 10/11 1130gr 873mm 45/46 10.5/11.5 12/13 1195gr 883mm 47/48 12/13 13/14 1235gr 893mm

SPARE PART

Razor Foot Pocket	420904	Page 164
Blade Fixing Set	420905	Page 164
Fin Blade Razor Polygon	420921	Page 164

Razor fin insole	423943	Page 164

RAZOR MATRIX

Code: 420409¢ SFT/MED



- BLADE PRODUCED WITH PRE-IMPREGNATED CARBON AND FIBERGLASS LAYERS
- NEW 3K CARBON WITH FIBERS WOVEN AT 90°
- FIBERS CROSS OVER EACH OTHER FEWER TIMES, INCREASING THE RESPONSIVENESS OF THE BLADE
- VARIABLE BLADE THICKNESS AND HIGH-PERFORMING PARABOLIC FLEXION
- THE BLADE IS 20.5 cm WIDE AND 65 cm LONG
- HIGH-QUALITY MANUFACTURING PROCESS
- NEW VARIABLE SIDE RIBS SUPPORT AND OPTIMIZE CHANNEL THRUST AND FLEX
- AVAILABLE WITH A SOFT OR MEDIUM STRENGTH BLADE
- 22° BLADE INCLINATION RELATIVE TO THE FOOT POCKET
- THE RAZOR FOOT POCKET IS DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- FIN PROTECTION BAG INCLUDED


RAZOR PRO

Code: 420401

- INTERCHANGEABLE BLADE TO MEET DEMANDS IN ALL DIVING CONDITIONS
- TAPERED HIGH-QUALITY ELASTOMER BLADE FACILITATES EXCELLENT AGILITY AND PERFORMANCE
- DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- PERFORMANCE ENGINEERED FOOT POCKET DELIVERS PERFECT POWER TRANSMISSION FROM FOOT TO BLADE
- V-TIP TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING



TECHNICAL FEATURES



	Sizes			
EU	UK	USA	Weight	Length
39/40	5.5/6.5	7/8	962gr	900mm
41/42	7.5/8	8.5/9.5	1015gr	910mm
43/44	9/10	10/11	1065gr	930mm
45/46	10.5/11.5	12/13	1130gr	940mm
47/48	12/13	13/14	1170gr	950mm

SPARE PART

Razor Foot Pocket	420904	Page 164
Blade Fixing Set	420905	Page 164
Blade Razor Matrix	420911	Page 164

ACCESSORIES

Razor fin insole	423943	Page 164

TECHNICAL FEATURES

	Sizes			
EU	UK	USA	Weight	Length
39/40	5.5/6.5	7/8	1035g	870mm
41/42	7.5/8	8.5/9.5	1095g	880mm
43/44	9/10	10/11	1145g	900mm
45/46	10.5/11.5	12/13	1210g	910mm
47/48	12/13	13/14	1250g	920mm

SPARE PART

Razor Foot Pocket	420904	Page 164
Blade Fixing Set	420905	Page 164
Blade Razor Pro Black	420901	Page 164

ACCESSORIES

Razor fin insole	423943	Page 164

RAZOR

Code: 420402*

- IDEAL CHOICE FOR SHALLOW TO MID-DEPTH DIVING
- 30% SOFTER BLADE VERSUS RAZOR PRO
- BEST CHOICE FOR EXTENDED SURFACE SWIMMING ■ DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- INTERCHANGEABLE BLADE CONSTRUCTION



TECHNICAL FEATURES

	Sizes			
EU	UK	USA	Weight	Length
39/40	5.5/6.5	7/8	1028g	870mm
41/42	7.5/8	8.5/9.5	1028g	880mm
43/44	9/10	10/11	1028g	900mm
45/46	10.5/11.5	12/13	1028g	910mm
47/48	12/13	13/14	1028g	920mm

SPARE PART

Razor Foot Pocket	420904	Page 164
Blade Fixing Set	420905	Page 164
Blade Razor Grey	420902	Page 164

Razor fin insole	423943	Page 164

FINS

RAZOR **BLADES**

BLADE RAZOR MATRIX

Code: 420911 \$ SFT/MED

BLADE RAZOR POLYGON

Code: 420921

BLADE RAZOR PRO BLACK

Code: 420901

BLADE RAZOR GREY

Code: 420902

PACK INFO: SOLD SINGLY

RAZOR FOOT POCKET

Code: 420904

- DESIGNED TO BE WORN WITH A 3 mm NEOPRENE SOCK
- WEARING THESE FINS BAREFOOT, USE THE NEXT SIZE SMALLER FINS
- PACK INFO: SOLD SINGLY



TECHNICAL FEATURES

Sizes

Code: 420905

Code: 420916

REPLACE PARTS PACK INFO: SOLD SINGLY

39/40 - 41/42 - 43/44 - 45/46 - 47/48

RAZOR BLADE FIXING SET

BLADE ATTACHMENT KIT FOR YOUR MARES RAZOR/RAZOR PRO FINS







	-
1	

RAZOR FIN INSOLE

Code: 423943

- PREFORMED INSOLE CAN MAKE A RAZOR FOOT POCKET ONE SIZE SMALLER
- USE SCISSORS TO CUT ALONG THE LINES
- PROVIDED ON THE UNDERSIDE THE LENGTH CAN BE ADJUSTED TO THREE DIFFERENT SIZES
- PACK 5 PCS (RETAIL PRICE FOR 1 PC)



SIZES

A	+EU 39/40	=EU 37/38	=UK 4.5/5	=USA 5/6
B	+EU 41/42	=EU 40/41	=UK 6.5/7.5	=USA 7/8
C	+EU 43/44	=EU 42/43	=UK 8/9	=USA 8.5/9.5
C	+EU 45/46	=EU 44/45	=UK 10/10.5	=USA 10/11

AVANTI QUATTRO POWER

Code: **420404**

- MARES CHANNEL THRUST PATENT
- OPTIMIZED WATER CHANNELING FOR SIGNIFICANT FLOW AND THRUST
- SHORTER BLADE FOR INCREASED CONTROL AND FAST MANEUVERS IN AND UNDER WATER
- ANATOMIC FOOT POCKET WITH REINFORCED HEEL



TECHNICAL FEATURES

	Sizes					Sizes			
EU	UK	USA	Weight	Length	EU	UK	USA	Weight	Length
40/41	6.5/7.5	7/8	960g	710mm	38/39	5/6	6/7	904g	860mm
42/43	8/9	8.5/9.5	1053g	725mm	40/41	6.5/7.5	7/8	932g	874mm
44/45	10/10.5	10/11	1175g	755mm	42/43	8/9	8.59.5	968g	889mm
46/47	11.5/12	12/13	1210g	765mm	44/45	10/10.5	10/11	1002g	902mm
					46/47	11.5/12	12/13	1027g	916mm



			Razor Polygon	Razor Matrix	Razor Pro	Razor	Avanti Quattro Power	Concorde
Code			420418	420409 SFT/MED	420401	420402	420404	420406
Color			-	-	●ВК	GR	• см	● BK ● BWN ● GN
	Sizes							
EU	UK	USA						
38/39	5/6	6/7						904g - 860mm
39/40	5.5/6.5	7/8	1027gr - 843mm	962g - 900mm	1035g - 870mm	1028g - 870mm		
40/41	6.5/7.5	7/8					960g - 710mm	932g - 874mm
41/42	7.5/8	8.5/9.5	1080gr - 853mm	1015g - 910mm	1095g - 880mm	1028g - 880mm		
42/43	8/9	8.5/9.5					1053g - 725mm	968g - 889mm
43/44	9/10	10/11	1130gr - 873mm	1065g - 930mm	1145g - 900mm	1028g - 900mm		
44/45	10/10.5	10/11					1175g - 755mm	1002g - 902mm
45/46	10.5/11.5	12/13	1195gr - 883mm	1130g - 940mm	1210g - 910mm	1028g - 910mm		
46/47	11.5/12	12/13					1210g - 765mm	1027g - 916mm
47/48	12/13	14/15	1235gr - 893mm	1170g - 950mm	1250g - 920mm	1028g - 920mm		

CONCORDE

Code: **420406**

- IDEAL CHOICE FOR SHALLOW TO MID-DEPTH DIVING
- NEW TECHNOPOLYMER BLADE AND HIGH-PERFORMANCE PARABOLIC FLEXION
- OVER MOLDED FOOT POCKET
- TAPERED LATERAL RIPS FOR PROGRESSIVE BLADE FLEX
- NEW TIP PROFILE TO PREVENT SLIPPING FROM SIDE TO SIDE WHILE KICKING



COLOR VARIATIONS



BWN

BK

GN

TECHNICAL FEATURES









X-TREAM

Code: 421417

- OVER MOLDED FRAME AND ANATOMICAL SKIRT
- MINIMUM DISTANCE BETWEEN THE LENS AND EYES
- ULTRA-MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- VERY LIGHTWEIGHT
- ANTI-REFLECTIVE PROPERTIES
- HYDRODYNAMIC PROFILE REDUCES DRAG IN THE WATER
- NEW ERGONOMIC MASK STRAP BUCKLES FOR BETTER HYDRODYNAMICS NEW ERGONOMIC MASK STRAP SNORKEL RETAINER FOR EASY DONNING
- EMBOSSED GRIP AREA ON THE NOSE FOR THE PERFECT FIT WITH A NOSE CLIP
- NEW SILICONE USED IN THE SKIRT REDUCES FOGGING















Code: 4214130

- RESTYLING OF THE HISTORICAL SAMURAI MASK
- REDUCED DISTANCE FROM LENS TO EYES
- MINIMAL INTERNAL VOLUME, UNDER 80CM³ WIDE FIELD OF VISION
- NEW LIGHTWEIGHT THIN FRAME
- MATTE FINISH FOR ANTI-REFLECTIVE PROPERTIES
- BUCKLE CONNECTIONS ON THE SKIRT

VIPER

Code: **421411**\$

- REDUCED DISTANCE FROM LENS TO EYE
- MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- ANATOMICAL SKIRT WITHOUT INTERNAL LIP
- VERY LIGHTWEIGHT
- MATTE FINISH FOR ANTI-REFLECTIVE PROPERTIES
- HYDRODYNAMIC PROFILE REDUCING RESISTANCE IN WATER
- ERGONOMIC MASK STRAP BUCKLES FOR EFFORTLESS OPERATION
- THE NEW SILICONE USED IN SKIRT REDUCES FOGGING

SPYDER HD

Code: 421416

- REDUCED DISTANCE FROM LENS TO EYE
- MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- ANATOMICAL SKIRT
- VERY LIGHTWEIGHT MATTE FINISH WITH ANTI-REFLECTIVE PROPERTIES
- ANODYZED MASK PROFILE
- ERGONOMIC MASK STRAP BUCKLES FOR EFFORTLESS OPERATION
- THE NEW SILICONE USED IN THE SKIRT REDUCES FOGGING















NEW

SPYDER

NEW

Code: 421415

- REDUCED DISTANCE FROM LENS TO EYE
- MINIMAL INTERNAL VOLUME
- INCREASED FIELD OF VISION
- ANATOMICAL SKIRT
- VERY LIGHTWEIGHT
- MATTE FINISH WITH ANTI-REFLECTIVE PROPERTIES
- HYDRODYNAMIC SPYDER PROFILE REDUCES RESISTANCE IN WATER
- ERGONOMIC MASK STRAP BUCKLES FOR EFFORTLESS OPERATION
- THE NEW SILICONE USED IN THE SKIRT REDUCES FOGGING



COLOR VARIATIONS







STAR LIQUIDSKIN

Code: 421400\$

- BI-SILICONE SKIRT AND STRAP, EXCLUSIVE MARES LIQUIDSKIN ® PATENT
- MINIMAL INTERNAL VOLUME
- REDUCED DISTANCE FROM LENS TO EYE INCREASED FIELD OF VISION
- LOW PROFILE BUCKLES POSITIONED ON THE SKIRT

SEALHOUETTE

Code: 421414\$

- BI-LENS MASK
- SILICONE SKIRT
- REDUCED DISTANCE BETWEEN LENSES AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- SOFT TOUCH SILICONE BUCKLES
- BUCKLES ON SKIRT



421100 from -1 to -5

COLOR VARIATIONS BXBKGF

TECHNICAL FEATURES

Optical lens

STAR

Code: 421402\$

- BI-SILICONE SKIRT AND STRAP, EXCLUSIVE MARES LIQUIDSKIN ® PATENT
- MINIMAL INTERNAL VOLUME
- REDUCED DISTANCE FROM LENS TO EYE
- INCREASED FIELD OF VISION
- LOW PROFILE BUCKLES POSITIONED ON THE SKIRT









421100 from -1 to -5





				6					Sp
Mask		X-Tream	Samurai X	Viper	Spyder HD	Spyder	Star Liquidskin	Star	Sealhouette
Code		421417	421413	421411	421416	421415	421400	421402	421414
Colors		● BKBK Ø GNBL Ø BLWH	BKBK BWNBK GNBK	BKBK BLBL BWNBK GNBK	Ø SIBK ● BKBK ● BLBL	 BKKBK BWKGN BKBBL 	● BKAG ● BKGR	● ВКВК ● СМВК	● ВКВК 働 МВКВК
Optical lens	s (optional)						421100 from -1 to -5	421100 from -1 to -5	
Streamline	d profile								
Light weigh	nt		•	•					
Wide field o	of vision								
Internal	Minimal						•	•	
volume	Reduced					•			

DUAL CAMO

Code: 421457

- TUBE IS MADE IN SOFT PVC IN A BLACK CAMOUFLAGE DESIGN
- ANATOMICAL MOUTHPIECE IN HYPOALLERGENIC SILICONE DIAMETER AND LENGTH OF TUBE ARE
- OPTIMIZED FOR EASIER CLEARING AND TO AVOID AIR TURBULENCE
- SPECIAL "D" SHAPED BARREL DESIGN ELIMINATES DISCOMFORTIN THE AREA OF THE TEMPLE





DUAL BASIC

Code: 421455

MBKSA

- IDEAL FOR PROLONGED USE ■ ANATOMICAL MOUTHPIECE IN
- HYPOALLERGENIC SILICONE DIAMETER AND LENGTH OF TUBE ARE
- OPTIMIZED FOR EASIER CLEARING AND TO AVOID AIR TURBULENCE
- SPECIAL "D" SHAPED BARREL DESIGN ELIMINATES DISCOMFORT IN THE AREA OF THE TEMPLE

ALSO FOR FREEDIVING

COLOR VARIATIONS







170

DUAL

Code: 421454

- TUBE IS MADE FROM TWO MATERIALS WITH TWO DIFFERENT SOFTNESS LEVELS
- IDEAL FOR PROLONGED USE
- ANATOMICAL MOUTHPIECE IN HYPOALLERGENIC SILICONE
- DIAMETER AND LENGTH OF TUBE ARE OPTIMIZED FOR EASIER CLEARING AND TO AVOID AIR TURBULENCE
- SPECIAL "D" SHAPED BARREL DESIGN ELIMINATES DISCOMFORT IN THE AREA OF THE TEMPLE

COLOR VARIATIONS



ELEMENT

Code: 421456

- SOFT TUBE
- DIAMETER AND LENGTH OF TUBE ARE OPTIMIZED FOR NATURAL EFFORTLESS BREATHING
- HYPOALLERGENIC SILICONE MOUTHPIECE

COLOR VARIATIONS





POLYGON

Code: 422309 - Pants


30 Code: **422304** - Jacket Code: 422305 - Pants 50 Code: **422306** - Jacket Code: **422307** - Pants 80 / 65 Code: 422308 - Jacket



The latest research regarding fish vision shows that they are capable of seeing ultraviolet rays which are invisible to the human eye. Contrasting colors are also more visible to them. We can obtain the best camouflage by reducing the contrast between colors with a polygonal design that changes with distance, but the most innovative feature of this material is its ultraviolet absorption.

UV rays

The least reflective, UV ray absorbing color is INDIGO, the base for our new camouflage.





NEW

- INDIGO POLYGON-BASED CAMOUFLAGE DISGUISES THE SHAPE OF THE SPEARFISHER ■ A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- COMPRESSION RESISTANT OPEN CELL MATERIAL WITH EXCELLENT ELASTICITY AND
- GREAT THERMAL PROPERTIES SOFTER BORDER WITH FOLDED SMOOTH NEOPRENE ON THE WAIST, WRISTS AND ANKLES
- ANTI-SLIP CHEST PAD WITH A NEOPRENE "SHOCK ABSORBER" INSIDE
- NEW CHIN DESIGN
- NEW VELCRO BEAVERTAIL CLOSURE FOR PEFECT ADJUSTMENT
- ANTI-SLIP KNEE PAD
- PANTS WITH THREE-MATERIAL WAISTBAND TO IMPEDE WATER ENTRY (5mm / 8-6,5mm)
- PANTS WITH AN ULTRA-STRETCH ABDOMINAL BAND TO FACILITATE BREATHING (5mm / 8-6.5mm)
- 422308 JACKET DIFFERENTIATED THICKNESS: 8mm ON THE CHEST AND ARMS, 6,5mm ON THE FOREARMS AND HOOD
- 422309 PANTS 6,5mm

TECHNICAL FEATURES


Thickness	3mm / 5mm / 8-6,5mm					
	Lining					
Fabric Type	Neoprene					
			Open cell			
Sizes	2	3	4	5	6	



Three-material waistband to impede water entry



Softer border with folded smooth neoprene



MERGE

Code: **422310** - Jacket

Code: **422311** - Pants

- NEW FAST-DRYING THREE-MATERIAL DESIGN ELASTIC FABRIC BETWEEN TWO NEOPRENE LAYERS
- SMOOTH / OPEN CELL INNER FABRIC OFFERS HIGH RESISTANCE
- NEOPRENE OFFERS THERMAL, ELASTIC AND HYDRODYNAMIC BENEFITS FOR THE HEAD AND SHOULDERS DURING DIVING AND THE LEGS DURING SURFACE SWIMMING
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- NEW CHIN DESIGN
- NEW MATERIAL DISTRIBUTION FOR EASY BREATHING
- NEW VELCRO BEAVERTAIL CLOSURE FOR PEFECT ADJUSTMENT
- BLACK/INDIGO POLYGON-BASED CAMOUFLAGE DISGUISES THE SHAPE OF THE SPEARFISHER
- SOFT BORDER WITH SMOOTH NEOPRENE AROUND THE FACE
- ANTI-SLIP CHEST PAD WITH A NEOPRENE "SHOCK ABSORBER" AND KNEE PADS
- PANTS WITH THREE-MATERIAL WAISTBAND TO IMPEDE WATER ENTRY
- PANTS WITH AN ULTRA-STRETCH ABDOMINAL BAND TO FACILITATE BREATHING



TECHNICAL FEATURES

Thickness		5mm						
		Smooth						
Fabric Type	Stretch Fabric							
		Open cell						
Sizes	2	3	4	5	6			



NEW

Velcro beavertail closure for perfect adjustment

EXPLORER CAMO BLACK

Code: 422040 - Jacket		
Code: 422041 - Pants		
50		
Code: 422038 - Jacket		
Code: 422039 - Pants		

Code: **422037** - Jacket

TECHNICAL FEATURES	
Thickness	3mm / 5mm / 7
	Lining

Inickness	3mm / 5mm / 7mm							
	Lining							
Fabric Type		Neoprene						
			Open cell					
Sizes	2	3	4	5	6			

- NEW BLACK CAMOUFLAGE PRINTED ON A GREY LINING HELPS TO DISGUISE THE SPEAREISHER
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS





SQUADRA ILLUSION BWN

Code: **422495** - Jacket Code: **422496** - Pants

- ILLUSION BWN COLOR PRINTED ON A BEIGE LINING FOR THE BEST CAMOUFLAGE
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT STITCHED FINISHING ON WAIST, WRISTS AND ANKLES
- NEW LARGE, ANTI-SLIP CHEST PAD WITH A NEOPRENE "SHOCK ABSORBER" INSIDE AND NEW REINFORCED KNEE PADS

ILLUSION BWN

30 Code: **422035** - Jacket Code: 422036 - Pants 50 Code: **422033** - Jacket Code: **422034** - Pants 70

Code: **422032** - Jacket



TECHNICAL FEATURES

Thickness	5mm							
		Lining						
Fabric Type	Neoprene							
			Open cell					
Sizes	2	2 3 4 5 6						



TECHNICAL FEA	ATURES							
Thickness	3mm / 5mm / 7mm							
	Lining							
Fabric Type		Neoprene						
		Open cell						
Sizes	2	3	4	5	6			

- NEW OCEAN FLOOR CAMOUFLAGE PRINTED ON A BEIGE LINING MASKS THE DIVER
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS







ILLUSION

30 Code: **422487** - Jacket

Code: **422488** - Pants

50
Code: 422484 - Jacket
Code: 422485 - Pants
Code: 422486 - Long John

- NEW OCEAN FLOOR CAMOUFLAGE PRINTED ON BEIGE LINING CREATE TOTAL CONCEALMENT FOR THE DIVER
- PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS

TECHNICAL FEATURES

Thickness	3mm / 5mm					
			Lining			
Fabric Type	Neoprene					
	Open cell					
Sizes	2	3	4	5	6	





30 Code: **422479** - Jacket Code: **422480** - Pants 50

Code: 422456 - Jacket Code: 422457 - Pants		
Code: 422458 - Long John		
Lode: 422438 - Long John		

Code: 422472 - Jacket		
Code: 422473 - Pants		

- NEW OCEAN FLOOR CAMOUFLAGE PRINTED ON A BEIGE LINING MASKS THE DIVER
- A PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- EXCELLENT ELASTICITY, HIGH THERMAL PROPERTIES AND COMPRESSION RESISTANT
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

Thickness	3mm / 5mm / 7mm					
	Black lining					
Fabric Type	Neoprene					
	Open cell					
Sizes	2	3	4	5	6	

EXPLORER SPORT

•	•
J	U

Code: **422312** - Jacket Code: 422313 - Pants

50

Code: **422466** - Jacket

Code: **422467** - Pants

- NEW PREFORMED CUT ENSURES COMFORT AND EXCELLENT FIT
- ELASTICITY, COMFORTABLE, COMPRESSION RESISTANT AND EASY TO WEAR
- ANTI-SLIP CHEST PAD AND NEOPRENE "SHOCK ABSORBER" INSIDE
- REINFORCED KNEE PADS



TECHNICAL FEATURES

3mm / 5mm					
Black lining					
Neoprene					
Black lining					
2	3	4	5	6	
	2	2 3	Black lining Neoprene	Black lining Neoprene Black lining	

NEW

UNDERSUIT

Code: **422424**

■ NEOPRENE WITH OUTER COVERING AND OPEN-CELL INTERIOR





TECHNICAL FEATURES

Thickness	2mm				
Fabric Type	Neoprene				
Sizes	XS S M L XL				

WEIGHT POCKET BERMUDA

Code: 422425 Black

Code: 422491 Illusion

- NEOPRENE WITH OUTER COVERING AND OPEN-CELL INTERIOR
- TWO SIDE POCKETS DESIGNED TO HOLD 500G OR 1KG STANDARD WEIGHTS



TECHNICAL FEATURES

	-					
Thickness	2mm					
Sizes	S	М	L	XL		

GLOVES SMOOTH SKIN

Code: 422755

- PREFORMED CUT
- NEOPRENE WITH SMOOTH EXTERIOR, LINED INTERIOR
- REINFORCED PALM AND FINGERS



			U.
ALS0	FOR	FREEDIVING	35

TECHNICAL FEATURES

Thickness	3.5mm				
Fabric Type	Neoprene				
Sizes	S	М	L	XL	

BACKPACK

Code: 425861 Black

Code: 425863 Illusion

Code: 425867 Camo Black

- ANATOMICAL MODULAR BACKPACK
- POCKETS WITH HOLES FOR STANDARD 500G OR 1KG WEIGHTS, MAXIMUM 4KG
- ELASTIC CORD FOR FASTENING TO THE BELT
- QUICK RELEASE SYSTEM



SOCKS SMOOTH SKIN

Code: 422654

- SMOOTH OUTSIDE / LINED INSIDE
- PREFORMED CUT
- REINFORCED DOUBLE-LINED SOLE





TECHNICAL FEATURES

Thickness	3mm				
Fabric Type	Neoprene				
Sizes	S M L XL				

GLOVES FLEX GOLD

Code: 422762 5mm

Code: 422763 3mm

- ULTRA STRETCH EXTERNAL FABRIC / SPECIAL GOLD TREATMENT ON OPEN CELL INSIDE
- DOUBLE LINED NEOPRENE ON PALM
- REINFORCED FABRIC ON PALM AND FINGERS





TECHNICAL FEATURES

Thickness	5mm / 3mm			
Fabric Type	Neoprene			
Sizes	S M L XL			

SOCKS FLEX GOLD

Code: 422661 5mm Code: 422660 3mm

- ULTRA STRETCH EXTERNAL FABRIC / SPECIAL GOLD TREATMENT ON OPEN CELL INSIDE
- DOUBLE-LINED SOLE WITH EXTERNAL FABRIC REINFORCEMENT





TECHNICAL FEATURES

Thickness	5mm / 3mm			
Fabric Type	Neoprene			
Sizes	S M L XL			

ACCESSORIES

GLOVES FLEX

Code: 422750 3mm

Code: 422759 2mm

DOUBLE LINED ULTRASTRETCH NEOPRENE

REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3mm				
Fabric Type	Neoprene				
Sizes	XS M XL				
Thickness	2mm				
Sizes	XS/S M/L XL/XXL				

GLOVES ILLUSION 30

Code: 422760

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES Thickness 3mm Fabric Type Neoprene Sizes М

GLOVES AMARA ILLUSION 20

Code: 422761

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	2mm			
Fabric Type	Neoprene			
Sizes	S M L XL			

SOCKS FLEX Code: 422656 5mm

Code: 422657 3mm Code: 422658 2mm

ULTRASTRETCH NEOPRENE 5MM

- EXTERNAL COATING / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE



TECHNICAL FEATURES

Thickness	5mm / 3mm / 2mm				
Fabric Type	Neoprene				
Sizes	XS/S M/L XL/XXL				

GLOVES ILLUSION BWN 30

Code: 422664

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3mm					
Fabric Type	Neoprene					
Sizes	S	S M L XL				

SOCKS ILLUSION 30

Code: 422659

XL

- EXTERNAL COATING / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE



TECHNICAL FEATURES

Thickness	3mm					
Fabric Type	Neoprene					
Sizes	s	S M L XL				

SOCKS ILLUSION BWN 30

Code: 422663

- EXTERNAL COATING / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE



TECHNICAL FEATURES Thickness 3mm Fabric Type Neonrene М L S XI Sizes

GLOVES BLACK 30

Code: 422758

NEOPRENE DOUBLE LINING

REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3mm				
Fabric Type	Neoprene				
Sizes	S	S M L XL			

GLOVES AMARA 20

Code: 422752

- NEOPRENE / PALM AND FINGERS IN ULTRA RESISTANT AMARA
- ADJUSTABLE VELCRO



TECHNICAL FEATURES

Thickness		2mm				
Fabric Type	Neoprene					
Sizes	XS	S	М	L	XL	

GLOVES CAMO BLACK 30

Code: **422665**

- NEOPRENE DOUBLE LINING
- REINFORCED PALM AND FINGERS



TECHNICAL FEATURES

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S M L XL			

GLOVES AMARA CAMO BLACK 20

Code: 422667

- NEOPRENE PALM AND FINGERS IN ULTRA RESISTENT AMARA
- ADJUSTABLE VELCRO



TECHNICAL FEATURES

Thickness	2mm				
Fabric Type	Neoprene				
Sizes	s	S M L XL			

SOCKS CAMO BLACK 30

Code: 422662

- EXTERNAL COATING / OPEN CELL INTERIOR
- REINFORCED DOUBLE-LINED SOLE



TECHNICAL FEATURES

Thickness	3mm			
Fabric Type	Neoprene			
Sizes	S M L XL			




Suits		Polygon		Merge	Explorer Camo Black		
Model	Jacket Pants	Jacket Pants	Jacket Pants	Jacket Pants	Jacket Pants	Jacket Pants Jacket	
Code	422304 422305	422306 422307	422308 422309	422310 422311	422040 422041	422038 422039 422037	
Colors							
Thickness	3 mm	5 mm	8-6,5 mm	5 mm	3 mm	5 mm 7 mm	
Sizes		2 · 3 · 4 · 5 · 6	·	2-3-4-5-6		2.3.4.5.6	
Maximum Elasticity						-	
Lining / Open cell							
3 Materials							

	Ŕ		Ŕ			Ń
Suits	Squadra Illusion BWN		Illusion BWN			Illusion
Model	Jacket Pants	Jacket Pants	Jacket Pants	Jacket	Jacket Pants	Jacket Pants Long John
Code	422495 422496	422035 422036	422033 422034	422032	422487 422488	422484 422485 422486
Colors						
Thickness	5 mm	3 mm	5 mm	7mm	3 mm	5 mm
Sizes	2.3.4.5.6		2 · 3 · 4 · 5 · 6			2.3.4.5.6
Maximum Elasticity			•			•
Lining / Open cell			•			•









	USA	1	2	3	4	5	6
	EU	XS	S	м	L	XL	XXL
	IT	1	2	3	4	5	6
A	inch	34-36	35-38	37-40	39-41	41-43	42-45
~	cm	88/92	91/97	95 / 101	99 / 105	103 / 109	107 / 115
в	inch	28-29	30-33	33-35	34-37	36-38	37-41
Б	cm	72/76	77 / 83	83 / 89	87 / 93	91/97	95 / 103
с	inch	33-35	35-38	37-39	39-41	40-43	42-45
č	cm	86/90	90/96	94 / 100	98 / 104	102 / 108	106 / 114
D	inch	19-20	20-21	21-22	22-23	23-24	24-25
	cm	50/52	52/55	54/57	56/59	58/61	60/63
E	inch	25-27	27-28	28-29	29-30	30-31	31-32
-	cm	66/69	68/71	70/73	72/75	74/77	76/79
F	inch	62-64	65-68	67-70	69-71	71-72	72-74
	cm	160/164	166/172	170/176	174/180	178/184	182/188

PLEASE NOTE: Freediving/Spearfishing wetsuits must fit well. Given the material used to manufacture them, the table is for reference only. We suggest trying the wetsuit at a Mares retailer.

Ŷ		Ŵ	Y	Y	(Dares a	
usion 30	Amara Illusion 20	Illusion BWN 30	Camo Black 30	Amara Camo Black 20	Black 30	Amara 20
422760	422761	422664	422665	422667	422758	422752
3 mm	2 mm	3 mm	3 mm	2 mm	3 mm	2 mm
M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL

A B C F. E ¥. \leq

	USA	0	1	2	3	4	5
	EU	xxs	XS	S	м	L	XL
	IT	0	1	2	3	4	5
A	inch	30-31	33-35	34-37	36-38	37-40	39-41
A	cm	77/81	83-89	87-93	91-97	95-101	99-105
в	inch	23-24	26-28	27-30	29-31	30-33	32-34
в	cm	59/63	65-71	69-75	73-79	77-83	81-87
с	inch	31-33	34-37	36-38	38-40	39-41	41-43
č	cm	80/85	87-93	91-97	95-101	99-105	103-109
D	inch	18-19	19-20	20-21	21-22	22-23	23-24
	cm	47/49	48-51	50-53	52-55	54-57	56-59
E	inch	24-25	25-26	26-27	27-28	28-29	29-30
-	cm	62/64	64-67	66-69	68-71	70-73	72-75
F	inch	61-62	61-64	63-66	65-67	66-69	68-70
ſ	cm	156/158	156-162	160-166	164-170	168-174	172-178

CYRANO 1.1 HFT

Code: 423157¢ - 120 cm WP - 110 cm WP - 100 cm WP - 90 cm WP



PNEUMATIC GUNS



♦ Please note that some sizes/colors are only available while stocks last

WP: with power agjusting system

- HYDROFORMED BARREL ADDS BUOYANCY AND HYDRODYNAMICS
- 11MM INTERNAL BARREL IS SHIFTED UPWARD OFF-AXIS FOR A BETTER LINE OF SIGHT
- LIGHTER SINGLE-PIECE HEAD WITH MINIMAL NOSE CONE, ONLY 31G TOTAL WEIGHT
- STAINLESS STEEL LINE RELEASE AND TRIGGER, BETTER FLUIDITY DURING THE SHOOT ■ PISTON EVO INCREASES SPEED AND MAKES LOADING EASIER WITH BETTER
- LUBRICATION
- OVERSIZED AIR PASSAGES IN THE INNER BARREL
- PREFORMED ANATOMIC GRIP ,KJ' ■ SHAFT RACE: 7MM SINGLE BARB TAHITIAN SHAFT
- CARRYING BAG INCLUDED

TECHNICAL FEATURES

Internal barrel			11 mm						
Sizes		90WP	100WP	110WP	120WP				
Chaff Dans	Ømm	7	7	7	7				
Shaft Race	cm	97	105	122	132				
Operating Pressure	BAR	22	24	24	26				
Connecting Piston	Ømm		1,5	mm					





CYRANO 1.1

Code: 423158¢ - 120 cm WP - 110 cm WP - 100 cm WP - 90 cm WP - 70 cm WP - 55 cm WP

- 40MM OUTER BARREL
- LIGHTER SINGLE-PIECE HEAD WITH SMALLER CONE
- 11MM INTERNAL BARREL IS SHIFTED UPWARD OFF-AXIS FOR A BETTER LINE OF SIGHT
- STAINLESS STEEL LINE RELEASE AND TRIGGER, BETTER FLUIDITY DURING THE SHOOT
- PISTON EVO, INCREASE IN SPEED, EASY LOADING, BETTER LUBRICATION
- OVERSIZED AIR PASSAGES IN THE INNER BARREL
- ERGONOMIC HANDLE WITH GRIP IN ,CYRANO BLUE' COLOR
- 7MM THREADED SHAFT ON GUN SIZES 42, 55 AND 70
- SHAFT RACE: 7MM SINGLE BARB TAHITIAN SHAFT ON GUN SIZES 90, 100, 110 AND 120
- LIGHTWEIGHT CARRYING BAG INCLUDED

CYRANO 1.3

Code: 423159\$ - 120 cm WP - 110 cm WP - 100 cm WP - 90 cm WP - 70 cm WP - 55 cm WP - 55 cm NP - 42 cm NP

- 40MM OUTER BARREL
- LIGHTER SINGLE-PIECE HEAD WITH SMALLER CONE
- 13MM INTERNAL BARREL IS SHIFTED UPWARD OFF-AXIS FOR A BETTER LINE OF SIGHT
- STAINLESS STEEL LINE RELEASE AND TRIGGER, BETTER FLUIDITY DURING THE SHOOT
- PISTON EVO, INCREASE IN SPEED, EASY LOADING, BETTER LUBRICATION
- OVERSIZED AIR PASSAGES IN THE INNER BARREL
- ERGONOMIC HANDLE WITH GRIP IN ,CYRANO BLUE' COLOR
- 8MM THREADED SHAFT ON GUN SIZES 42, 55 AND 70
- SHAFT RACE: 8MM SINGLE BARB TEHITIAN SHAFT ON GUN SIZES 90, 100, 110 AND 120
- LIGHTWEIGHT CARRYING BAG INCLUDED

STEN 11

Code: 423151¢ - 70 cm WP - 58 cm WP

- 40MM OUTER BARREL
- LOW WEIGHT SINGLE-PIECE HEAD
- REINFORCED NOSE CONE AND STEEL LINE GUIDE
- ERGONOMIC HANDLE WITH WHITE GRIP FOR INCREASED VISIBILITY
- 7MM THREADED SHAFT





TECHNICAL FEATURES

Internal barrel					11 1	mm			
Sizes		42NP	55NP	55WP	70WP	90WP	100WP	110WP	120WP
Chaff Dava	Ømm					7	7	7	7
Shaft Race	cm					97	105	122	132
Threaded Shaft	Ømm	7	7	7	7				
Inreaded Shart	cm	35,9	56,9	56,9	67,1				
Operating Pressure	BAR	13	16	16	20	22	24	24	26
Connecting Piston	Ømm				1,5	mm			

TECHNICAL FEATURES

Internal barrel					13	mm			
Sizes		42NP	55NP	55WP	70WP	90WP	100WP	110WP	120WF
61. (1 D	Ømm					8	8	8	8
Shaft Race	cm					97	105	122	132
Threaded Shaft	Ømm	8	8	8	8				
Inreaded Shart	cm	36.9	51.9	51.9	66.9				
Operating Pressure	BAR	13	13	13	16	16	18	18	22
Connecting Piston	Ømm				1,5	mm			

TECHNICAL FEATURES

Internal barrel		11 mm				
Sizes		58WP	70WP			
c) (1 D	Ømm	7	7			
Shaft Race	cm	56.9	67.1			
Threaded Shaft	Ømm	7	7			
Inreaded Shaft	cm	56,9	67,1			
Operating Pressure	BAR	16	20			
Connecting Piston	Ømm	1.5	mm			

WP: with power agjusting system

STEN

Code: 413105 - 100 cm WP - 84 cm WP - 70 cm WP - 58cm WP - 70 cm NP - 58 cm NP - 42 cm NP

- 40MM OUTER BARREL
- LOW WEIGHT SINGLE PIECE HEAD
- REINFORCED NOSE CONE
- 8MM THREADED SHAFT
- INCLUDES HOLSTER



TECHNICAL FEATURES

Internal barrel				13 mm		
Sizes		41NP	58NP	58WP	70NP	70WP
<i>ci. (i</i> . p.	Ømm	8	8	8	8	8
Shaft Race	cm	36.9	51.9	51.9	66.9	66.9
Threaded Shaft	Ømm	8	8	8	8	8
	cm	36,9	51,9	51,9	66,9	66,9
Operating Pressure	BAR	13	13	13	16	16
Connecting Piston	Ømm			1,5 mm		

PNEUMATIC GUNS

IET	

Code: 413106 - 70 cm WP - 58 cm WP - 70 cm NP - 58 cm NP - 42 cm NP

40MM OUTER BARREL

■ LOW WEIGHT SINGLE-PIECE HEAD

REINFORCED NOSE CONE

8MM THREADED SHAFT



Model	BARREL PRESSURE BAR / kPa / PSI								
Model	10/1000/145	15/1500/217,5	20 / 2000 / 290	25/2500/362,5	30/3000/435				
Cyrano 1.1 HFT 90	260	420	600	800	1040				
Cyrano 1.1 HFT 100	300	480	700	950	1200				
Cyrano 1.1 HFT 110	380	600	900	1250	1520				
Cyrano 1.1 HFT 120	420	660	1000	1400	1680				
Cyrano 1.1 42 Cyrano 1.3 42	75	120	170	230	300				
Cyrano 1.1 55 Cyrano 1.3 55	110	170	250	340	440				
Cyrano 1.1 70 Cyrano 1.3 70	170	270	390	520	680				
Cyrano 1.1 90 Cyrano 1.3 90	200	320	460	620	800				
Cyrano 1.1 100 Cyrano 1.3 100	260	420	600	800	1040				
Cyrano 1.1 110 Cyrano 1.3 110	300	480	700	950	1200				
Cyrano 1.1 120 Cyrano 1.3 120	340	540	800	1100	1360				
Sten 42	60	130	170	210	240				
Sten 58 Sten 11 58	100	160	230	310	400				
Sten 70 Sten 11 70	140	220	320	430	560				
Sten 84	200	320	460	620	800				
Sten 100	260	420	600	800	1040				
Jet 42	50	100	150	180	220				
Jet 58	70	150	250	380	500				
Jet 70	130	190	290	400	720				

All Mares pneumatic spearguns are produced and delivered pressurized at manufacturer recommended specs.

* Number of pumps listed to pressurize pneumatic gun is based upon barrel chamber beginning at empty 0 BAR / PSI.

TECHNICAL FEATURES

Internal barrel		13 mm						
Sizes		41NP	58NP	58WP	70NP	70WP		
Shaft Race	Ømm	8	8	8	8	8		
	cm	36.9	51.9	51.9	66.9	66.9		
Threaded Shaft	Ømm	8	8	8	8	8		
	cm	36,9	51,9	51,9	66,9	66,9		
Operating Pressure	BAR	13	13	13	16	16		
Connecting Piston	Ømm	3 mm						

Cyrano 1.1 HFT Code 423157 4231 Sizes 90WP 100WP 110WP 120WP 42NP 55NP 55WP 70WP Hydroformed barrel Internal barrel off-axis . Streamlined profile 7 7 7 7 Ømm Shaft Race cm 97 105 122 132 Ømm 7 7 7 7 Threaded Shaft cm 35,9 56,9 56,9 67,1 Operating Pressure 20 BAR 22 24 24 26 13 16 16 Connecting Piston Ø mm 1,5 mm 1,5 mr Compact head . Internal barrel mm 11 mm 11 mm Ergonomic handle . Grip KJ Stainless steel side line releaser Stainless steel trigger .


•

.

Cone with steel line guide

Dedicated case included

Manual injector included









o 1.1							Cyra	no 1.3			
58							423	159			
90WP	100WP	110WP	120WP	42NP	55NP	55WP	70WP	90WP	100WP	110WP	120WP
								•			
7	7	7	7					8	8	8	8
97	105	122	132					97	105	122	132
				8	8	8	8				
				36.9	51.9	51.9	66.9				
22	24	24	26	13	13	13	16	16	18	18	22
nm							1,5	mm			
							1	•			
nm							13	mm			
								•			
								•			
								•			







					Jet				
					413106				
	70NP	70WP	41NP	58NP	58WP	70NP	70WP		
	8	8	8	8	8	8	8		
	66.9	66.9	36.9	51.9	51.9	66.9	66.9		
	8	8	8	8	8	8	8		
	66,9	66,9	36,9	51,9	51,9	66,9	66,9		
	16	16	13	13	13	16	16		
			3 mm						
			13 mm						
-									

VIPER PRO DS

Code: 423426 110 cm -100 cm -90 cm - 75 cm





- RIGID ANODIZED ALUMINUM BARREL WITH UPPER SHAFT GUIDE AND LOWER LINE GUIDE
- OPEN MUZZLE CONFIGURATION, WITH OFF-AXIS HOLES
- HIGHLY SENSITIVE TRIGGER MECHANISM IN A REVERSED POSITION
- STAINLESS STEEL SIDE LINE RELEASE
- NEW STAINLESS STEEL TRIGGER
- PREFORMED HANDLE WITH NEW HIGH-FUNCTIONALITY ANATOMIC GRIP
- VARIABLE DEFORMATION REINFORCED LOADING PAD
- NEW 6.5 MM SINGLE BARB TAHITIAN HARDY SHAFT
- TWO 16 MM S-POWER SPEED CIRCULAR SLINGS WITH DYNEEMA® WISHBONE
- INCLUDES SPIRO VERTICAL REEL

TECHNICAL FEATURES

Barrel			28					
Sizes		75	90	100	110			
Shaft Hardy	Ømm	6.5	6.5	6.5	6.5			
	cm	42	50	55	60			
Two S-Power Speed circular slings	Ømm	16	16	16	16			
	Ømm	42	50	55	60			
Vertical Reel		65	65	87	87			





VIPER PRO

Code: 423416 - 110 cm - 100 cm - 90cm - 75cm

- RIGID ANODIZED ALUMINUM BARREL WITH UPPER SHAFT GUIDE AND LOWER LINE GUIDE
- OPEN MUZZLE CONFIGURATION, WITH OFF-AXIS HOLES
- HIGHLY SENSITIVE TRIGGER MECHANISM IN A REVERSED POSITION
- STAINLESS STEEL SIDE LINE RELEASE
- DISTANCE BETWEEN TRIGGER AND HANDLE CAN BE CUSTOMIZED
- PREFORMED HANDLE WITH NEW HIGH-FUNCTIONALITY ANATOMIC GRIP
- VARIABLE DEFORMATION REINFORCED LOADING PAD SHAFT SPEED: 6.5MM SINGLE BARB TAHITIAN SHAFT
- 17.5MM S-POWER SPEED CIRCULAR SLING WITH DYNEEMA® WISHBONE
- INCLUDES SPIRO VERTICAL REEL

SNIPER PS

Code: 423424 - 90 cm - 75 cm - 55 cm - 45 cm

- OUTER BARREL IN ANODIZED ALUMINUM
- NEW COMPACT MUZZLE FOR PAIR OF SLINGS
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEEL
- ERGONOMIC HANDLE MIMICS THE SHAPE USED ON VIPER PRO AND CYRANO EVO HF
- SET UP FOR A VERTICAL SPIRO REEL
- SHAFT GALVANIZED STEEL PR80, 6.5MM SINGLE BARB TAHITIAN SHAFT
- PAIR OF 16MM S-POWER SLINGS
- RACE WISHBONE

SNIPER

Code: 423421 - 90 cm - 75 cm - 55 cm - 45 cm


- BARREL IN ANODIZED ALUMINUM
- COMPACT MUZZLE WITH CIRCULAR SLING
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEEL
- ERGONOMIC HANDLE MIMICS THE SHAPE USED ON VIPER PRO AND CYRANO EVO HF
- SET UP FOR A VERTICAL SPIRO REEL
- SHAFT GALVANIZED STEEL PR80, 6.5MM SINGLE BARB TAHITIAN SHAFT
- 16MM S-POWER CIRCULAR SLING
- RACE WISHBONE



TECHNICAL FEATURES

Barrel		28						
Sizes		45	55	75	90			
Tahitian shaft PR80	Ømm	6,5	6,5	6,5	6,5			
	cm	30	34	50	60			
S-Power circular sling	Ømm	16	16	16	16			
	Ømm	30	34	50	60			

DETAILS





Sling Guns			Vipe	r Pro			Sni	ro Sniper			Sniper	Sniper Alpha			Snip	er PS			Viper	Pro DS	
Code		423416				423	421		423422				423	424			423	426			
Sizes		75	90	100	110	45	55	75	90	35	45	55	75	45	55	75	90	75	90	100	110
Barrel			2	8			2	8			2	5			2	8		28			
Shaft Hardy																					
Tahitian shaft PR8	10																				
Thread shaft PR80)																				
Shaft Speed																					
Shaft	Ømm	6.5	6.5	6.5	6.5	6,5	6,5	6,5	6,5	7	7	7	7	6,5	6,5	6,5	6,5	6.5	6.5	6.5	6.5
Shart	cm	115	130	140	150	75	85	115	130	58	68	78	98	75	85	115	130	115	130	140	150
S-Power circular	sling										1										
S-Power pair of sl	ings																				
S-Power Speed ci	rcular sling																				
Two S-Power Spe slings	ed circular										-		-							•	
Cling	Ømm	17.5	17.5	17.5	17.5	16	16	16	16	14	14	14	14	16	16	16	16	16	16	16	16
Sling	cm	48	60	65	70	30	34	50	60	28	30	34	60	16	19	22	24	42	50	55	60
Reel - Vertical Spi	ro	65	65	87	87													65	65	87	87



TECHNICAL FEATURES

Barrel			28					
Sizes		75	90	100	110			
Shaft Speed	Ømm	6.5	6.5	6.5	6.5			
	cm	48	60	65	70			
S-Power Speed circular sling	Ømm	17.5	17.5	17.5	17.5			
	Ømm	48	60	65	70			
Vertical Reel		65	65	87	87			


DETAILS



TECHNICAL FEATURES

Barrel		28					
Sizes		45	55	75	90		
Tahitian shaft PR80	Ømm	6,5	6,5	6,5	6,5		
	cm	16	19	22	24		
S-Power pair of slings	Ømm	16	16	16	16		
	Ømm	16	19	22	24		

DETAILS



SNIPER ALPHA

Code: 423422 - 75 cm - 55 cm - 45 cm - 35 cm

- OUTER BARREL IN ANODIZED ALUMINUM
- COMPACT MUZZLE WITH CIRCULAR SLING
- SHAFT RELEASE AND LINE RELEASE MADE OUT OF STAINLESS STEEL
- ERGONOMIC HANDLE MIMICS THE SHAPE USED ON VIPER PRO AND CYRANO EVO HF
- SET UP FOR A VERTICAL SPIRO REEL
- SHAFT GALVANIZED STEEL PR80, 7MM THREADED
- SINGLE -BARB BULLET SPEAR TIP
- 14MM S-POWER CIRCULAR SLING
- RACE WISHBONE



TECHNICAL FEATURES

Barrel		25					
Sizes		35	45	55	75		
Thread shaft PR80	Ømm	7	7	7	7		
	cm	28	30	34	60		
S-Power circular sling	Ømm	14	14	14	14		
	Ømm	28	30	34	60		





NEW

ASCENT DRY DUFFLE

Code: 425566

- WATERPROOF DUFFLE WITH WHEELS FOR EASY TRANSPORT
- FOLDING CLOSURE
- ERGONOMIC SHOULDER STRAPS TO CARRY IT AS A BACKPACK
- INSIDE VELCRO WEIGHT RETAINER
- LARGE EXTERNAL WATERPROOF POCKET



			()
ALS0	FOR	FREEDIVING	;)`(

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
100x33x65 cm	2,3 kg	140 L

ASCENT LONG FIN BAG	ľ

Code: 425569

- FITS 2 LONG PAIRS OF FINS AND MASKS
- EXTERNAL DOCUMENT POUCH
- ADJUSABLE SHOULDER STRAP



TECHNICAL FEATURES

ALSO FOR FREEDIVING

Dimensions (LxWxH)	Unit Net Weight	Capacity
20x22x110 cm	800gr	2 pair of fins



ASCENT DRY BACKPACK

Code: 425565

- WATERPROOF AND DURABLE BACKPACK
- ADJUSTABLE, ERGONOMIC SHOULDER STRAP
- INNOVATIVE REAR ZIP
- WATERPROOF KEY POCKET
- EXTERNAL DOCUMENT POUCH
- SIDE GUN RETAINER
- SIDE FIN HOLDER



ALSO FOR FREEDIVING

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
35x30x90 cm	1,6 kg	75 L

ASCENT DRY GUN BAG

Code: 425567

NEW

- WATERPROOF BAG
- VELCRO GUN RETAINER INSIDE
- FITS UP TO 6 SPEARGUNS
- LARGE EXTERNAL WATERPROOF MASK/DOCUMENT POCKET



TECHNICAL FEATURES

Dimensions (DxH)	Unit Net Weight	Capacity
20x180 cm	1,2 kg	6 guns

NEW

NEW


ATTACK DRY BAG

Code: 4255570

- HANDY DRY BAG WITH SHOULDER STRAP
- IDEAL FOR HOLDING WET EQUIPMENT OR CLOTHING YOU WANT TO PROTECT FROM THE WATER
- DIMENSIONS: 74 X 58CM (40 LITERS)



Code: 4255540 Attack Mesh 700 Code: 425555\$ Attack Mesh 450



STURDY WOVEN MESH BAG



Dimensions (LxWxH) Attack Mesh 700 70 x 45cm

Dimensions (LxWxH) Attack Mesh 450 40 x 35cm

TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
75 x 58cm	0.5kg	40L

ARGO

Code: 425615

- COMPACT KNIFE WITH ERGONOMIC HANDLE
- 3 MM STAINLESS STEEL BLADE, LENGTH 72MM
- MICRO SERRATION TO GUARANTEE EXCELLENT CUTTING POWER
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS

Code: 425616

ARGO TITANIUM

- COMPACT KNIFE WITH ERGONOMIC HANDLE
- 3MM TITANIUM BLADE, LENGTH 72MM
- MICRO-SERRATION TO GUARANTEE EXCELLENT CUTTING POWER ■ THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS



STILETTO

Code: 4256110

- COMPACT KNIFE WITH ERGONOMIC HANDLE
- 4MM 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 65MM
- MICRO-SERRATION TO GUARANTEE EXCELLENT CUTTING POWER
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TW0 STRAPS WITH QUICK RELEASE BUCKLES



IAGO

Code: 425614

- KNIFE WITH ERGONOMIC HANDLE
- 4MM 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 98MM
- MICRO-SERRATION ALONG THE ENTIRE BLADE, EXCELLENT CUTTING POWER
- BLADE WITH HOLE FOR FREEING SHAFTS STUCK IN THE ROCKS
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO STRAPS, QUICK-RELEASE BUCKLES



DAGGER

Code: 425610

- KNIFE WITH ERGONOMIC HANDLE
- 4mm 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 98mm
- MICRO-SERRATION TO GUARANTEE EXCELLENT CUTTING POWER
- THE QUICK-RELEASE SYSTEM MEANS YOU CAN USE IT QUICKLY
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO STRAPS AND QUICK RELEASE BUCKLES



HERO POLYGON

NEW

Code: 425618

- COMPACT KNIFE, TOTAL LENGTH: 17.5cm
- STAINLESS STEEL BLADE
- LENGTH OF BLADE: 7cm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- ERGONOMIC HANDLE WITH ANTI-LOSS SYSTEM
- EASY TO USE WITH GLOVES
- HOLE FOR FREEING SHAFTS STUCK IN ROCKS
- STURDY CORDURA SHEATH
- CAN BE STRAPPED ON THE CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS



HERO

Code: 425613

- ULTRA-COMPACT KNIFE, TOTAL LENGTH 135mm
- 4mm 420A STAINLESS STEEL BLADE, PVD-TREATED
- LENGTH OF BLADE: 60mm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- ERGONOMIC HANDLE WITH HOLE FOR FREEING SHAFTS STUCK IN THE ROCKS
- STURDY CORDURA SHEATH
- CAN BE STRAPPED ON THE ARM, CALF OR BELT
- TWO ADJUSTABLE ELASTIC VELCRO STRAPS



SNAKE 2.1

Code: 425617

- STAINLESS STEEL BLADE
- LENGTH OF BLADE: 134mm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- HOLE FOR FREEING SHAFTS STUCK IN ROCKS AND A SHAFT RECTIFIER
- SOFT, ANTI-SLIP HANDLE
- ANTI-CORROSION SYSTEM WITH ANODE IN THE HANDLE
- SEMI-RIGID SCABBARD THAT CAN BE FASTENED TO THE LEG OR A BELT
- TWO STRAPS, QUICK-RELEASE BUCKLES



HERO POLYGON SHORT

Code: 425619

- ULTRA-COMPACT KNIFE, TOTAL LENGTH: 13cm
- STAINLESS STEEL BLADE
- LENGTH OF BLADE: 7cm
- ONE CUTTING EDGE AND ONE MICRO-SERRATED SHEARING EDGE
- ERGONOMIC, ONE-FINGER HANDLE WITH ANTI-LOSS SYSTEM
- EASY TO USE WITH GLOVES
- HOLE FOR FREEING SHAFTS STUCK IN ROCKS
- STURDY CORDURA SHEATH
- DESIGNED TO BE ATTACHED TO THE ARM
- TW0 ADJUSTABLE ELASTIC VELCR0 STRAPS



QUICK-RELEASE WEIGHT

Code: 425860

- 1 KG QUICK-RELEASE WEIGHT, FAST AND EASY TO USE
- IDEAL FOR BUOYANCY CHANGES
- EXCLUSIVE MARES PATENT



NEW

NEW

Code: 425717

- LARGE BUOY WITH RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT
- S.S. D-RING WITH DRAG POINT OPTIMIZED TO INCREASE GLIDE OVER THE WATER
- 6 NYLON D-RINGS
- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- 30.5CM X 30.5CM DIVE FLAG

HYDRO TORPEDO

Code: 425718

- BUOY WITH A RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT

- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- NYLON D-RINGS AND 18.5CM X 18.5CM DIVE FLAG



HYDRO FLAT

Code: 425720

- FLAT BUOY WITH RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT
- 7 NYLON D-RINGS
- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- 30.5CM X 30.5CM DIVE FLAG

HYDRO SPHERE

Code: 425719

- BUOY WITH A RUGGED OUTER COVER
- 500D ORANGE PVC OFFERING GREAT RESISTANCE, VISIBILITY AND A SMOOTH SURFACE FOR EASE OF MOVEMENT
- 20 METERS OF FLOAT LINE + NYLON SNAP INCLUDED
- NYLON D-RINGS AND 18.5CM X 18.5CM DIVE FLAG



HOLDER FOR DIVE FLAG

Code: 425716

- DIVE FLAG HOLDER
- SPARE PART FOR TECH BUOYS CAN BE USED WITH THE TRAINING BUOY (425715) FLAG: 30.5 X 30.5CM

DIVE FLAG 30.5 X 30.5 CM **DIVE FLAG** 18.5 X 18.5 CM

Code: 45200412

mare

- FLAG SIZE: 18.5 X 18.5 CM
- CAN BE MOUNTED ON THE HYDRO TORPEDO (425718)
- AND THE HYDRO SPHERE (425719)





Code: 45200301



TORPEDO

Code: 425713

- BUOYS MADE OF RESILIENT PVC
- FASTENING RINGS ON THE BOTTOM
- INCLUDES 20 METERS OF LINE AND CARABINER



APNEA

- Code: 425711
- BUOY MADE OF RESILIENT PVC
- FEATURES A PEAK WITH RING
- DRAG POINT OPTIMIZED TO INCREASE GLIDE OVER THE WATER



BELT ELASTIC W/NYLON BUCKLE

code: 425812 WH code: 425812 BK

- QUICK-RELEASE NYLON BUCKLE
- 3 mm ELASTIC TAPE, 140 cm LONG



FAST D-RING

code: 425811

4 pcs



SPHERE

Code: 425714

- BUOYS MADE OF RESILIENT PVC
- FASTENING RINGS ON THE BOTTOM
- INCLUDES 20 METERS OF LINE AND CARABINER



LINE HOLDER

Code: 423946



BELT ELASTIC W/MARSEILLAISE S.S.

code: 425813 WH code: 425813 BK

- NEW STAINLESS STEEL, QUICK-RELEASE BUCKLE
- 3 mm ELASTIC TAPE, 140 cm LONG





code: 423945

2 pcs



NEW

EOS BEAM

Code: 425664

CREE LED 1053 LUMENS

- POWERFUL LIGHT BEAM
- VERY CONCENTRATED BEAM
- VISUAL BATTERY INDICATOR EASY-TO-USE SWITCH
- HANDY AND COMPACT
- LED CHARGE INDICATOR
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGER CABLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP

EOS ALPHA

Code: 425663

- SINGLE 1-WATT LED
- REFLECTOR POLYCARBONATE (HOT SPOT)
- SLIDING MAGNETIC SWITCH WITH CONTINUOUS-ON OR OFF POSITION
- POWERED BY 4 1.5V AA BATTERIES (NOT INCLUDED)
- 900 MINUTES OF CONTINUOUS BURN TIME, 2100 MINUTES WITH INTERMITTENT 60 SECOND ON/OFF
- WATERPROOF DOWN TO 50M / 165FT

HANDLE GRIP ,KJ'

Code: 423973\$

- PREFORMED GRIP
- BETTER MANAGEABILITY AND EXCELLENT STABILITY
- NEW DESIGN FACILITATES EASIER AIMING
- CAN BE USED ON THE CYRANO EVO, CYRANO EVO HF, VIPER PRO AND VIPER PRO DS



HP GAUGE

Code: 423947

- HP GAUGE FOR MARES PNEUMATIC GUNS
- WHEN YOU ATTACH THIS ACCESSORY ON THE INLET VALVE, THE GAUGE SHOWS THE PRESSURE OF THE GUN



CLEVER LOADER

Code: 423941

- MULTI-FUNCTIONAL LOADER FOR SHAFTS FITTED WITH SPEAR TIPS OR MULTIPRONGS
- LOADER ALSO FEATURES TABS FOR UNSCREWING A PNEUMATIC GUN VALVE COVER CAP



LINE SLIDER RACE

Code: 423937 8 mm

- Code: 423938\$ 7 mm
- COMPACT HYDRODYNAMIC LINE SLIDER
- FOR PNEUMATIC GUNS WITH A 7MM / 8MM SHAFT
- PACK OF 5PCS



TECHNICAL FEATURES

Bulb	XM-L2
Switch Mode	High
Led lumens (25°)	1000
Burn time (min)	90
Color Temperature	5800 - 7300
Light beam (1m distance)	Hot Spot (12°)
(mm/in)	220 / 8.6
Rechargeable Batteries	1x ICR18650
Time to charge	300min
Total length	158.7mm / 6.2in
Head diameter	28mm / 1.1in
Body diameter	26mm / 1in
Weight with batteries	188.5g / 6.6oz
Max. operation depth	100m / 328ft

TECHNICAL FEATURES

Max depth	50 m/164ft		
Switch	Magnetic switch (continuous-on or off position)		
Batteries (not included)	4AA Alkaline 4AA Rechargeable(2700 mAh)		
Reflector	Polycarbonate (Hot Spot)		
Front lens	Polycarbonate, 3mm thick		
Head	Polycarbonate		
Maximum diameter (head)	43mm		
Diameter of tubular grip (body)	25mm		
Fotal length	153mm		
Bulb	Mono LED 1W/120 lumens		
Color temperature	6750 °K		

POWER LOADER

Code: 413807\$

- POWER LOADER FOR MARES PNEUMATIC GUNS
- DEDICATED TO SERVICE CENTERS



INJECTOR FOR PNEUMATIC GUNS

Code: 423901

MANUAL AIR INJECTOR FOR MARES PNEUMATIC GUNS



LONG CLEVER LOADER

Code: 423942

- LONG VERSION OF THE CLEVER LOADER
- IT ALLOWS THE USER TO LOAD PNEUMATIC GUNS SAFELY AND EASILY



SLING PROTECTION

- INTENDED FOR USE ON SLING GUNS WHEN NOT IN USE
- HELPS SAFEGUARD AGAINST PREMATURE AGING OF THE SLINGS DUE TO EXPOSURE TO THE SUN



Code: 423724 - 3P/4P/5P

- HIGHLY HYDRODYNAMIC SHAPE
- GREAT SPEED AND STABILITY, EVEN ON LONGER SHOTS
- THE SPECIAL PRONG ANGLE MEANS GREATER HOLDING POWER TO RESTRAIN PREY
- BLACK PLASTIC BASE WITH RESISTANT TECHNOPOLYMER
- MUSTAD[®] PRONGS
- THREAD M7
- PACK OF 10PCS
- (RETAIL PRICE FOR 1 PIECE)



MUSTAD®

MUSTAD®

BULLET 1 BARB BULLET 2 BARB Code: 423726 Code: 423727

GALVANIZED STEEL PR80

GALVANIZED STEEL PR80

10 PCS (RETAIL PRICE FOR 1 PIECE)

10 PCS (RETAIL PRICE FOR 1 PIECE)

- THREAD M7
- THREAD M7



SHAFTS FOR PNEUMATIC GUNS

Shaft PNGun RACE 17-4PH d8 tah1barb

Code: 423265 \$



DIAMETER	LENGTH	MODELS
	97 cm	Cyrano 1.3
Ø 0	107 cm	Cyrano 1.3
Ø 8 mm	122 cm	Cyrano 1.3
	132 cm	Cyrano 1.3

MULTIPRONGS MARES

Code: 423725 \$ - 3P/4P/5P

HIGHLY HYDRODYNAMIC SHAPE

- GREAT SPEED AND STABILITY, EVEN ON LONGER SHOTS
- SPECIAL PRONG ANGLE
- THE ANGLED PRONGS MEAN GREATER HOLDING POWER TO RESTRAIN PREY
- WHITE PLASTIC BASE WITH RESISTANT TECHNOPOLYMER
- MUSTAD® PRONGS
- THREAD M7
- PACK OF 10PCS (RETAIL PRICE FOR 1 PIECE)



INOX MULTIPRONGS Code: 423720

Code: 423719

- STAINLESS STEEL
- BLACK NYLON BASE
- THREAD M7





MULTIPRONGS MARES PROTECTOR

Code: 45200320

PROTECTION FOR THREE, FOUR AND FIVE PRONGED MARES MULTIPRONGS PACK OF 10PCS

(RETAIL PRICE FOR 1 PIECE)



BULLET PRO Code: 423728

- TEMPERED STAINLESS STEEL
- 10 PCS (RETAIL PRICE FOR 1 PIECE)
- THREAD M7

BULLET MINI

Code: 423729

- STAINLESS STEEL
- 10 PCS (RETAIL PRICE FOR 1 PIECE)
- THREAD M7





Shaft PNGun RACE 17-4PH d7 tah1barb



DIAMETER	LENGTH	MODELS
	97 cm	Cyrano 1.1 HFT - Cyrano 1.1
6.5	107 cm	Cyrano 1.1 HFT - Cyrano 1.1
Ø 7 mm	122 cm	Cyrano 1.1 HFT - Cyrano 1.1
	132 cm	Cyrano 1.1 HFT - Cyrano 1.1

SHAFTS FOR PNEUMATIC GUNS

Shaft PNGun GS PR80 d8 thread

Code: 423259

Shaft PNGun GS PR80 d7 thread

Code: **423258**





DIAMETER	LENGTH	TYPE	MODELS
	36,9 cm		Sten - Jet - Cyrano 1.3
	51,9 cm		Sten - Jet - Cyrano 1.3
Ø 8 mm	66,9 cm	Thread M7	Sten - Jet - Cyrano 1.3
	86,9 cm		Sten
	98,4 cm		Sten

DIAMETER	LENGTH	TYPE	MODELS
	35,9 cm		Cyrano 1.1
56,9 cm Cyrano 1.1 - 5	Cyrano 1.1 - Sten 11		
67.mm	7 mm 67,1 cm Thread M7 Cyrano 1.1 - Sten 11	Cyrano 1.1 - Sten 11	
۳mm			
	96,5 cm	1	
	106,5 cm		

SHAFTS FOR SLING GUNS

Shaft SLGun HARDY TR 17-4PH d6.5 tah1barb

Code: **423266**



DIAMETER	LENGTH	
	115 cm	
	130 cm	
Ø 6,5mm	140 cm	
	150 cm	
	160 cm	

Shaft PNGun SS d8 thread

Code: **423260 ◊**

TIP PROTECTION

Code: 43200496

ONLY FOR MARES SHAFTS



DIAMETER	LENGTH	TYPE	
	36,9 cm	Thread M7	
Ø 8 mm	51,9 cm		
	66,9 cm		
	86,9 cm		
	98,4 cm		

LEGEND	
SLGun	Sling Gun
PNGun	Pneumatic Gun
17-4PH	Steel 17-PH
GS PR80	Galvanized Steel PR80
SS	Stainles Steel
d	diameter
tah	tahitian
TR	tricuspid

Shaft SLGun HARDY 17-4PH d6.5 tah1barb Code: **423254 ◊**

DIAMETER	LENGTH	MODELS		
Ø 6,5 mm	115 cm	Viper Pro DS		
	130 cm	Viper Pro DS		
	140 cm	Viper Pro DS		
	150 cm	Viper Pro DS		
	160 cm	Viper Pro DS		

Shaft SLGun HARDY TR 17-4PH d7 tah1barb

Code: **423264 ◊**

0		
DIAMETER	LENGTH	
	115 cm	
	130 cm	
Ø 7mm	140 cm	
	150 cm	
	160 cm	

Shaft SLGun 17-4PH d6.5 tah1barb



DIAMETER	LENGTH	
	85 cm	
	115 cm	
Ø 6,5 mm	130 cm	
	140 cm	
	150 cm	
	160 cm	

SHAFTS FOR SLING GUNS

Shaft SLGun 17-4PH d6.25 tah1barb

Code: **423263 ◊**



Shaft SLGun 17-4PH d6 tah1barb

Code: **423262 ◊**



DIAMETER	LENGTH	
	85 cm	
	115 cm	
Ø 6,25 mm	130 cm	
	140 cm	
	150 cm	

DIAMETER	LENGTH	
	85 cm	
	115 cm	
Ø 6 mm	130 cm	
	140 cm	
	150 cm	

Shaft SLGun GS PR80 d6.5 tah1barb

Code: 423256



Shaft SLGun GS PR80 d7 thread

Code: 423255

DIAMETER	LENGTH	MODELS		
	75 cm	Sniper - Sniper PS		
	85 cm	Sniper - Sniper PS		
Ø 6,5 mm	115 cm	Sniper - Sniper Pro - Sniper PS		
	130 cm	Sniper - Sniper Pro - Sniper PS		
	140 cm	Sniper Pro		
	150 cm	Sniper Pro		

DIAMETER	LENGTH	MODELS		
	58 cm	Sniper Alpha		
	68 cm	Sniper Alpha		
Ø 7 mm	78 cm	Sniper Alpha		
	98 cm	Sniper Alpha		
	113 cm			

VERTICAL SPIRO 65

Code: 423933

- 65 mm SP00L
- DESIGNED SPECIFICALLY FOR MARES SPEARGUNS
- THE PIN ON THE REEL HELPS THE LINE PASS SNUGLY ALONG THE OUTER BARREL
- MARES PATENTED CLUTCH



TECHNICAL FEATURES

Cyrano 1.1 HFT- Cyrano 1.1 - Cyrano 1.3 - Viper Pro - Viper Pro DS - Sniper - Sniper Pro - Sniper PS - Sniper Alpha							
423804 423803 423922 423921 423920 Camo line Black line Diamond line Diamond line Diamond line Ø 1,6mm - 80kg Ø 1,65mm - 100kg Ø 1mm - 130kg Ø 1,5mm - 180kg Ø 2mm - 300kg							
30 m 30 m 55 m 35 m 20 m							

VERTICAL SPIRO 87

Code: 423934

- 87 mm SP00L
- DESIGNED SPECIFICALLY FOR MARES SPEARGUNS
- THE LINE GUIDE ON THE REEL HELPS THE LINE PASS SNUGLY ALONG THE OUTER BARREL
- MARES PATENTED CLUTCH



TECHNICAL FEATURES

Cyrano 1.1 HFT- Cyrano 1.1 - Cyrano 1.3 - Viper Pro - Viper Pro DS - Sniper - Sniper Pro - Sniper PS - Sniper Alpha							
423804 423803 423922 423921 423920 Camo line Black line Diamond line Diamond line Diamond line Ø 1,6mm - 80kg Ø 1,65mm - 100kg Ø 1mm - 130kg Ø 1,5mm - 180kg Ø 2mm - 300kg							
60 m 60 m 85 m 65 m 40 m							

REEL
Code: 423856

85 mm SP00L


DEDICATED TO STEN – STEN 11 - JET




LATEX S-POWER BROWN ROLL

- TWO MATERIALS MARES S-POWER LATEX
- THIN BROWN UV PROTECTION OUTSIDE AND AMBER NATURAL LATEX INSIDE
- PROGRESSIVE LATEX AND CONSTANT POWER OVER LONG TERM
- 5 METER ROLL

ode: 423989	
DIAMETER	LENGTH
Ø 14 mm	5 meter roll
ode: 423990	
DIAMETER	LENGTH
Ø 16,5 mm	5 meter roll
ode: 423991 ◊	
DIAMETER	LENGTH







S-POWER SLINGS PAIR

- MARES S-POWER LATEX
- CONICAL RING PREVENTS THE PARACHUTE EFFECT AND INCREASES THE SPEED



Code: 423957		Code: 423962 ◊	
DIAMETER	LENGTH	DIAMETER	LENGTH
	16 cm		19 cm
	19 cm		22 cm
Ø 16 mm	22 cm	Ø 19 mm	24 cm
	24 cm		26 cm
	26 cm		28 cm

Code: 423958		
DIAMETER	LENGTH	
	16 cm	
	19 cm	
6 48 5	22 cm	
Ø 17,5 mm	24 cm	
	26 cm	
	28 cm	

S-POWER SLINGS CIRCULAR

- MARES S-POWER LATEX
- CONICAL RING PREVENTS THE PARACHUTE EFFECT AND INCREASES THE SPEED

Code: 423970		Code: 423963	
DIAMETER	LENGTH	DIAMETER	LENGTH
	28 cm		30 cm
Ø 14 mm	30 cm		34 cm
Ø 14 mm	34 cm		42 cm
	50 cm	Ø 16 mm	44 cm
		_	50 cm
			55 cm
			60 cm
			00 011
Code: 423959		Code: 423964 ◊	00 Cm
Code: 423959 DIAMETER	LENGTH	Code: 423964 ◊ DIAMETER	LENGTH
	LENGTH 34 cm		
		DIAMETER	LENGTH
DIAMETER -	34 cm		LENGTH 48 cm
	34 cm 42 cm	DIAMETER	LENGTH 48 cm 60 cm
DIAMETER	34 cm 42 cm 48 cm	DIAMETER	LENGTH 48 cm 60 cm 65 cm
DIAMETER -	34 cm 42 cm 48 cm 55 cm	DIAMETER	LENGTH 48 cm 60 cm 65 cm

S-POWER SLINGS SPEED CIRCULAR

- MARES S-POWER LATEX
- INTERCHANGEABLE WISHBONE IN 2 mm DYNEEMA®
- DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS
- NO PARACHUTE EFFECT, INCREASES SPEED

Code: 423966		Code: 423960	Code: 423960	
DIAMETER	LENGTH	DIAMETER	LENGTH	
	42 cm		42 cm	
	50 cm	Ø 17,5 mm	48 cm	
Ø 16 mm	55 cm		55 cm	
	60 cm		60 cm	
	65 cm		65 cm	
			70 cm	

Code: 423965 			
DIAMETER	LENGTH		
	48 cm		
6.10	60 cm		
Ø 19 mm	65 cm		
	70 cm		

S-POWER SLINGS SPEED CIRCULAR

- TWO-MATERIAL MARES S-POWER LATEX
- THIN, BROWN LATEX UV PROTECTION OUTSIDE AND AMBER, NATURAL LATEX INSIDE
- PROGRESSIVE LATEX SLING OFFERING CONSTANT POWER OVER THE LONG TERM
- INTERCHANGEABLE WISHBONE IN 2 MM DYNEEMA®
- DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS
- NO PARACHUTE EFFECT, INCREASES SPEED

ode: 423870		Code: 423871	
DIAMETER	LENGTH	DIAMETER	LENGTH
Ø 14 mm	42 cm		42 cm
	48 cm	Ø 16,5 mm	48 cm
	55 cm		55 cm
	60 cm		60 cm
	65 cm		65 cm
	70 cm		70 cm

Code: 423872			
DIAMETER	LENGTH		
	42 cm		
	48 cm		
6.10	55 cm		
Ø 18 mm	60 cm		
	65 cm		
	70 cm		









ARTICULATED BIND WISHBONE Code: 423915 \$	ARTICULATED WISHBONE Code: 423914	LARIO BIND WISHBONE Code: 423913 ¢	DIAMOND LINE 1 mm Code: 423922 0	CAMO LINE Code: 423804
Ser Contraction of the second se			mares 2 Concert Russ	
LARIO WISHBONE Code: 423912	RACE WISHBONE Code: 423967	LOADER WISHBONE KIT Code: 423904 \$	TECHNICAL FEATURESMaterials100% Dyneema core HT Polyester covering TomemaDiameter1 mmResistance120 kgLength of roll100 meters	Materials HT Polyester covering Diameter 1,65 mm Resistance 100 kg Length of roll 100 meters
SPEED	SPEED2	SPEED3	DIAMOND LINE 1,5 mm Code: 423921	BLACK LINE Code: 423803
Code: 423911 CONNECTOR END MADE OF SPECIAL 2 mm DYNEEMA® LINE DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS NO PARACHUTE EFFECT, INCREASES SPEED	Code: 423916 CONNECTOR END MADE OF SPECIAL 2 mm DYNEEMA® LINE DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS NO PARACHUTE EFFECT, INCREASES SPEED	Code: 423936 • CONNECTOR END MADE OF SPECIAL 2 mm DYNEEMA® LINE • DESIGNED FOR SHAFTS WITH SPECIALLY POLISHED NOTCHES, PINS OR SHARK FINS • NO PARACHUTE EFFECT, INCREASES SPEED	Materials 100% Dyneema core HT Polyester covering Dreema* Covering Diameter 1,5 mm Resistance 180 kg Length of roll 100 meters	Materials HT Polyester covering Diameter 1,6 mm Resistance 80 kg Length of roll 50 meters
WISHBONE TOOL Code: 423940 ¢	PAIR OF SLINGS SUPPORT Code: 423944 ◊	LINE DYNEEMA Code: 423993 • SPECIAL 2mm DYNEEMA, THE BEST MATERIAL FOR WISHBONES • 10 METERS	Code: 423920	BLACK MONOLINE Code: 423931
			TECHNICAL FEATURESMaterials100% Dyneema core HT Polyester coveringDyneemaDiameter2 mmResistance300 kgLength of roll50 meters	Materials Nylon Diameter 1,5 mm Resistance 80 kg Length of roll 25 meters











ACCESSORIES

FISH STRINGER code: **423823**



FISH STRINGER KIT

Code: **423929**

Code: 423935


∎ L



BUNGEE WITH BIG CARABINER

STRING RELEASER NEW Code: 425620

■ HOLE FOR FREEING SHAFTS STUCK IN THE ROCKS





THREAD UNC ¼"



BARB KEEPER O-RING

Code: 423926









CAMERA BRACKET

Code: **423948**

- ATTACHMENT POINT FOR VIDEO & CAMERA GEAR
- MOUNTS TO MARES GUNS THAT HAVE VERTICAL SPIRO REELS



CAMERA BRACKET FOR PNEUMATIC GUNS

Code: 423971

BUNGEE

Code: 423923

M-L

■ FOR Ø 40 mm 0.D. BARRELS



SLEEVES KIT

Code: 423924

20 PCS - FOR MONOLINE 1,4 / 1,6 mm

Code: 423925

20 PCS - FOR MONOLINE 1,2 / 1,4 mm





Code: **423930**



SLEEVES PLIER

Code: 423968



SHARK CLIP WITH SWIVEL

Code: **423969**



GLUE FOR NEOPREN	IE		SI
Code: 415108			Code
■ 20 ml			■ 20 n
ma	res	0	
BLACK Quick Drying No	WITCH	20ml G	



mares

Silicone Grease



Code: **415101**

■ 60 ml







X-ONE

Code: 410337

- BUCKLE-FREE STRAP DESIGN
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY SHORT BLADE
- CHANNEL THRUST TECHNOLOGY



ADULT/JUNIOR

COLOR VARIA	TIONS	
		X
YL	BL	WH
SIZE CHART		

SILL ONART			
Sizes	EU	UK	USA
SM	35/38	2.5/5	3.5/6
ML	39/43	5.5/9	6.5/10
LXL	44/47	9.5/12	10.5/13

PACKAGING



SA

*Available only from 30 to 35

219

CLIPPER

Code: 410344

- ULTRA COMFORTABLE FOOT POCKET
- EVA BLADE
- EXTREME HIGH-EFFICIENCY BLADE
- DURABLE CONSTRUCTION



COLOR VARIATIONS







Sizes	EU	UK	USA
030	30/32	10.5/12	11.5/13
033	33/34	0/1	1/2
035	35/36	1.5/2.5	2.5/3.5
037	37/38	3/4	4/5
039	39/40	4.5/5.5	5.5/6.5
041	41/42	6/7	7/8
043	43/44	7.5/8.5	8.5/9.5



MANTA

Code: 410333\$

- COMFORTABLE FOOT POCKET
- RUBBERIZED SIDE RIBS
- BLADE'S CONSTRUCTION OPTIMIZES EFFICIENCY 2 CHANNEL DESIGN FOR ADDED PROPULSION
- DURABLE CONSTRUCTION

FLUIDA

Code: 410329\$

- COMFORTABLE FOOT POCKET
- LIGHT OPB SYSTEM FOR EASY KICKING EFFICIENCY
- DURABLE CONSTRUCTION



EU

36/37

38/39

40/41

42/43

44/45

46/47

USA

3.5/4.5

5/6

6.5/7.5

8/9

9.5/10.5

11/12



ę	g	
RYL	RBL	
SIZE CHART		

Sizes	EU	USA
036	36/37	4/5
038	38/39	6/7
040	40/41	7.5/8.5
042	42/43	9/10
044	44/45	10.5/11.5
046	46/47	12/13

mares

PA	CK	A	GI	Ν	C



SA



@alles SA

PACKAGING

COLOR VARIATIONS

RYI ' SIZE CHART

Sizes

036 038

040

042

044

046





220



Code: 410328\$

- COMFORTABLE, SOFT FOOT POCKET
- TRAVEL FRIENDLY SHORT BLADE
- IDEAL FOR SWIM TRAINING OR SNORKELING IN CALM WATER



COLOR VARIATIONS		
mares	gare	
YL	BL	
SIZE CHART		

SIZE CHART			
Sizes	EU	UK	USA
034	34/35	3/4	1.5/2.5
036	36/37	4/5	3.5/4.5
038	38/39	5/6	5/6
040	40/41	6/7	6.5/7.5
042	42/43	8/9	8/9
044	44/45	9.5/10.5	9.5/10.5
046	46/47	11/12	11/12

PACKAGING



♦ While stocks last


X-ONE JR

Code: 410345

- BUCKLE-FREE STRAP DESIGN
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY SHORT BLADE
- CHANNEL THRUST TECHNOLOGY



COLOR VARIATIONS





Sizes	EU	UK	USA
XS	24/29	7/10.5	7.5/11
S	30/34	11.5/2	12/13

PACKAGING

SIZE CHART



JUNIOR

PIPER

Code: 410314

- STRAP WITH QUICK RELEASE BUCKLES
- COMFORTABLE FOOTPOCKET DURABLE CONSTRUCTION

MANTA JR

Code: 410339

- COMFORTABLE FOOT POCKET
- RUBBERIZED SIDE RIBS
- BLADE'S CONSTRUCTION OPTIMIZES EFFICIENCY
- 2 CHANNEL DESIGN FOR ADDED PROPULSION
- DURABLE CONSTRUCTION







SIZE	CHART	

Sizes	EU	UK	USA
SM	27/31	9/12	9/13
LXL	32/37	13/4.5	1/4

COLOR VARIA	TIONS	
e	а	e
RYL	RBL	WH
SIZE CHART		

SIZE CHART		
Sizes	EU	USA
027	27/29	9/12.5
031	31/33	1/2
034	34/35	2.5/3.5





PACKAGING	
SA	

FLUIDA JR

Code: 410336

- COMFORTABLE FOOT POCKET
- LIGHT OPB SYSTEM FOR EASY KICKING EFFICIENCY
- DURABLE CONSTRUCTION





SIZE CHART		
Sizes	EU	USA
027	27/30	9/11.5
031	31/33	12.5/1
034	34/35	1.5/2.5



Fins Adult	X-One	Clipper	Manta	Fluida	Hermes
Code	410337	410344	410333	410329	410328
Colors	● BL ○ WH ○ YL	● BL ● PK* ○ WH ● YL	● RBL ○ RYL ○ WH	● RBL ● RYL**	● BL ○ YL
Sizes	SM · ML · LXL	030 · 033 · 035 · 037 · 039 · 041 · 043	036 · 038 · 040 · 042 · 044 · 046	036 · 038 · 040 · 042 · 044 · 046	034 · 036 · 038 · 040 · 042 · 044 · 046
Riddled Footpocket					
OPB - Optimized Pivoting Blad					
Channel Thrust					



Fins Junior	X-One Jr	Piper	Manta Jr	Fluida Jr
Code	410345	410314	410339	410336
Colors	BL PK OWH VL	● BL ● PK ○ WH	RBL RYL OWH	● RBL ● RPK
Sizes	XS - S	SM · LXL	027 · 031 · 034	027 · 031 · 034
Riddled Footpocket	-			
OPB - Optimized Pivoting Blad				
Channel Thrust				

*Available only from 030 to 035 **Not available in 046
















ADULT

SEA VU DRY +

Code: 411260


- TRANSPARENT SURFACES TO CLEARLY SEE THE FACE





MASKS & SNORKELS

ADULT/JUNIOR



PACKAGING



FITTING

	SM	LXL
WHLM	•	
PKWH	•	
BLCL	•	•
LMSK		•
WHCL		

TRYGON

Code: 411262

- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION INTEGRATED BUCKLES ON FRAME

WAH00

Code: 411238

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

PURE VISION

Code: 411217\$

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE





. .

AP

ADULT







PACKAGING





FITTING

COLOR VARIATIONS

PACKAGING





FITTING • • ŤŤ ŤŤ Ϋ́Α **ት**ተ YOUTH 8-14 LADY/MID ADULT

PACKAGING		
SC		

While stocks last

226

RAY

Code: 411242\$

- SILICONE SKIRT
- STURDY AND DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- OPTICAL LENSES AVAILABLE




COLOR VARIATIONS







FITTING





ADULT

VENTO

Code: 411316

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT WIDE DOWNWARDS VIEWING ANGLE

RIDLEY

Code: 411263

- MEDIUM SIZED SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT

ZEPHIR

Code: 411319

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE





ŤŤ


LADY/MID

ŤŤ

AP













PACKAGING

COLOR VARIATIONS

BLWCL

FITTING











GU


STREAM

Code: 411239

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARDS VIEWING ANGLE



COLOR VARIATIONS



FITTING



PACKAGING



GU

STARFISH

Code: 411348

- SILITER SKIRT
- PIVOTING BUCKLES ON FRAME

TRYGON JR

Code: 411264

- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME

PIRATE

Code: 411321

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE









KID 4-7	YOUTH 8-14		
----------------	------------	--	--

PACKAGING



GU



FITTING



PACKAGING



COLOR VARIATIONS





VENTO JR

Code: 411240

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARDS VIEWING ANGLE



COLOR VARIATIONS



FITTING





SHARKY JR

Code: 4113220

- SILICONE SKIRT
- ADJUSTABLE BUCKLES ON FRAME

BLENNY

Code: 411247

- SILICONE SKIRT
- TWO BUTTON BUCKLE THAT PIVOTS ON FRAME

ZEPHIR JR

Code: 411324


- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

















BX

♦ While stocks last







FITTING



PACKAGING

232







FITTING **M** ŤŤ ŤŤ ŤŤ πШ YOUTH 8-14 LADY/MID




SEAHORSE

Code: 411241

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARDS VIEWING ANGLE



COLOR VARIATIONS



FITTING



PACKAGING



jaľkes | 🔊

TURTLE

Code: 411249

Code: 411259 - 12pcs assorted colors

- SILITER SKIRT
- POLYCARBONATE LENS
- EYELET SYSTEM
- SOFT ELASTIC STRAP

Code: 411248

- SILITER SKIRT
- POLYCARBONATE LENS
- EYELET STRAP SYSTEM

JELLY

Code: 411265

- SILICONE SKIRT
- CURVED PC LENS
- EYELET SYSTEM
- SOFT ELASTIC HEADSTRAP





ŤŤ

M

тШ

LADY/MID

ŤŤ

YOUTH 8-14







PACKAGING







ŤŤ

KID 4-7

COLOR VARIATIONS



SC



♦ While stocks last

SC









SC

CARIBE

Code: 411327 - 24 pcs assorted colors (8 x PKCL, BLCL, YLCL)

- SILITER SKIRT
- POLYCARBONATE LENS
- EYELET STRAP SYSTEM



COLOR VARIATIONS



FITTING



PACKAGING



SC

GATOR DRY

Code: 411522

- DRY TOP
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE

RYL

RBL

EXHAUST VALVE

COLOR VARIATIONS 1





GATOR SPLASH

SEMI-DRY TOP WITH ANTI-SPLASH


SLIDING KEEPER WITH CARABINER

Code: 411523

SYSTEM

EXHAUST VALVE

SILICONE MOUTHPIECE



Code: 411468	SAILOR Code: 411461	
SEMIDRY TOP WITH ANTI-SPLASH SLIDING KEEPER SILICONE DROP AWAY HOSE AND MOUTHPIECE EXHAUST VALVE SUITABLE FOR EXTENDED SNORKELING	 SEMI-DRY TOP WITH ANTI-SPLASH SLIDING KEEPER SILICONE MOUTHPIECE EXHAUST VALVE 	Chilles .
SESSIONS		
		P Internet

of the second seco

While stocks last

RBL BK

ROVER S

Code: 411521

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILICONE MOUTHPIECE



COLOR VARIATIONS



ROVER

Code: 411518

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILITER MOUTHPIECE







GATOR JR SPLASH

-

GATOR JR DRY


Code: 411524

- DRY TOP
- SLIDING KEEPER WITH CARABINER
- SYSTEM SILICONE MOUTHPIECE
- EXHAUST VALVE

COLOR VARIATIONS

Y


RYL RBL



MINI RUDDER		HIPPO	
Code: 411520		Code: 411526	
 CURVED, ERGONOMIC STRUCTURE INTEGRATED SNORKEL KEEPER SILITER MOUTHPIECE 	1 Anna	 CURVED, ERGONOMIC STRUCTURE SOFT SILICONE KEEPER SILITER MOUTHPIECE FOR KIDS 	(all the second s
COLOR VARIATIONS		COLOR VARIATIONS	
RYL RBL		RPKSA RAQSA	

			3	00		50		3	
Masks Adult	Trygon	Wahoo	Pure Vision	Ray	Vento	Ridley	Zephir	Stream	Starfish
Code	411262	411238	411217	411242	411316	411263	411319	411239	411348
Colors	⊘ AQWCL ⊘ BLWCL ♀ YLBK	Ø AQWCL ● RBKBK Ø RBLCL Ø RYLCL	● BKBK	 BK7BK BLWCL LIWCL YLWCL 	● BKBK Ø RBLCL Ø RYLCL	Ø BLWCL Ø PKWCL	● BKBK Ø RBLCL Ø RYLCL	Ø RBLCL Ø RYLCL	⊘ BLCL ∳ YLBK
Fitting	ADULT	ADULT	ADULT	ADULT	ADULT	LADY/MID	ADULT	ADULT	ADULT
Silicone Skirt				-	-				
Tempered Glass Lens				-	•	-		-	-

	3	00	3	3	(-00	3		$\overline{\mathcal{O}}$	$\overline{\mathbf{N}}$	3
Masks Junior	Trygon Jr	Pirate	Vento Jr	Sharky Jr	Blenny	Zephir Jr	Seahorse	Turtle	Puffer	Jelly	Caribe
Code	411264	411321	411240	411322	411247	411324	411241	411249 411259	411248	411265	411327
Colors	Ø BLWCL Ø PKWCL	Ø PKWCL Ø RBLCL Ø RYLCL	Ø BLWCL Ø PKWCL	 ♥ RBLCL Ø RPKCL Ø RYLCL 	BLBL Opkpk Vlyl	♥ RBLCL Ø RPKCL Ø RYLCL	♥ RBLCL ♥ RYLCL	AQPK BLGN	Ø AQWCL Ø PKKCL	S LMBCL PKYCL	BLBL O PKPK VLYL
Fitting	YOUTH	YOUTH	YOUTH	KID	KID	YOUTH	YOUTH	YOUTH	KID	KID	KID
Silicone Skirt				•							
Tempered Glass Lens											
Elastic strap											



TECHNICAL SPECIFICATIONS

COMBO TRYGON

Code: 411792

MASK

- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- SNORKEL
- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- FLEXIBLE CORRUGATED HOSE





MASK FITTING **†** ŤŤ **Å**Å ** YOUTH 8-14 LADY/MID ADULT



While stocks last



COMBOS

ADULT/JUNIOR

COMBO RAY

Code: 411759\$

MASK

- SILICONE SKIRT
- STURDY AND DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- OPTICAL LENSES AVAILABLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE CORRUGATED HOSE AND MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



MASK FITTING





Code: 411779

MASK

- SILICONE SKIRT
- ELASTIC HEADSTRAP FIXED ON THE SKIRT SLIDING ADJUSTMENT SYSTEM
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE

СОМВО	WAH00

Code: 411745

MASK


- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE







MASK FITTING **†**† **M** Ť ** LADY/MID KID 4-7 ADULT





COLOR VARIATIONS

RBLCL

AQWCL

ŤŤ

AP

ADULT

LADY/MID

RYLCL

MASK FITTING





- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS						
S	50					
¥4	¥					
RBLCL	RYLCL					

MASK FITTING ŤŤ ŤŤ **M ት**ተ YOUTH 8-14 LADY/MID ADULT



* Only available with YLWCL

COMBO PURE VISION

Code: 411736

- MASK
- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT WIDE VIEWING ANGLE

COMBO VENTO

Code: 411746

MASK

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SLIDING KEEPER
- SILICONE MOUTHPIECE



COLOR VARIATIONS





MASK FITTING





Code: 411776\$

MASK

- FRAMELESS SILICONE MASK
- ULTRA COMFORTABLE SKIRT STURDY BUCKLES ON SKIRT

SNORKEL

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE

Code: 411793

MASK

- MEDIUM SIZED SILICONE SKIRT
- EZ ADJUST BUCKLE ON SKIRT

SNORKEL

- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE

COMBO TANA

Code: 411734

MASK

- SILICONE SKIRT
- LOW INTERNAL VOLUME
- BUCKLES ON SKIRT

SNORKEL

- BI-MATERIAL SNORKEL
- CURVED, ERGONOMIC STRUCTURE
- SLIDING KEEPER
- SILICONE MOUTHPIECE FOR EXTENDED USE






ŤŤ

LADY/MID

ጠጠ



MASK FITTING ŤŤ ŤŤ ***†** LADY/MID





SF





PACKAGING



**

COLOR VARIATIONS

PKWCL

ŤŤ

BLWCL

MASK FITTING





MASK FITTING



PACKAGING

COLOR VARIATIONS

0 Y.

BKBK



HP



COMBO ZEPHIR

Code: 411769

MASK

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE

SNORKEL

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE



COLOR VARIATIONS



MASK FITTING



PACKAGING



GU

COMBO STREAM

Code: 411770

MASK

- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT WIDE DOWNWARD VIEWING ANGLE
- SNORKEL CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE

Code: 411740

- SILITER SKIRT
- PIVOTING BUCKLES ON FRAME
- SNORKEL
- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- SILITER MOUTHPIECE


COMBO TRYGON JR

Code: 411794

- MASK
- SILICONE SKIRT
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- SNORKEL
- SEMI-DRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE







MASK FITTING • ŤŤ ŤŤ **ት** ተ LADY/MID ADULT












MASK FITTING



PACKAGING





MASK FITTING ŤŤ ŤŤ ŤŤ LADY/MID YOUTH 8-14



* Only available with YLWCL

COMBO PIRATE NEON

Code: 411788

MASK

- SILICONE SKIRT
- ELASTIC HEADSTRAP FIXED ON THE SKIRT
- SLIDING ADJUSTMENT SYSTEM
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS



MASK FITTING





COMBO **PIRATE**

Code: 411757

MASK

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT DURABLE CONSTRUCTION
- WIDE VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE EXHAUST VALVE

COMBO VENTO JR NEON

Code: 411789\$

- MASK
 - SILICONE SKIRT
 - ELASTIC HEADSTRAP FIXED ON THE SKIRT
 - SLIDING ADJUSTMENT SYSTEM WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE






π

LADY/MID















COLOR VARIATIONS

PKWCL


YLWCL

MASK FITTING



While stocks last









While stocks last



Code: 4117740

SILICONE SKIRT

EZ ADJUST BUCKLES ON SKIRT

ERGONOMIC STRUCTURE

■ SILICONE MOUTHPIECE

INTEGRATED KEEPER

WIDE DOWNWARD VIEWING ANGLE

MASK

SNORKEL

CURVED

COMBO VENTO ENERGY JR



COMBO VENTO JR

Code: 411748\$

MASK

- SILICONE SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER WITH CARABINER SYSTEM
- SILICONE MOUTHPIECE
- EXHAUST VALVE



COLOR VARIATIONS





MASK FITTING





Code: 411729

MASK

SILICONE SKIRT

ADJUSTING BUCKLES ON FRAME

SNORKEL

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING KEEPER
- SILITER MOUTHPIECE
- EXHAUST VALVE

Code: 411777\$

- MASK
- SILICONE SKIRT
- TWO BUTTON BUCKLE THAT PIVOTS ON FRAME
- SNORKEL
- SEMIDRY TOP WITH ANTISPLASH
- SLIDING KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE

COMBO DILLY

Code: 411795

MASK


- SUPER SOFT, COMFORTABLE TPE SKIRT
- ULTRA FLEXIBLE CP* LENS *CELLULOSE-PROPIONATE
- SLIDING BUCKLE, EASILY ADJUSTABLE FOR KIDS
- SOFT ELASTIC STRAP, NO HAIR TANGLING

SNORKEL

- CURVED ERGONOMIC STRUCTURE
- SOFT SILICONE KEEPER
- SILITER MOUTHPIECE













YLYL BLBL

COLOR VARIATIONS

MASK FITTING









MASK FITTING ŤŤ **M** ŤŤ гШ KID 4-7 YOUTH 8-14 LADY/MID



While stocks last

COMBO JELLY

Code: 411797

MASK


- SILITER SKIRT
- CURVED PC LENSE
- EYELET SYSTEM
- SOFT ELASTIC STRAP

SNORKEL

- CURVED, ERGONOMIC STRUCTURE
- SOFT SILICONE KEEPER
- SILITER MOUTHPIECE FOR KIDS



COLOR VARIATIONS



MASK FITTING



PACKAGING



NEW

COMBO SEAHORSE

Code: 411749

SILITER SKIRT

EZ ADJUST BUCKLES ON SKIRT

WIDE DOWNWARD VIEWING ANGLE

CURVED ERGONOMIC STRUCTURE

■ INTEGRATED SNORKEL KEEPER

SILITER MOUTHPIECE

MASK

SNORKEL

COMBO ZEPHIR JR

Code: 411730

MASK


- SILITER SKIRT
- EZ ADJUST BUCKLES ON SKIRT
- DURABLE CONSTRUCTION WIDE VIEWING ANGLE


SNORKEL

- CURVED ERGONOMIC STRUCTURE ■ INTEGRATED SNORKEL KEEPER
- SILITER MOUTHPIECE

Et al restrict
R















COLOR VARIATIONS





RYLCL



Code: 411778\$

MASK

- SILITER SKIRT
- POLYCARBONATE LENS EYELET SYSTEM
- SOFT ELASTIC STRAP

SNORKEL

- BASIC CONSTRUCTION
- SILITER MOUTHPIECE





MASK FITTING





	00	00		-00	3
Combo Aduklt	Trygon	Ray	Wahoo Neon	Wahoo	Pure Vision
Code	411792	411759	411779	411745	411736
Colors	Ø AQWCL Ø BLWCL Ø YLBK	OBLWCL OLIWCL YLWCL	Ø PKWCL Ø YLWCL	Ø AQWCL Ø RBLCL Ø RYLCL	⊘ RBLCL ⊘ RYLCL
Fitting	ADULT	ADULT	ADULT	ADULT	ADULT
Silicone Skirt	-				
Tempered Glass Lens					
Semi Dry Top	-				
Silicone Mouthpiece	-				
Purge Valve	-				
Elastic Strap					

	00)	R	-000		6	5
Combo Junior	Trygon Jr	Pirate Neon	Pirate	Vento Jr Neon	Vento Energy Jr	Vento
Code	411794	411788	411757	411789	411774	4117
Colors	Ø BLWCL Ø PKWCL	Ø PKWCL Ø YLWCL	Ø PKWCL Ø RBLCL	Ø PKWCL Ø YLWCL	OCTCL OFUP- KCL	Ø BL Ø Pł
Fitting	YOUTH	YOUTH	YOUTH	YOUTH	YOUTH	YOU
Silicone Skirt						-
TPE Skirt						
Tempered Glass Lens					•	-
CP lens*						
Semi Dry Top			•			-
Silicone Mouthpiece					•	-
Purge Valve				•		-
Elastic Strap						

While stocks last







SET X-ONE MAREA

Code: 410794

MASK

- SILICONE SKIRT
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- EZ ADJUST BUCKLES ON SKIRT
- WIDE DOWNWARD VIEWING ANGLE

SNORKEL

- SEMIDRY TOP WITH ANTISPLASH
- SILICONE MOUTHPIECE
- EXHAUST VALVE


FINS

- BUCKLE-FREE STRAP REGULATION
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY BLADE WITH CHANNEL THRUST



SETS

ADULT/JUNIOR



COLOR VARIATIONS



RBL

FIN SIZE CHART

Sizes	EU	UK	USA
SM	35/38	2.5/5	3.5/6
ML	39/43	5.5/9	6.5/10
LXL	44/47	9.5/12	10.5/13

MASK FITTING



ŤŤ LADY/MID ADULT



Code: 410759

MASK

- SILICONE SKIRT
- EASY ADJUST BUCKLES ON SKIRT
- WIDE VIEWING ANGLE

SNORKEL

- SEMI DRY TOP WITH ANTI-SPLASH
- SILICONE MOUTHPIECE EXHAUST VALVE

FIN

- BUCKLE-FREE STRAP DESIGN
- RIDDLED FOOT POCKET AVOIDS PARACHUTE EFFECT
- TRAVEL FRIENDLY SHORT BLADE
- CHANNEL THRUST TECHNOLOGY



COLOR VARIATIONS



MASK FITTING



FIN SIZE CHART

Sizes	EU	UK	USA
XS	24/29	7/10.5	7.5/11
S	30/34	11.5/2	12/3



PACKAGING



SET SEA FRIENDS

Code: 410760\$

MASK

- SILITER SKIRT
- QUICK RELEASE BUCKLES
- WIDE-ANGLED FIELD OF VISION

SNORKEL

- 100% DRY TOP
- SILITER MOUTHPIECE
- PURGE VALVE

FIN

- QUICK RELEASE BUCKLE WITH STRAP
- COMFORTABLE FOOT POCKET

BAG WITH QUICK CLOSURE





FIN SIZE CHART	FIN SIZE CHART						
Sizes	EU	UK	USA				
ML	27/31	9/12	9/13				
LXL	32/37	13/4.5	1/4				

While stocks last



MASK FITTING



NEOPRENE


STEAMER MANTA


Code: 412456 Man Code: 412457 Lady


- DOUBLE LINING
- BACK ZIP
- ZIP PULL AND LOCKING SYSTEM
- RUBBERIZED KNEE PADS
- COLORED BACK PANEL FOR GREATER VISIBILITY IN THE WATER



TECHNICAL FEATURES Thickness 2.2mm Fabric Type









NEOPRENE

ADULT/JUNIOR

SHORTY MANTA

Code: 412458 Man

Code: 412459 Lady

- DOUBLE LINING
- BACK ZIP
- ZIP PULL AND LOCKING SYSTEM



TECHNICAL FEATURES

Thickness	2.2mm						
Fabric Type		Neoprene					
Sizes Man	1	1 2 3 4 5 6 7					7
Sizes Lady	1	2	3	4	5		

SHORTY MANTA JUNIOR

Code: 412460

- DOUBLE LINING
- BACK ZIP
- ZIP PULL AND LOCKING SYSTEM



TECHNICAL FEATURES

Thickness	2.2mm					
Fabric Type	Neoprene					
Sizes	-6	-5	-4	-3	-2	0
Ages*	4-6	6-7	7-8	8-9	9-10	12-13

JUNIOR

RASH GUARD **KID**

LONG SLEEVE

Code: 412543 Boy Code: 412544 Girl

SHORT SLEEVE Code: 412559 Boy

- Code: 412560 Girl
- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT
- DEDICATED KID CUT

TECHNICAL FEATURES

Thickness Fahric Type

Sizes

Ages*



L

5/6

XL

6/7

Polyester / Snandey

4/5

м

RASH GUARD JUNIOR
LONG SLEEVE
Code: 412500 Boy
Code: 412501 Girl
SHORT SLEEVE
Code: 412506 Boy
Code: 412507 Girl
COOL. LIGHTWEIGHT MATERIAL
FAST DRYING
FLAT SEAM CONSTRUCTION FOR COMFORT
DEDICATED JUNIOR CUT
mares



TECHNICAL FEATURES

Thickness		-				
Fabric Type		Polyester / Spandex				
Sizes	XS	XS S M L XL				
Ages*	8/9	9/10	10/11	11/12	12/13	

BABY WRAP

Code: 412557\$

■ THE FIRST NEOPRENE SUIT FOR BABIES

XS

2/3

S

3/4

- THERMAL COMFORT
- EASY TO WEAR
- 4 VELCRO STRAPS FOR AN ADJUSTABLE FIT
- EASY ACCESS FOR DIAPER CHANGING

FLOATING JACKET

Code: 412589 - 1 piece per size/color

- NOT A LIFE JACKET. DOES NOT PROTECT AGAINST DROWNING
- AID FOR LEARNING TO SWIM, CERTIFIED IN COMPLIANCE WITH EN 13138-1:2014
- INNER ANTI-PUNCTURE FOAM FLOATERS
- ALLOWS A PROGRESSIVE BUOYANCY REDUCTION
- DOUBLE LINED NEOPRENE
- FRONT ZIP WITH SECURITY PAD
- CROTCH BAND WITH SECURITY BUCKLE



TECHNICAL FEATURES

Size	S	м	L
Ages (Months)*	6-12	12-18	18-24
Weight (kg)	7-13	10-17	14+
Height (cm)	75	80	90





TECHNICAL FEATURES

TECHNICAL FEATORES						
Size	XXS	XS	s	М		
Weight (kg)	< 11	11-15	15-18	18-30		

COLOR & SIZE IDENTIFICATION Mares found a solution to help you in your daily business, by introducing a new quick and easy Color & Size identification system for all products. This system will allow you and your staff to immediately identify the different sizes in your Diving Center and rental equipment just by looking at the color codes. 7-7-75 HONDIRAS



DIVING CENTER



* Ages indicated in the table are purely for reference



NEW

ROVER 15X

code: 416254 INT / DIN 300

1sT STAGE

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE SANDBLASTED FINISH

2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON

ROVER 2S code: 416255 INT / DIN 300

code: 416266 - DC Pack (MOQ 6pcs)

1ST STAGE

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP

2ND STAGE

EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN

NEW

NEW

- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON



TECHNICAL FEATURES

Weight (g)	INT	DIN 300 bar	
First Stage	772	598	
Second Stage	190		
Total Weight (including hose)	1107	933	

TECHNICAL FEATURES

Weight (g)	INT	DIN 300 bar	
First Stage	608	432	
Second Stage	190		
Total Weight (including hose)	1107	933	

OCTOPUS ROVER

code: 416557 NR

code: 416584 NR - DC Pack (MOQ 6pcs)

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE





TECHNICAL FEATURES

Second Stage Weight (g)	190
Total Weight (including hose)	365

Mares regulators have been tested and certified in compliance with EC directive 89/686/EEC and/or European Regulation 2016/425 according to the EN 250: 2014 standard.

1st STAGE **15X***

code: 416237 INT /DIN 300

- DFC PORT
- PRE-ORIENTED PORTS
- SANDBLASTED FINISH



TECHNICAL FEATURES

Weight (g)	INT	DIN 300 bar		
First Stage	772	598		

AST DRY SYSTEM

code: 416811 INT

code: 416812 DIN

- AUTO-SEALING TECHNOLOGY
- KEEPS THE FIRST STAGE DRY
- ACTIVATED BY GAS
- CAN BE USED WITH A HIGHER PERCENTAGE OF OXYGEN
- CAN BE USED IN COLD WATER
- EASY TO INSTALL ON 15X AND R2 FIRST STAGES



MOUTHPIECE KIT

code: 415345

- BLACK
- FITS ON ALL MARES REGULATORS
- 20 PCS STANDARD + 10 PCS SMALL + 30 CLAMPS



* For use with octopuses and second stages with which it has been certified. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.



TECHNICAL FEATURES

Weight (g)	INT	DIN 300 bar
First Stage	608	432

15X-2S DIN CONNECTOR

- FOR 200 AND 300 BAR USE
- CONICAL SINTERED FILTER



DIVING CENTER BCD LINE

- UV PROTECTED 1000 DENIER CORDURA®
- STANDARD BUCKLE WEIGHT SYSTEM (OPTIONAL ROVER PRO DC)
- HEIGHT ADJUSTABLE SHOULDER BUCKLES
- SPECIALLY DESIGNED OCTOPUS AND PRESSURE GAUGE POCKETS
- BACKPACK WITH HANDLE TO CARRY EASILY
- ADJUSTABLE CUMMERBUND
- HIGH BUOYANCY LIFT
- COLOR & SIZE IDENTIFICATION







Flat Ergo inflator





Trim Weights

TRIM WEIGHT

code: 417964 - (PAIR)

- EASY TO INSTALL ON TANK BAND
- DOUBLE LOOP TO FIT PERFECTLY ON THE BAND
- PERFECT BUOYANCY
- LESS WEIGHT ON THE BELT
- WEIGHT CAPACITY: 2kg EACH

STANDARD WEIGHT SYSTEM

code: 417963 - SMALL: 4kg / 9lbs (PAIR) code: 417962 - LARGE: 6kg / 13lbs (PAIR)

- ADD-ON TO UPGRADE BCD WITH STANDARD BUCKLE WEIGHT SYSTEM
- ZIPPERED POCKET
- EASY USE WITH THICK GLOVES







code: **417366**





Standard buckle weight system (optional)

TECHNICAL FEATURES

Sizes	XXS XS		s	м	L	XL	2XL
Weight	3,8 kg / 8,4 lb	3,9 kg / 8,6 lb	4 kg / 8,8 lb	4,1 kg / 9 lb	4,2 kg / 9,2 lb	4,3 kg / 9,5 lb	4,4 kg / 9,7 lb
Buoyancy	140 N (14,2 kg / 31,3 lb)	140 N (14,2 kg / 31,3 lb)	150 N (16 kg / 35 lb)	160 N (16,3 kg / 35,9 lb)	200 N (21 kg / 46 lb)	230 N (23,5 kg / 51,7 lb)	240 N (24,5 kg / 54 lb)

 \diamondsuit Please note that some sizes/colors are only available while stocks last





TECHNICAL FEATURES

Sizes	XXS	XS	S	м	L	XL	2XL
Weight	3,8 kg / 8,4 lb	3,9 kg / 8,6 lb	4 kg / 8,8 lb	4,1 kg / 9 lb	4,2 kg / 9,2 lb	4,3 kg / 9,5 lb	4,4 kg / 9,7 lb
Buoyancy	140 N (14,2 kg / 31,3 lb)	140 N (14,2 kg / 31,3 lb)	150 N (16 kg / 35 lb)	160 N (16,3 kg / 35,9 lb)	200 N (21 kg / 46 lb)	230 N (23,5 kg / 51,7 lb)	240 N (24,5 kg / 54 lb)

ROVER OVERALL WITH HOOD

code: 412378 - 5 mm She Dives



DIVING CENTER WETSUIT LINE

- PERFECT FIT AND FREEDOM OF MOVEMENT
- EXTRA LONG FRONT ZIPPER FOR EASIER DONNING AND DOFFING
- SUPERSTRETCH NEOPRENE FOR THE ARMS
- POLYURETHANE PROTECTION ON THE AREAS SUBJECT TO THE GREATEST WEAR
- ZIPS AT THE ANKLES
- HOOD WITH TWO HOLES FOR VENTING TRAPPED AIR
- WIDE FACE OPENING FOR GREATER COMFORT
- MANUFACTURED ENTIRELY IN ULTRASTRETCH MATERIAL
- ALSO AVAILABLE IN CHILDREN'S SIZES, FROM -3 TO 0
- VERY LARGE SIZES, +8 AND +9
- COLOR & SIZE IDENTIFICATION SYSTEM







Color & Size identification system


Extra Long Front Zipper

DIVING CENTER SIZE GUIDE CHART

412381 / 412377 / 412379 / 412380 / 412388 - ROVER UNISEX

COLOR&SIZE	EU SIZE	MAN SIZE	LADY SIZE	KIDS	HEIGHT
- 3				8 years	128-134
- 2			34	10 years	140
- 1			36	12 years	152
0			38	14 years	164
1	XS	44	40		170
2	S	46	40/42		173
3	М	46/48	42/44		176
4	L	48/50	44/46		179
5	XL	50/52			182
6	XXL	52/54			185
7	3XL	54/56			188
8	4XL	56/58			191
9	5XL	58/60			194

412368 - ROVER SHE DIVES



PU protection

IT	2	3	4
EU	S	м	L
USA	6	8	10
1	167 / 5'6"	170 / 5'7"	173 / 5'8"
2	81,5 / 32"	85,5/34"	89,5/35"
3	71 / 28"	75 / 30"	79/31"
4	88/35"	92/36″	96 / 38"



TECHNICAL FEATURES

TECHNICALITEARC	TECHNICALTEATORES											
Thickness	5.0 mm											
Fabric type	l	Jltrastretch Neoprene	5									
She Dives Sizes	2 3 4											

ROVER OVERALL WITH HOOD

code: 412381 - 7 mm code: **412377 - 5 mm**



TECHNICAL FEATURES

Thickness		7.0 mm / 5.0 mm											
Fabric type		Ultrastretch Neoprene											
Man Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9

ROVER OVERALL HOODLESS

code: 412379 - 5 mm code: **412380 - 3 mm**





TECHNICAL FEATURES

Thickness		5.0 mm / 3.0 mm											
Fabric type		Ultrastretch Neoprene											
Sizes	-3	-3 -2 -1 0 1 2 3 4 5 6 7 8 9											

ROVER HOOD

code: **412813**



TECHNICAL FEATURES

Thickness	5.0 mm										
Fabric type	Ultrastretch Neoprene										
Sizes	S	М	L								

ROVER SHORTY code: **412388**

n g g Color & Size



TECHNICAL FEATURES

Thickness		3.0 mm											
Fabric type		Ultrastretch Neoprene											
Sizes	-3	-2	-1	0	1	2	3	4	5	6	7	8	9

RASH GUARD

- PERFECT AS AN UNDERSUIT AND SKIN PROTECTION
- IDEAL FOR ALL WATERSPORTS ACTIVITIES
- MALE AND FEMALE VERSIONS
- FLATLOCK STITCHED SEAMS
- EXTENDED LENGTH
- IDEAL FOR DC STAFF IDENTIFICATION

MAN

code: 412416 - Rash Guard Short Sleeve 🛇 code: 412421 - Rash Guard Long Sleeve

code: 412547 - Shorts



TECHNICAL FEATURES

Fabric	Polyester/Spandex							
Man Sizes	XS	S	М	L	XL	2XL	3XL	

♦ Please note that some sizes/colors are only available while stocks last



SHE DIVES

code: 412417 - Rash Guard Short Sleeve 🛇 code: 412422 - Rash Guard Long Sleeve > code: 412548 - Shorts



Fabric	TECHNICAL FEATURES Fabric Polyester/Spandex						
She Dives Sizes	XXS	XS	S	М	L	XL	2XL

NEW

ROVER

code: 411243 **◊**

- INTEGRATED BUCKLES
- WIDER RANGE OF FITTING STURDY AND DURABLE CONSTRUCTION
- SILICONE SKIRT



ROVER MASKS & SNORKEL SET

code: **411768**

6 ROVER MASKS







411181 ◊





e e ß 🗆

1 SILICONE MOUTHPIECE

COLOR VARIATIONS



CI

COLOR VARIATIONS



ACCESSORIES

Optical lens (from -1,0 to -7,0 - from +1,5 to +3,0)

ROVER PRO

code: 411519

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER
- EXHAUST VALVE
- SILITER MOUTHPIECE

COLOR VARIATIONS





code: 411478

- CURVED, ERGONOMIC STRUCTURE
- INTEGRATED KEEPER SILICONE MOUTHPIECE



ROVER HD

code: 411266

- HEAVY DUTY CONSTRUCTION
- INTEGRATED BUCKLES SYSTEM ON FRAME, EASY TO USE EVEN WITH GLOVES
- WIDE RANGE OF FITTING
- EXTREMELY COMFORTABLE SILICONE SKIRT
- COMPLETE RANGE OF OPTICAL LENSES AVAILABLE




COLOR VARIATIONS



ACCESSORIES

Optical lens (from -1,5 to -6,0 / +1,75 +2,25 +2,75) 411195

 \diamondsuit Please note that some sizes/colors are only available while stocks last



COLOR VARIATIONS



ACCESSORIES

Optical lens (from -1,5 to -6,0 / +1,75 +2,25 +2,75)

411195	
--------	--

AVANTI PURE

code: **410028**

- A 2-MATERIAL, OPEN HEEL FIN
- CAN BE USED BAREFOOT OR WITH MARES PURE BOOTIES
- SOFT AND COMFORTABLE FOOT POCKET
- ERGONOMIC HEEL PAD (PAT. PENDING) MINIMIZES PRESSURE ON THE ACHILLES' HEEL
- SPECIAL BUNGEE STRAP FOR MAXIMUM COMFORT DURING USE, WHEN DONNING AND DOFFING
- BUNGEE GUIDES SO THE STRAP IS ALWAYS PLACED IN THE RIGHT POSITION

Color & Size

COLOR VARIATIONS



TECHNICAL FEATURES

TECHNICAL FEATURES					TECHNIC	AL FEATUR	ES
Sizes	XXS	SM	M/L	L/XL	Sizes	36/37	38/39
Fit	30/34	35/38	39/43	44/47	Blade*	32,5 cm	34,5 cm
Blade*	27 cm / 10.6 in	29,5 cm / 11.6 in	32 cm / 12.6 in	34,5 cm / 13.6 in		12.8 in	13.5 in

* From end of footpocket to end of blade

AVANTI HC

code: **410346**

Color & Size

- SOFT ERGONOMIC FOOT POCKET WITH LATERAL INSERTS
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/EFFORT RATIO
- RIB ON THE BACK OF THE BLADE: REINFORCES THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY



code: **410001**

- ABS PLUS BUCKLE FOR ONE HAND ADJUSTMENT
- 3 CHANNELS FOR MAXIMUM THRUST
- STABILIZING TRIM TABS
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION





COLOR VARIATIONS

		· Additions
YL	BL	BK

TECHNICAL FEATURES

Sizes	XS	S	R	XL
Blade*	33 cm	35 cm	37 cm	37 cm
	13.0 in	13.7 in	14.5 in	14.5 in

CORDA

code: **495023**

- 100% NATURAL RUBBER
- FLEXIBLE BLADE
- SOFT ORTHOPEDIC FOOT POCKET
- WIDE RANGE OF SIZES

TECHNICAL FEATURES

Sizes	38/39	40/41	42/43	44/45
Blade*	15.9 cm	17.1 cm	18.4 cm	19.7 cm
	6 ¼ in	6 ¾ in	7 ¼ in	7 ¾ in

* From end of footpocket to end of blade

COLOR VARIATIONS

BL

40 cm 15.7 in

42 cm 16,5 in

38 cm 15 in

36 cm 14.2 in

AVANTI TRE

code: 410302

- ORTHOPEDIC FOOT POCKET
- 3 CHANNELS FOR MAXIMUM THRUST
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION
- STABILIZING TRIM TABS





COLOR VARIATIONS



TECHNICAL FEATURES

Sizes	36/37	38/39	40/41	42/43	44/45	46/47
Blade*	31 cm	33 cm	34 cm	36 cm	36,5 cm	37,5 cm
	12.2 in	13 in	13.4 in	14.2 in	14.5 in	14.8 in



COLOR VARIATIONS



code: 415690

- 1010 LUMENS
- MAGNETIC ADJUSTABLE FOCUS
- 135 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MAGNETIC MULTIFUNCTION SWITCH WITH SAFETY LOCK
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP

EOS STROBE

code: 415693

- 450 LUMENS
- 360° HIGH VISIBILITY
- 5/25 HOURS OF BURN TIME
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- MAGNETIC, ROTATIONAL SWITCH
- TWO OPERATING MODES: ON, STROBE
- ANODIZED ALUMINUM HOUSING
- ADJUSTABLE STRAP
- PADDED CASE WITH ZIP



code: 415524

- HEAT SEALED BAG WITHOUT STITCHING
- 500D TARPAULIN, STURDY AND LIGHTWEIGHT
- FOLDABLE WITH A LARGE INTERNAL VOLUME
- ADJUSTABLE HANDLES
- SIDE DRAIN VALVE



TECHNICAL FEATURES

Dimensions (LxWxH)	Unit Net Weight	Volume
90×46×35 cm / 35.4"x 18.1"x 13.7"	1,7Kg / 3,7lb	144 L / 8787 cu.in

ALUMINUM TANK

code: pls contact your local distributor

- CODE: PLS CONTACT YOUR LOCAL DISTRIBUTOR
- 12L / 80CFT, THE IDEAL SIZE FOR DC
- US DOT-3AL BRUSHED ALUMINUM
- 3 VERTICAL SILKSCREEN MARES DC LOGOS




ROLL OF WEBBING

code: 415128

- 50m/45Y EACH ROLL
- CUSTOMIZABLE ACCORDING TO DC NEEDS
- MARES SILVER LOGO
- PERFECT FOR MARES STAINLESS STEEL BUCKLE







TECHNICAL FEATURES

Bulb	1 C	ree XM-l	_2 LED C	hip
Switch mode	High	Low Flash/S		Flash/SOS
Led lumens (25°)	1010	30	55	/
Burn time (min)	135	25	55	240
Color temperature (k)		5800 -	- 7300	
Light beam (1m distance)	Hot Spot (12°) Corona (75°		orona (75°)	
(Mm/in)	220 / 8.6 1550 / 61		1550 / 61	
Rechargeable batteries (li-ion)	1x ICR26650			
Time to charge	6 h (5V1A	adapter)	- 12 h (P	C 500mA)
Total length (mm/in)		186	/ 7.3	
Head diameter (mm/in)		57 /	2.2	
Body diameter (mm/in)	37 / 1.5			
Weight with batteries (gr/oz)	537 / 18.8			
lax operating depth (m/feet) 120 / 393				

TECHNICAL FEATURES

D. III	1 Cree XPE LED Chip		
Bulb	1 Cree XPE	= LED Chip	
Switch mode	High	Flash/SOS	
Led lumens (25°)	450	/	
Burn time (min)	300	1500	
Color temperature (k)	5800 -	÷ 7300	
Light beam (1m distance)	Diffused light		
Flash Rate (p/min)	120		
Rechargeable batteries (li-ion)	n) 1x ICR26650		
Time to charge	6 h (5V1A adapter) - 12 h (PC 500mA)		
Total length (mm/in)	170	/ 6.6	
Head diameter (mm/in)	39 /	1.6	
Body diameter (mm/in)	34 / 1.4		
Weight with batteries (gr/oz)	245 / 8.6		
Max operating depth (m/feet)	100 / 328		

mares

EOS LINE

PROTECTION BAG

code: 44201169

- NEOPRENE BAG WITH ADJUSTABLE CLOSURE SYSTEM
- THE PERFECT SOLUTION TO PROTECT 2ND STAGES AND THE BCV INFLATOR BODY
- IDEAL FOR STORING AND PROTECTING A MASK, COMPUTER
- AND PERSONAL BELONGINGS





TANK VALVE DC / SINGLE CONNECTION

code: 415064



WEIGHT BELT BUCKLES

- STAINLESS STEEL
- "V" SHAPE FRONT FLAP TO CLOSE EASILY
- MARES EMBOSSED LOGO
- 10PCS KIT
- IDEAL FOR MARES WEBBING ROLL



POP PURE WIRE

- CARDBOARD DISPLAY
- SIZE: APPROX 44 X 35 X 41 cm





- CARDBOARD TOWER DISPLAY SIZE: APPROX 55 X 125 cm







POLO

code: **449014**

- 100% COTTON
- SIZES: S/M/L/XL/XXL

PEN FLAG code: 449945

- HEIGHT 1,80 m
- 100% NYLON

T SHIRT TEAM

code: 449231

- 100% PRINTED COTTON
- SIZES: S/M/L/XL/XXL



DISPLAY BLACK TANK 12L

code: **449660**

- BLACK
- DIAMETER: 170 mm CIRCUMFERENCE: 542 mm HEIGHT: 645 mm
- TANK NECK THREAD: M25X2 EN144-1 NO VALVE SUPPLIED
- WEIGHT: 1.8 Kg
- "MARES" LOGO ON ONE SIDE AND "MARES XR" LOGO ON THE OPPOSITE SIDE

FLAG	
code: 449946	

SIZE: 140X90 cm



STICKER	
code: 449848	
 SIZE: 20X5 cm 	





WOOLY HAT

code: 449241

30% WOOL / 70% POLYACRYLIC

EXTRA FLEECE INSERT AROUND THE EARS

PEN FLAG

- code: 449221
- HEIGHT 1,80 m
- 100% NYLON



FREEDIVING STICKER

code: **449939**



KEY HOLDER RAZOR



code: **449683**

- DIMENSIONS W1000XH1955XD350 mm
- MOVABLE WITH 4 WHEELS
- DISPLAY SPACE ON BOTH SIDES

code: **449685**

15 METAL HOOKS


SSI EDUCATIONAL PROGRAM

HOOKS FOR GRID DISPLAY

- THE QR CODE ON AQUAZONE PACKAGING SENDS THE USER TO A FREE SSI TRAINING VIDEO WHICH COVERS THE BASICS OF SNORKELING GEAR AND SOME USEFUL SAFETY TIPS
- AFTER COMPLETING THE REGISTRATION, CUSTOMERS CAN:
- TAKE PART IN A PRACTICAL SSI SNORKELING MODULE AT THEIR NEAREST SSI TRAINING CENTER
- CONTINUE THEIR DIVING EDUCATION WITH FURTHER SSI PROGRAMS AND CERTIFICATIONS



code: 449921			
code: 449922			
SIZE: 3X1	m		
SIZE: 150	X50 cm		
100% PVC	2		





FLAG

code: 449920


SIZE: 140X90 cm

100% NYLON



BOAT FLAG

- SIZE: 60X50 cm
- 100% NYLON





SEMINARS **2021**



THE MARES LAB SERVICE TECHNICIAN TRAINING PROGRAM

Mares Service Technician Training Courses are available throughout the world and are designed and developed based on proven effective instructional system design principals. They are the dive industry's first and only competency based service technician training courses offered worldwide that are produced and conducted by a major dive equipment manufacturer. This means you'll receive the same high quality and educationally valid training regardless of where in the world you participate in a Mares Service Technician Training Course.



BASIC SERVICE TECHNICIAN DIGITAL LEARNING COURSE

This highly interactive online digital learning course is delivered to the learner using the latest Educational Management System (EMS) technology. The EMS platform technology along with extensive use of video and graphic content enhances learning and retention of information and produces a highly enjoyable educational experience. The course is open to anyone, and can be accessed by contacting the local Mares Subsidiary or Distributor. Take this course as the first step to becoming a fully gualified Mares Service Technician, or if you simply want to learn the basics of regulator design and service and/or repair. This course is a prerequisite requirement for most Mares Lab Skill Based Training Courses. Completion of this course does not qualify you to service or repair Mares equipment.



The course goals are to:

1. Establish your basic knowledge level relating to regulator service and repair procedures.

2. Provide you with basic information about regulator design and function. 3. Provide you with Mares specific information relating to service and repair procedures, manufacturing processes and product information. 4. Help prepare you for success in one or more Mares Lab Skill Based

Training Courses. Prerequisite Requirements:

Course is open to anyone

MARES LAB SKILL BASED TRAINING COURSES

 MARES SERVICE TECHNICIAN • MARES DIVING CENTER SERVICE TECHNICIAN MARES SPECIALTY SERVICE TECHNICIAN



After successfully completing the Basic Service Technician Digital Learning Course, you are now ready to progress to the skill based training phase of becoming a qualified Mares Service Technician. These courses are conducted by qualified Mares Lab Instructors and consist of comprehensive hands-on training exercises. During these courses you will have the opportunity to perform multiple service procedures on a wide variety of Mares products, including multiple complete regulator service overhauls on various Mares regulators. You'll also gain valuable experience in using the Mares Service Manual and Spare Parts Catalog during routine and special service procedures. Skill based training courses are designed to:

- 1. Provide comprehensive, real world, hands-on training about how to service and repair Mares products.
- 2. Enhance the knowledge gained from the Basic Service Technician Digital Learning Course.
- 3. Develop skills and abilities to the level required to successfully perform service and repair procedures on Mares products.

4. Prepare you for a successful full or part-time career as a Mares Service Technician.

SEMINARS 2021

MARES SERVICE TECHNICIAN

This is by far the most popular of the skill based training courses. The all new and redesigned Mares Service Technician Training Course is a comprehensive 2 day training program that trains and gualifies individuals to service and repair Mares products. Topics include disassembly, reassembly and adjustment of in-line Mares regulators, service and repair procedures, troubleshooting, dive computers, Mares warranty, service quidelines and more. More than 12 hours of course time is dedicated to hands-on, skill based training on how to properly disassemble, reassemble and adjust Mares regulators and BC inflator mechanisms. Successful completion of this course qualifies you to service and/or repair ALL Mares products.

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course. Be currently affiliated with an Authorized Mares Dealer. Be approved by the affiliated Mares Dealer to attend the course.

MARES DIVING CENTER SERVICE TECHNICIAN

This course is designed for technicians who plan to work in a Mares Diving Center, such as a resort or diver training facility, that has limited or no retail sale of Mares equipment. Course duration is 1 day and provides skill based training related to the Mares Diving Center product line. Take this course if you plan to work in a Mares Diving Center and are interested in being able to service and repair your affiliated Mares Diving Center owned Mares products. Successful completion of the Diving Center Service Technician Course gualifies you to service and repair ONLY your affiliated Diving Center OWNED equipment used in rental and/or training programs.

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course. Be affiliated with an Authorized Mares Diving Center. Be approved by the affiliated Mares Diving Center to attend the course.

MARES SPECIALTY SERVICE TECHNICIAN

These courses are designed to train technicians to service and repair specific Mares products. Specialty Service Technician Training Course duration is approximately 1 day, depending on the course requirements and the number of products included in the course. Successful completion of this course qualifies you to service and/or repair ONLY the specific Mares products for which you were trained. These products will be listed on your qualification certificate. Contact your local Mares Subsidiary or Distributor for additional information on Specialty Service Technician Training Courses available in your area.


Prerequisite Requirements:

This varies according to the specific Specialty Service Technician Training Course requirements

Authorization by a current Mares Dive Center or Mares Dealer.

MARES SERVICE TECHNICIAN UPDATE

In order to maintain your Mares Service Technician gualification, you must attend the Annual Renewal Seminar within one (1) year* of completing a Service Technician Training Course or Annual Renewal Seminar. Annual Renewal Seminar is available online and/or as instructor led Update Seminars and are conducted regularly throughout the year, providing you with numerous opportunities to maintain your Mares qualification.





Update Seminar topics typically include new products, new and updated service procedures and a review of current Service Bulletins. * Within one (1) year is defined as December 31st of the year in which the one year limit is reached.

Prerequisite Requirements:

Currently qualified as a Mares Lab Service Technician. Qualification date is within theone (1) year update requirement.

THE MARES LAB TRAINING CYCLE®

The Mares Lab Training Cycle is a process that has proven effective in producing what we call "best in class results". This means that as a qualified Mares Service Technician, you can be confident that you've successfully completed the dive industry's most comprehensive dive equipment service and repair training program available through a dive equipment manufacturer. You can also be proud of the fact that you earned your qualification by demonstrating a "best in class" level of dive equipment service technician skills and abilities. Here's how the Mares Lab Training Cycle works:

Your Knowledge Development

Your basic dive equipment service and repair knowledge is established during your digital learning course and further enhanced during your skill based training course.

Your Skill Development

Your service and repair skills are enhanced during your skill based training course through a series of hands-on training exercises. Over 90% of the contact hours in these courses are dedicated to skill development.



Your Abilities Confirmed

Your knowledge and skill levels achieved through the Mares Lab training process are objectively evaluated and must meet the minimum core competency requirements in order to be gualified as a Mares Service Technician.

Your Abilities Improved

Your abilities improve over time by gaining additional knowledge and increasing skill levels. This is achieved through experience as a Mare Service Technician, by regular contact and communication with Mares Technical Assistance staff, by receiving periodic product updates and Service Bulletins and by participating in Service Technician Update Seminars.

CONSIDER THIS CATALOG A PRELIMINARY VERSION. PLEASE REMEMBER TO REPLACE THIS VERSION WITH THE FINAL COPY WHEN IT'S COMPLETE. Product specifications and characteristics listed in this catalogue may be subject to changes by Mares without notice.

The trademark mares[®] is a registered trademark.

ISO 9001:2015 certified

🛱 PHOTO CREDITS Cover / Scuba Diving: Janez Kranjc - XR: Bjoern Dorstewitz - Pure Instinct: Nacho Peláez - Aquazone: Axel Weiss - Diving Center: Axel Weiss





Mares S.p.A. Salita Bonsen 4 P.O. Box 142 16035 Rapallo (Genova) · ITALY Tel. +39 0185 2011 / fax +39 0185 201470 www.mares.com